What is claimed is:

1. An oil-in-water stick type composition comprising an aqueous phase and an oil phase, wherein the oil phase contains wax; and polysorbate and a sorbitan ester derivative, wherein the composition comprises the polysorbate and the sorbitan ester derivative in a weight ratio of 1 : 0.86 to 3.

2. The oil-in-water stick type composition according to claim 1, wherein the wax comprises a branched hydrocarbon wax.

3. The oil-in-water stick type composition according to claim 2, wherein a 60° gloss of the composition is 100 GU or more as measured on PARAFILM using micro-TRI-gloss.

4. The oil-in-water stick type composition according to claim 2, wherein the branched hydrocarbon wax has a saturated hydrocarbon structure.

5. The oil-in-water stick type composition according to claim 2, wherein the branched hydrocarbon wax is one or more of a branched synthetic wax and a hydrogenated styrene/methyl styrene/indene copolymer.

6. The oil-in-water stick type composition according to claim 2, wherein the composition comprises the branched hydrocarbon wax in the amount of 5% to 45% by weight with respect to an entire composition weight.

7. The oil-in-water stick type composition according to claim ~~4~~5, wherein a molecular weight of the branched synthetic wax is more than 800 g/mol and less than 1300 g/mol.

8. The oil-in-water stick type composition according to claim ~~4~~5, wherein a melting point of the branched synthetic wax is from -1.5°C to 20°C.

9. The oil-in-water stick type composition according to claim 1, wherein the wax comprises a linear hydrocarbon wax.

10. The oil-in-water stick type composition according to claim 9, wherein the linear hydrocarbon wax is one or more of a linear synthetic wax and a polyethylene wax.

11. The oil-in-water stick type composition according to claim 9, wherein a molecular weight of the linear hydrocarbon wax is more than 150 g/mol and less than 750 g/mol.

12. The oil-in-water stick type composition according to claim 9, wherein the content of the linear hydrocarbon wax in the composition is 1% to 11% by weight with respect to an entire composition weight.

13. The oil-in-water stick type composition according to claim 1, wherein the polysorbate is one or more of polysorbate 20, polysorbate 40, polysorbate 60, and polysorbate 80.

14. The oil-in-water stick type composition according to claim 1, wherein the sorbitan ester derivative is sorbitan stearate.

15. The oil-in-water stick type composition according to claim 1, wherein the composition comprises the polysorbate and sorbitan ester derivative in the amount of more than 6.5% by weight and less than 14.1% by weight with respect to an entire composition weight.

16. The oil-in-water stick type composition according to claim 1, wherein the aqueous phase comprises water in the amount of more than 15% by weight and less than 45% by weight with respect to an entire composition weight.

17. The oil-in-water stick type composition according to claim 1, wherein a hardness of the composition is from 20 to 150 gf as an average value when a piano string having a thickness of 0.2 mm is placed at a center of the composition and then moved at a speed of 20 mm/min and forces received at a point of from 10 to 19.5 mm in a moved distance are measured using Rheometer CR-300.

18. The oil-in-water stick type composition according to claim 1, wherein the composition further comprises a coloring agent.

19. The oil-in-water stick type composition according to claim 18, wherein the composition comprises the coloring agent in the amount of 0.05% to 20% by weight with respect to an entire composition weight.

20. The oil-in-water stick type composition according to claim 1, wherein the composition is a cosmetic composition.