

ABSTRACT OF THE DISCLOSURE

PROPYLENE-BASED COPOLYMER MATERIAL, FILM MADE THEREFROM, AND
METHOD FOR PRODUCING PROPYLENE-BASED COPOLYMER MATERIAL

5

A propylene-based copolymer material is provided which includes 1 to 10% by weight of a propylene-based copolymerized component (1) defined below and 90 to 99% by weight of a propylene-based copolymerized component (2) defined below and
10 which has a melting point not higher than 140°C, wherein the propylene-based copolymerized component (1) is a propylene-based copolymerized component which includes 89 to 97% by weight of propylene units, 0 to 1.5% by weight of ethylene units and 3 to 10% by weight of 1-butene units and which has a
15 melting point within the range of 145°C to 155°C, and the propylene-based copolymerized component (2) is a propylene-based copolymerized component which includes 80 to 94% by weight of propylene units, 0 to 10% by weight of ethylene units and 0 to 20% by weight of 1-butene units. A film made
20 from the copolymer material is also provided.