

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C11D 17/00, 3/18	A1	(11) International Publication Number: WO 97/00934 (43) International Publication Date: 9 January 1997 (09.01.97)
(21) International Application Number: PCT/AU96/00373 (22) International Filing Date: 21 June 1996 (21.06.96) (30) Priority Data: 9512900.3 23 June 1995 (23.06.95) GB (71) Applicant: R & C PRODUCTS PTY. LIMITED [AU/AU]; 33 Hope Street, Ermington, NSW 2115 (AU). (72) Inventor: SILVESTER, Raymond, Neville; 14 Coomalie Avenue, Castle Hill, NSW 2154 (AU). (74) Agent: F.B. RICE & CO.; 28A Montague Street, Balmain, NSW 2041 (AU).		(81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: AEROSOL CLEANING COMPOSITIONS (57) Abstract A cleaning composition being an oil-in-water emulsion in aerosol form characterised in that sufficient of the propellant is retained in the emulsion on discharge to a surface such that the retained propellant boils to create a sustained bubbling action in the absence of foaming on the surface. The cleaning composition comprises an oil-in-water emulsion containing (a) 2 to 60 % w/w in total amount of one or more hydrocarbon propellants such that the propellants substantially form a part of the oil phase when the composition is formulated; (b) 2 to 50 % w/w in total amount of one or more surfactants; (c) 0.1 to 30 % w/w in total amount of one or more water-immiscible organic compounds; (d) 0.5 to 40 % w/w in total amount of one or more water-miscible organic coupling agents; and (e) 10 to 70 % w/w of water.		