

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(10) International Publication Number
WO 2022/029233 A1

(43) International Publication Date
10 February 2022 (10.02.2022)

(51) International Patent Classification:

C10G 45/46 (2006.01) C10G 65/08 (2006.01)

(21) International Application Number:

PCT/EP2021/071880

(22) International Filing Date:

05 August 2021 (05.08.2021)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

20305911.8 07 August 2020 (07.08.2020) EP

(71) Applicant: **TOTALENERGIES MARKETING SERVICES** [FR/FR]; 24 Cours Michelet, 92800 Puteaux (FR).

(72) Inventor: **FERREIRA, Cristina**; 145 Rue de Lourmel, 75015 Paris (FR).

(74) Agent: **AUGUST DEBOUZY**; 7 Rue de Téhéran, 75008 Paris (FR).

(81) Designated States (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, IT, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, WS, ZA, ZM, ZW.

(84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) Title: PROCESS FOR THE PRODUCTION OF WHITE OILS

(57) Abstract: The invention is a process for producing a white oil having an initial boiling point of at least 250°C, the process comprising a step of catalytically hydrogenating a base oil feedstock at a temperature of from 120 to 210°C, at a pressure of from 30 to 160 bars and a liquid hourly space velocity of 0.2 to 5 hr⁻¹, the base oil feedstock comprising less than 5 ppm by weight of sulphur.



WO 2022/029233 A1