


1/18

FIGURE 1: X-RAY POWDER DIFFRACTOGRAM (XRPD) OF SAXAGLIPTIN BISULPHATE




**FIGURE 1a: TABLE OF VALUES FOR THE XRPD PATTERN
DEPICTED IN FIGURE 1**

Pos. [$^{\circ}$ 2 θ]	d-spacing [$\text{\AA}$]	Rel Int. [%]
21.04	4.22	12.33
22.82	3.89	14.77
24.50	3.63	100.00
26.26	3.39	64.16
27.25	3.27	39.79
27.84	3.20	71.82
28.89	3.09	32.16
29.26	3.05	32.66
29.98	2.98	32.85
30.71	2.91	20.10
32.05	2.79	11.96
34.06	2.63	13.60

3/18


FIGURE 2: FOURIER-TRANSFORM INFRARED (FTIR) SPECTRUM OF SAXAGLIPTIN BISULPHATE



SUBSTITUTE SHEET (RULE 26)


4/18

FIGURE 3: DIFFERENTIAL SCANNING CALORIMETRY (DSC) OF SAXAGLIPTIN BISULPHATE



5/18

FIGURE 4: X-RAY POWDER DIFFRACTOGRAM (XRPD) OF SAXAGLIPTIN ACETATE




6/18

**FIGURE 4a: TABLE OF VALUES FOR THE XRPD PATTERN
DEPICTED IN FIGURE 4**

Pos. [$^{\circ}$ 2 θ]	d-spacing [Å]	Rel Int. [%]	Pos. [$^{\circ}$ 2 θ]	d-spacing [Å]	Rel Int. [%]
6.65	13.29	0.22	23.32	3.81	1.66
7.38	11.97	100.00	23.89	3.72	1.72
8.98	9.84	27.03	24.63	3.61	0.67
9.43	9.37	1.70	25.22	3.53	2.34
10.71	8.26	0.37	25.46	3.49	2.28
11.67	7.57	0.20	25.97	3.43	2.55
12.48	7.08	2.24	26.29	3.38	1.69
13.32	6.64	0.38	26.99	3.30	2.34
14.12	6.27	5.51	27.44	3.24	2.21
14.79	5.98	35.08	27.79	3.21	1.70
15.27	5.79	2.84	28.62	3.11	1.99
15.81	5.60	2.78	29.69	3.00	3.26
16.12	5.49	2.47	30.42	2.93	1.97
16.88	5.25	2.45	30.78	2.90	2.58
17.17	5.16	6.22	32.12	2.78	1.75
17.85	4.96	33.42	32.67	2.74	1.26
18.03	4.91	46.43	33.93	2.64	0.82
18.82	4.71	7.27	35.23	2.54	1.96
18.92	4.68	9.24	36.50	2.46	2.79
19.70	4.50	4.00	36.99	2.42	2.24
19.94	4.45	4.56	38.00	2.36	2.66
22.26	3.99	8.29	38.36	2.34	1.52
22.97	3.87	4.32	39.04	2.30	1.25


7/18

FIGURE 5: FOURIER-TRANSFORM INFRARED (FTIR) SPECTRUM OF SAXAGLIPTIN ACETATE



8/18


FIGURE 6: DIFFERENTIAL SCANNING CALORIMETRY (DSC) OF SAXAGLIPTIN ACETATE



SUBSTITUTE SHEET (RULE 26)

9/18

FIGURE 7: X-RAY POWDER DIFFRACTOGRAM (XRPD) OF SAXAGLIPTIN OXALATE



SUBSTITUTE SHEET (RULE 26)


10/18

**FIGURE 7a: TABLE OF VALUES FOR THE XRPD PATTERN
DEPICTED IN FIGURE 7**

Pos. [°2 θ]	d-spacing [Å]	Rel Int. [%]	Pos. [°2 θ]	d-spacing [Å]	Rel Int. [%]
1.08	21.61	12.88	19.92	4.45	16.47
6.80	12.99	65.60	20.54	4.32	51.31
7.13	12.38	30.74	20.98	4.23	18.58
7.76	11.37	20.18	21.94	4.05	39.32
8.24	10.72	6.13	22.15	4.01	44.58
8.98	9.84	1.58	22.99	3.86	18.96
9.60	9.20	14.12	23.73	3.74	5.99
10.91	8.10	18.59	24.38	3.65	7.30
12.39	7.14	13.81	25.30	3.51	38.04
13.78	6.42	27.80	25.73	3.46	20.27
14.06	6.28	54.30	26.67	3.34	12.89
14.32	6.18	35.53	27.57	3.23	29.25
14.76	5.99	51.28	28.97	3.08	43.65
14.93	5.93	43.19	30.25	2.95	12.00
15.56	5.69	43.31	31.59	2.83	10.28
16.17	5.47	37.58	32.18	2.78	10.67
16.56	5.35	20.87	33.21	2.69	15.93
17.08	5.19	36.09	34.23	2.61	4.44
17.88	4.96	76.53	35.56	2.52	5.20
18.06	4.91	100.00	36.88	2.43	13.94
18.98	4.67	57.94	37.45	2.40	5.53
19.30	4.59	40.83	37.85	2.37	5.08

11/18


FIGURE 8: FOURIER-TRANSFORM INFRARED (FTIR) SPECTRUM OF SAXAGLIPTIN OXALATE



SUBSTITUTE SHEET (RULE 26)


12/18

FIGURE 9: DIFFERENTIAL SCANNING CALORIMETRY (DSC) OF SAXAGLIPTIN OXALATE



13/18

FIGURE 10: X-RAY POWDER DIFFRACTOGRAM (XRPD) OF SAXAGLIPTIN BICARBONATE




**FIGURE 10a: TABLE OF VALUES FOR THE XRPD PATTERN
DEPICTED IN FIGURE 10**

Pos. [$^{\circ}$ 2 θ]	d-spacing [Å]	Rel Int. [%]
11.86	7.45	25.60
24.05	3.70	100.00
28.13	3.17	42.90
28.60	3.12	19.85
29.84	2.99	64.39
31.18	2.86	64.74
33.88	2.64	20.19
37.55	2.39	5.44
39.01	2.30	21.84

15/18


FIGURE 11: FOURIER-TRANSFORM INFRARED (FTIR) SPECTRUM OF SAXAGLIPTIN BICARBONATE



SUBSTITUTE SHEET (RULE 26)


16/18

FIGURE 12: DIFFERENTIAL SCANNING CALORIMETRY (DSC) OF SAXAGLIPTIN BICARBONATE



17/18

FIGURE 13: FOURIER-TRANSFORM INFRARED (FTIR) SPECTRUM OF SAXAGLIPTIN CARBONATE



SUBSTITUTE SHEET (RULE 26)

18/18

FIGURE 14: DIFFERENTIAL SCANNING CALORIMETRY (DSC) OF SAXAGLIPTIN CARBONATE

