



ABSTRACT

CONJUGATED DIENE POLYMER, CONJUGATED DIENE POLYMER COMPOSITION, AND METHOD FOR PRODUCING CONJUGATED DIENE POLYMER

A conjugated diene polymer is provided that includes a conjugated diene-based monomer unit and a monomer unit based on a monomer represented by Formula (1) below, the polymer having at least one terminus modified by a compound represented by Formula (2) below



wherein r is 0 or 1, R^1 denotes a hydrocarbyl group having 1 to 10 carbon atoms or a group containing at least one atom selected from the atomic group consisting of a nitrogen atom, an oxygen atom, and a sulfur atom, and R^2 denotes a group containing at least one atom selected from the atomic group consisting of a nitrogen atom, an oxygen atom, and a sulfur atom



wherein n denotes an integer of 1 to 10, R^3 , R^4 , and R^5 independently denote a hydrocarbyl group having 1 to 10 carbon atoms or a hydrocarbyloxy group having 1 to 10 carbon atoms, at least one of R^3 , R^4 , and R^5 is a hydrocarbyloxy group, and R^6 denotes a group containing at least one atom selected from the atomic group consisting of a nitrogen atom, an oxygen atom, and a sulfur atom.