

16 MAY 2002

2002028884

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
4 October 2001 (04.10.2001)

PCT

(10) International Publication Number
WO 01/72929 A1

- (51) International Patent Classification⁷: **C10G 45/04**
- (21) International Application Number: PCT/US00/35703
- (22) International Filing Date: 5 December 2000 (05.12.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
09/455,885 6 December 1999 (06.12.1999) US
- (71) Applicant: **EXXON RESEARCH AND ENGINEERING COMPANY** [US/US]; P.O. Box 900, 1545 Route 22 East, Annandale, NJ 08801 (US).
- (72) Inventors: **BRIGNAC, Garland, Barry**; 13598 Highway 10, Clinton, LA 70722 (US). **GREELEY, John, Peter**; 15 Forsgate Terrace, Annandale, NJ 08801 (US). **HALBERT, Thomas, Risher**; 13903 Hootsell, Baton Rouge, LA 70816 (US). **MC KNIGHT, Craig, Allan**; 1083 Parker Drive, Sherwood Park, Alberta T8A 1C7 (CA). **DEMMIN, Richard, Alan**; 424 Dennison Street, Highland Park, NJ 08904 (US). **CLARK, Janet, Renee**; 10324 Springdale, Baton Rouge, LA 70810 (US).
- (74) Agents: **HUGHES, Gerard, J. et al.**; Exxon Research and Engineering Company, P.O. Box 900, Annandale, NJ 08801 (US).
- (81) Designated States (*national*): AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



162162



ACTION

WO 01/72929 A1

(54) Title: HIGH TEMPERATURE NAPHTHA DESULFURIZATION USING A LOW METAL AND PARTIALLY DEACTIVATED CATALYST

(57) Abstract: A high temperature naphtha desulfurization process with reduced olefin saturation employs a partially spent and low metals content hydrodesulfurization catalyst having from 2-40 % the activity of a new catalyst. The catalytic metals preferably include Co and Mo in an atomic ratio of from 0.1 to 1. The catalyst is preferably at least partially regenerable, has less than 500 wppm of a total of one or more of nickel, iron and vanadium and preferably has no more than 12 wt. % catalytic metal calculated as the oxide. This permits selective deep desulfurization, with reduced olefin saturation, low product mercaptan levels and little or need for downstream mercaptan removal.