

ABSTRACT

One object of the present invention is to provide a composition for a fluororesin-containing coating which is less contaminated by carbon nanotubes, has sufficient conductivity, and has excellent workability at the time of coating. The present invention
5 provides a composition for a fluororesin-containing coating containing carbon nanotubes, a fluororesin, and a dispersion medium, and the amount of the carbon nanotubes is 0.01 ~ 0.5% by mass with respect to 100% by mass of the total of the fluororesin and the carbon nanotubes.