CLAIMS

[Claim 1] A backing for an aqueous patch consisting of three layers, wherein a film layer having through-holes is laminated between an inner fiber layer and an air-permeable outer fiber layer, characterized in that said film layer is an olefin elastomer perforated by a hot needle.

[Claim 2] The backing for an aqueous patch according to Claim 1, wherein the inner fiber layer is an inner fiber layer having through-holes.

[Claim 3] The backing for an aqueous patch according to Claim 1 or Claim 2, wherein the moisture permeability of the backing is 1000-5000 $g/m^2 \cdot 24$ h.

[Claim 4] The backing for an aqueous patch according to any one of Claims 1-3, wherein the opening area of the through-holes per 1 cm^2 of the film layer is 1-18 mm^2.

[Claim 5] The backing for an aqueous patch according to any one of Claims 1-4, wherein the through-hole area per ~~a~~ hole is 0.01-0.8 mm^2.

[Claim 6] An aqueous patch having a backing consisting of three layers, wherein a film layer having through-holes is laminated between an inner fiber layer and an air-permeable outer fiber layer, and a pasty preparation is spread on the inner fiber layer side of the backing, characterized in that said film layer is an olefin elastomer perforated by a hot needle.

[Claim 7] The aqueous patch according to Claim 6, wherein

the inner fiber layer of the backing is an inner fiber layer having through-holes.

[Claim 8] The aqueous patch according to Claim 6 or Claim 7, wherein the moisture permeability of the backing is 1000-5000 g/m^2•24 h.

[Claim 9] The aqueous patch according to any one of Claims 6-8, wherein the opening area of the through-holes of the backing per 1 cm^2 of the film layer is 1-18 mm^2.

[Claim 10] The aqueous patch according to any one of Claims 6-9, wherein the through-hole area per ~~a~~ hole is 0.01-0.8 mm^2.

[Claim 11] The aqueous patch according to any one of Claims 6-10, wherein the film layer of the backing is perforated so that 30-90% of the water content in the pasty preparation can remain after incubation at 40 °C for 4 hours.

[Claim 12] The aqueous patch according to any one of Claims 6-11, wherein the pasty preparation contains a drug.

[Claim 13] The aqueous patch according to Claim 12~~6~~, wherein the drug in the pasty preparation contains a nonsteroidal antiphlogistic or a local anesthetic.

[Claim 14] The aqueous patch according to Claim 12~~6~~, wherein the drug in the pasty preparation contains ketoprofen or felbinac.

[Claim 15] The aqueous patch according to Claim 12~~6~~, wherein the drug in the pasty preparation contains lidocaine.