

ABSTRACT

[Problems]

To provide a high solid type anticorrosive coating
5 composition excellent in drying properties during coating, and
capable of forming a coating film having excellent oil resistance,
solvent resistance, chemical resistance and anticorrosive
properties.

[Solving Means]

10 A high solid type paint composition comprising (A) a main
component containing a semi-solid state bisphenol type epoxy
resin (a1) wherein the epoxy equivalent weight of the epoxy resin
is 250 to 300, and (B) a curing component containing an epoxy adduct
of xylylenediamine (b1) and an epoxy adduct of polyamide (b2),
15 wherein the epoxy adduct of polyamide (b2) is contained at 50 to
200 parts by weight per 100 parts by weight of the epoxy adduct
of xylylenediamine (b1).