CLAIMS

1. A powder mixture comprising:

- reparixin in an amount between 3.5% w/w and 28.2% w/w,
- a viscosity agent selected from xanthan gum in an amount between 0.3% w/w and 0.5% w/w, gum arabic in an amount between 0.3% w/w and 0.5% w/w and a spray-dried blend of microcrystalline cellulose and sodium carboxymethylcellulose, wherein sodium carboxymethylcellulose is present in an amount between 11.3% w/w and 18.8% w/w, said blend being in an amount between 3% w/w and 8.3% w/w,
- sucrose in an amount between 63% w/w and 89% w/w,
- a wetting agent selected from polyvinylpyrrolidone in an amount between 3% w/w and 5% w/w, and poloxamer 188 in an amount between 0.5% w/w and 1.5% w/w,
- colloidal silica in an amount between 0.7% w/w and 1.4% w/w,

with the proviso that when said viscosity agent is said spray-dried blend of microcrystalline cellulose and sodium carboxymethylcellulose, said wetting agent is not polyvinylpyrrolidone.

2. The powder mixture according to claim 1, comprising:

- reparixin in an amount between 6.8% w/w and 28.2% w/w,
- a viscosity agent selected from xanthan gum in an amount between 0.3% w/w and 0.5% w/w, gum arabic in an amount between 0.3% w/w and 0.5% w/w, and a spray-dried blend of microcrystalline cellulose and sodium carboxymethylcellulose, wherein sodium carboxymethylcellulose is present in an amount between 11.3% w/w and 18.8% w/w, said blend being in an amount between 3% w/w and 8.3% w/w, preferably between 3% w/w and 8% w/w,
- sucrose in an amount between 63% w/w and 88% w/w,
- a wetting agent selected from polyvinylpyrrolidone in an amount between 3% w/w and 5% w/w and poloxamer 188 in an amount between 0.5% w/w and 1.5% w/w,
- colloidal silica in an amount between 0.7% w/w and 1.3% w/w,

3. The powder mixture according to claim 1 or claim 2, comprising:

- reparixin in an amount between amount between 7.6% w/w and 26.8% w/w,

- a viscosity agent selected from xanthan gum in an amount between 0.3% w/w and 0.5% w/w, gum arabic in an amount between 0.3% w/w and 0.5% w/w, and a spray-dried blend of microcrystalline cellulose and sodium carboxymethylcellulose, wherein sodium carboxymethylcellulose is present in an amount between 11.3% w/w and 18.8% w/w, said blend being in an amount between 4.5% w/w and 7.8% w/w,
- sucrose in an amount between 64.2% w/w and 85.2% w/w,
- a wetting agent selected from polyvinylpyrrolidone in an amount between 3% w/w and 5% w/w, and poloxamer 188 in an amount between 0.7% w/w and 1.3% w/w,
- colloidal silica in an amount between 0.7% w/w and 1.3% w/w.

4. The powder mixture according to any one of the preceding claims, comprising:
- reparixin in an amount between 8.4% w/w and 26% w/w,
- a viscosity agent selected from xanthan gum in an amount between 0.3% w/w and 0.5% w/w, gum arabic in an amount between 0.3% w/w and 0.5% w/w, and a spray-dried blend of microcrystalline cellulose and sodium carboxymethylcellulose, wherein sodium carboxymethylcellulose is present in an amount between 11.3% w/w and 18.8% w/w, said blend being in an amount between 4.5% w/w and 7.7% w/w,
- sucrose in an amount between 64.9% w/w and 84.5% w/w,
- a wetting agent selected from polyvinylpyrrolidone in an amount between 3% w/w and 5% w/w, and poloxamer 188 in an amount between 0.7% w/w and 1.3% w/w,
- colloidal silica in an amount between 0.7% w/w and 1.3% w/w.

5. The powder mixture according to any one of claims 1 to 3, comprising:
- reparixin in an amount between 7.6% w/w and 13.9% w/w,
- sucrose in an amount between 75.5% w/w and 85.2% w/w,
- a viscosity agent selected from xanthan gum in an amount between 0.3% w/w and 0.5% w/w, gum arabic in an amount between 0.3% w/w and 0.5% w/w and a spray-dried blend of microcrystalline cellulose and sodium carboxymethylcellulose, wherein sodium carboxymethylcellulose is present in an amount between 11.3% w/w and 18.8% w/w, said blend being in an amount between 5% w/w and 7.8% w/w,
- a wetting agent selected from polyvinylpyrrolidone in an amount between 3% w/w and 5% w/w, and poloxamer 188 in an amount between 0.8% w/w and 1.3% w/w,
- colloidal silica in an amout between 0.8% w/w and 1.3% w/w.

6. The powder mixture according to claim 1 or claim 2, comprising:
- reparixin in an amount between 17.5% w/w and 26.8% w/w,
- sucrose in an amount between 64.2% w/w and 76.1% w/w,
- a viscosity agent selected from xanthan gum in an amount between 0.3% w/w and 0.5% w/w, gum arabic in an amount between 0.3% w/w and 0.5% w/w and a spray-dried blend of microcrystalline cellulose and sodium carboxymethylcellulose, wherein sodium carboxymethylcellulose is present in an amount between 11.3% w/w and 18.8% w/w, said blend being in an amount between 4.5% w/w and 6.6% w/w,
- a wetting agent selected from polyvinylpyrrolidone in an amount between 3% w/w and 5% w/w, and poloxamer 188 in an amount between 0.7% w/w and 1.1% w/w,
- colloidal silica in an amount between 0.7% w/w and 1.1% w/w.

7. The powder mixture according to claim 1, constisting for at least 98%, preferably for at least 99% of its total weight, of:
- reparixin in an amount between 3.5% w/w and 28.2% w/w,
- a viscosity agent selected from xanthan gum in an amount between 0.3% w/w and 0.5% w/w, gum arabic in an amount between 0.3% w/w and 0.5% w/w and a spray-dried blend of microcrystalline cellulose and sodium carboxymethylcellulose, wherein sodium carboxymethylcellulose is present in an amount between 11.3% w/w and 18.8% w/w, said blend being in an amount between 3% w/w and 8.3% w/w,
- sucrose in an amount between 63% w/w and 89% w/w,
- a wetting agent selected from polyvinylpyrrolidone in an amount between 3% w/w and 5% w/w and poloxamer 188 in an amount between 0.5% w/w and 1.5% w/w,
- colloidal silica in an amount between 0.7% w/w and 1.4% w/w,
- a pH adjuster, preferably in an amount between 0.1% w/w and 0.2% w/w, and/or a preservative agent, preferably in an amount between 0.1% w/w and 0.5% w/w.

8. The powder mixture according to claim 2, constisting for at least 98%, preferably for at least 99% of its total weight, of:
- reparixin in an amount between 6.8% w/w and 28.2% w/w,
- a viscosity agent selected from xanthan gum in an amount between 0.3% w/w and 0.5% w/w, gum arabic in an amount between 0.3% w/w and 0.5% w/w, and a spray-dried blend

of microcrystalline cellulose and sodium carboxymethylcellulose, wherein sodium carboxymethylcellulose is present in an amount between 11.3% w/w and 18.8% w/w, said blend being in an amount between 3% w/w and 8.3% w/w, preferably between 3% w/w and 8% w/w,

- sucrose in an amount between 63% w/w and 88% w/w,
- a wetting agent selected from polyvinylpyrrolidone in an amount between 3% w/w and 5% w/w and poloxamer 188 in an amount between 0.5% w/w and 1.5% w/w,
- colloidal silica in an amount between 0.7% w/w and 1.3% w/w,
- a pH adjuster, preferably in an amount between 0.1 w/w and 0.2% w/w, and/or a preservative agent, preferably in an amount between 0.1% w/w and 0.5% w/w.

9. The powder mixture according to claim 3, constisting for at least 98%, preferably for at least 99% of its total weight, of:

- reparixin in an amount between 7.6% w/w and 26.8% w/w,
- a viscosity agent selected from xanthan gum in an amount between 0.3% w/w and 0.5% w/w, gum arabic in an amount between 0.3% w/w and 0.5% w/w, and a spray-dried blend of microcrystalline cellulose and sodium carboxymethylcellulose, wherein sodium carboxymethylcellulose is present in an amount between 11.3% w/w and 18.8% w/w, said blend being in an amount between 4.5% w/w and 7.8% w/w,
- sucrose in an amount between 64.2% w/w and 85.2% w/w,
- a wetting agent selected from polyvinylpyrrolidone in an amount between 3% w/w and 5% w/w, and poloxamer 188 in an amount between 0.7% w/w and 1.3% w/w,
- colloidal silica in an amount between 0.7% w/w and 1.3% w/w
- a pH adjuster, preferably in an amount between 0.1% w/w and 0.2% w/w, and/or a preservative agent, preferably in an amount between 0.2% w/w and 0.4% w/w.

10. The powder mixture according to claim 4, constisting for at least 98%, preferably for at least 99% of its total weight, of:

- reparixin in an amount between 8.4% w/w and 26% w/w,
- a viscosity agent selected from xanthan gum in an amount between 0.3% w/w and 0.5% w/w, gum arabic in an amount between 0.3% w/w and 0.5% w/w, and a spray-dried blend of microcrystalline cellulose and sodium carboxymethylcellulose, wherein sodium

carboxymethylcellulose is present in an amount between 11.3% w/w and 18.8% w/w, said blend being in an amount between 4.5% w/w and 7.7% w/w,

- sucrose in an amount between 64.9% w/w and 84.5% w/w,
- a wetting agent selected from polyvinylpyrrolidone in an amount between 3% w/w and 5% w/w, and poloxamer 188 in an amount between 0.7% w/w and 1.3% w/w,
- colloidal silica in an amount between 0.7% w/w and 1.3% w/w
- a pH adjuster, preferably in an amount between 0.1% w/w and 0.2% w/w, and/or a preservative agent, preferably in an amount between 0.2% w/w and 0.4% w/w.

11. The powder mixture according to claim 5, constisting for at least 98%, preferably for at least 99% of its total weight of:

- reparixin in an amount between 7.6% w/w and 13.9% w/w,
- sucrose in an amount between 75.5% w/w and 85.2% w/w,
- a preservative agent, preferably in an amount between 0.2% w/w and 0.4% w/w, and/or a pH adjuster, preferably in an amount between 0.10% w/w and 0.17% w/w,
- a viscosity agent selected from xanthan gum in an amount between 0.3% w/w and 0.5% w/w, gum arabic in an amount between 0.3% w/w and 0.5% w/w and a spray-dried blend of microcrystalline cellulose and sodium carboxymethylcellulose, wherein sodium carboxymethylcellulose is present in an amount between 11.3% w/w and 18.8% w/w, said blend being in an amount between 5% w/w and 7.8% w/w,
- a wetting agent selected from polyvinylpyrrolidone in an amount between 3% w/w and 5% w/w, and poloxamer 188 in an amount between 0.8% w/w and 1.3% w/w,
- colloidal silica in an amout between 0.8% w/w and 1.3% w/w.

12. The powder mixture according to claim 6, constisting for at least 98%, preferably for at least 99% of its total weight of:

- reparixin in an amount between 17.5% w/w and 26.8% w/w
- sucrose in an amount between 64.2% w/w and 76.1% w/w
- a preservative agent, preferably in an amount between 0.2% w/w and 0.35% w/w, and/or a pH adjuster, preferably in an amount between 0.1% w/w and 0.2% w/w,
- a viscosity agent selected from xanthan gum in an amount between 0.3% w/w and 0.5% w/w, gum arabic in an amount between 0.3% w/w and 0.5% w/w and a spray-dried blend of microcrystalline cellulose and sodium carboxymethylcellulose, wherein sodium

carboxymethylcellulose is present in an amount between 11.3% w/w and 18.8% w/w, said blend being in an amount between 4.5% w/w and 6.6% w/w,

- a wetting agent selected from polyvinylpyrrolidone in an amount between 3% w/w and 5% w/w, and poloxamer 188 in an amount between 0.7% w/w and 1.1% w/w,
- colloidal silica in an amount between 0.7% w/w and 1.1% w/w.

13. The powder mixture according to any one of claims 7 to 12, wherein said preservative agent is selected from potassium sorbate, sodium benzoate, methyl parabens and propyl parabens, and/or said pH adjuster is selected from monohydrate citric acid, hydrochloric acid, sodium phosphate monobasic and potassium phosphate monobasic.

14. A process to produce a reconstituted liquid suspension from the powder mixture as claimed in any one of claims 1 to 13, including the step of suspending said powder mixture in an aqueous vehicle, preferably water.

15. Use of the powder mixture according to any one of claims 1 to 13 or the reconstituted liquid suspension thereof, in the manufacture of a medicament for:

- the treatment of a disease or condition selected from psoriasis, rheumatoid arthritis, ulcerative colitis, acute respiratory distress syndrome (ARDS), idiopathic fibrosis, glomerulonephritis, COVID-19, pneumonia caused by SARS-CoV-2 or a variant thereof,
- the prevention of diabetes or in delaying the onset and the progression of diabetes, preferably Type I diabetes,
- the prevention or treatment of seizures in an individual.

16. The powder mixture according to any one of claims 1 to 13 or the reconstituted liquid suspension thereof, for use in therapy.