



CONJUGATED DIENE POLYMER, CONJUGATED DIENE POLYMER
COMPOSITION, AND METHOD FOR PRODUCING CONJUGATED DIENE
POLYMER

ABSTRACT


A conjugated diene polymer is provided that comprises a conjugated diene-based constituent unit and a constituent unit of formula (I) below, at least one terminus of the polymer being modified by a compound of formula (II):



wherein X^1 , X^2 , and X^3 independently denote a group of formula (Ia) below, a hydroxy group, a hydrocarbyl group, or a substituted hydrocarbyl group, and at least one of X^1 , X^2 , and X^3 is a group of formula (Ia) below or a hydroxy group,



wherein R^1 and R^2 independently denote a hydrocarbyl group having 1 to 6 carbon atoms, a substituted hydrocarbyl group having 1 to 6 carbon atoms, a silyl group, or a substituted silyl group, and R^1 and R^2 may be bonded so as to form, together with the nitrogen atom, a ring structure,



wherein n denotes an integer of 1 to 10, R^3 , R^4 , and R^5 independently denote a hydrocarbyl group having 1 to 4 carbon atoms or a hydrocarbyloxy group having 1 to 4 carbon atoms, at least one of R^3 , R^4 , and R^5 is a hydrocarbyloxy group, and A denotes a nitrogen atom-containing functional group.