[Table 3]

No.	Steel No.	Scale Microstructure and Adhesion in Central Portion in Width Direction						Scale Microstructure and Adhesion in Portion at 200 mm from Edge in Width Direction						Scale Microstructure and Adhesion in Portion at 5 mm from Edge in Width Direction						variation (μm) in scale thickness in width direction	laser cuttability	Note
		area fraction (%) of magnetite grains	area fraction (%) of eutectoid transformation microstructure	area fraction (%) of wustite	mass fraction (%) of hematite	scale thickness (μm)	scale adhesion	area fraction (%) of magnetite grains	area fraction (%) of eutectoid transformation microstructure	area fraction (%) of wustite	mass fraction (%) of hematite	scale thickness (μm)	scale adhesion	area fraction (%) of magnetite grains	area fraction (%) of eutectoid transformation microstructure	area fraction (%) of wustite	mass fraction (%) of hematite	scale thickness (μm)	scale adhesion			
1	A	33	62	5	3	16	A	35	59	6	4	17	A	38	55	7	3	18	A	2	A	Inventive Example
2	A	42	54	4	6	14	C	45	48	7	9	16	C	45	47	8	8	18	C	4	C	Comparative Example
3	A	56	40	4	1	21	C	56	38	6	3	23	C	57	37	6	2	23	C	2	C	Comparative Example
4	B	40	58	2	0	15	A	51	44	5	2	15	A	51	44	5	5	16	A	1	A	Inventive Example
5	B	29	68	3	1	22	C	58	38	4	1	23	C	58	38	4	4	25	C	3	C	Comparative Example
6	C	47	51	2	2	13	A	55	42	3	2	13	A	57	38	5	4	15	A	2	A	Inventive Example
7	C	45	53	2	1	21	C	49	48	3	3	24	C	52	44	4	2	24	C	3	C	Comparative Example
8	D	28	71	1	1	13	A	48	48	4	3	14	A	50	44	6	3	16	A	3	A	Inventive Example
9	D	24	76	0	7	12	C	54	44	2	10	13	C	58	38	4	9	13	C	1	C	Comparative Example
10	E	34	65	1	2	10	A	55	43	2	2	11	A	57	40	3	2	14	A	4	A	Inventive Example
11	E	56	27	17	1	8	C	53	29	18	4	10	C	55	25	20	2	10	C	2	C	Comparative Example
12	F	23	77	0	1	12	A	27	71	2	1	13	A	57	40	3	2	13	A	1	A	Inventive Example
13	F	15	85	0	0	22	C	25	74	1	3	23	C	30	69	1	2	22	C	1	C	Comparative Example
14	G	24	76	0	0	8	A	54	45	1	2	10	A	58	41	1	4	10	A	2	A	Inventive Example
15	G	55	45	0	2	7	A	63	36	1	11	14	C	66	33	1	9	12	C	7	C	Comparative Example
16	H	31	69	0	1	6	A	45	55	0	3	7	A	51	47	2	0	7	A	1	A	Inventive Example
17	H	24	76	0	1	6	A	29	70	1	7	12	C	54	44	2	6	9	C	6	C	Comparative Example
18	I	27	73	0	1	5	A	36	62	2	3	6	A	48	50	2	2	6	A	1	A	Inventive Example
19	I	36	61	3	2	7	A	54	33	13	2	8	A	58	24	18	4	7	C	1	C	Comparative Example
20	J	46	54	0	0	11	C	51	47	2	4	12	C	58	40	2	2	12	C	1	C	Comparative Example
21	K	50	50	0	1	10	C	55	43	2	2	10	C	57	41	2	0	12	C	2	C	Comparative Example
22	L	30	70	0	0	11	C	46	51	3	1	11	C	57	39	4	3	12	C	1	C	Comparative Example

Underlined entries are outside the scope of the present invention.