

ABSTRACT

A liquid crystal display panel 10 includes a first substrate 20 and a second substrate 40 facing each other; a liquid crystal layer 50 formed between the pair of substrates; and a sealing portion 60 located so as to surround the liquid crystal layer. An insulating film is formed on a surface of the first substrate which faces the liquid crystal layer. The insulating film has a stacking structure including at least an organic insulating film 33 and an inorganic insulating film 38 located on the organic insulating film. In a peripheral portion of the insulating film which surrounds the liquid crystal layer, an inorganic insulating film non-formed portion 35 in which the inorganic insulating film is not formed is provided. A surface of the sealing portion which faces the first substrate is entirely located in the inorganic insulating film non-formed portion and entirely adheres to the organic insulating film.