

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
11 October 2007 (11.10.2007)

PCT

(10) International Publication Number
WO 2007/114781 A1

(51) International Patent Classification:
C22C 38/22 (2006.01) C22C 38/24 (2006.01)

(21) International Application Number:
PCT/SE2007/050203

(22) International Filing Date: 30 March 2007 (30.03.2007)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
0600797-5 6 April 2006 (06.04.2006) SE

(71) Applicant (for all designated States except US): **UDDEHOLM TOOLING AKTIEBOLAG** [SE/SE]; S-683 85 Hagfors (SE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **SANDBERG, Odd** [SE/SE]; Strandvägen 28, S-683 40 Uddeholm (SE). **KLARENFJORD, Bengt** [SE/SE]; Burkåsvägen 5, S-680 50 Ekshärad (SE).

(74) Agent: **HYNELL PATENTTJÄNST AB**; Patron Carls väg 2, S-683 40 Uddeholm (SE).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- with amended claims

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: HOT-WORKING STEEL

(57) Abstract: The present invention relates to a hot-working steel having the following chemical composition in % by weight: 0.30-0.50% C, 0-1.5% Si, 0-1.8% Mn 1.5-3.5% Cr, 0.3-0.9% (Mo + W/2), 0.4-0.8% (V + N/2) Remainder iron and unavoidable impurities.

WO 2007/114781 A1