

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
24 July 2008 (24.07.2008)

PCT

(10) International Publication Number
WO 2008/087741 A1

(51) International Patent Classification:
C09D 163/00 (2006.01) *G02B 1/04* (2006.01)
C09D 183/00 (2006.01)

Yang [SG/SG]; c/o Institute of Materials Research and Engineering, 3 Research Link, 117602 (SG).

(21) International Application Number:
PCT/JP2007/050863

(74) Agents: HAYAMI, Shinji et al.; Gotanda TG Bldg. 9F, 9-2, Nishi-Gotanda 7-chome, Shinagawa-ku, Tokyo 1410031 (JP).

(22) International Filing Date: 16 January 2007 (16.01.2007)

(25) Filing Language: English

(26) Publication Language: English

(71) Applicants (for all designated States except US): **mitsui chemicals, inc.** [JP/JP]; 5-2, Higashi-Shimbashi 1-chome, Minato-ku, Tokyo, 1057117 (JP). **AGENCY FOR SCIENCE, TECHNOLOGY AND RESEARCH** [SG/SG]; 20 Biopolis Way, #07-01, Centros, 138668 (SG).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(72) Inventors; and

(75) Inventors/Applicants (for US only): **NAKAYAMA, Norio** [JP/JP]; c/o Mitsui Chemicals, Inc., 580-32, Nagaura, Sodegaura-shi, Chiba, 2990265 (JP). **TAKAKI, Toshihiko** [JP/JP]; c/o Mitsui Chemicals, Inc., 580-32, Nagaura, Sodegaura-shi, Chiba, 2990265 (JP). **HE, Chaobin** [CN/SG]; c/o Institute of Materials Research and Engineering, 3 Research Link, 117602 (SG). **MYA, Khine, Yi** [MM/SG]; c/o Institute of Materials Research and Engineering, 3 Research Link, 117602 (SG). **XIAO,**

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

(54) Title: HARDCOAT COMPOSITION

(57) Abstract: A hard coating composition including at least the following components (A) to (E): Component (A): A poly(methyl)glycidyl ether compound derived from a chain aliphatic polyol or a chain aliphatic polyether polyol, which may or may not contain a hydroxyl group, Component (B): A silsesquioxane compound containing a cationic polymerizable group, Component (C): A silicate compound, Component (D): A silane compound containing a cationic polymerizable group, or a partial condensed compound thereof, or a mixture thereof, and Component (E): A cationic photopolymerization initiator, wherein the composition includes 5 to 40 parts by weight of the component (A), 60 to 95 parts by weight of the total of the components (B), (C) and (D), and 0.1 to 10 parts by weight of the component (E), each based on 100 parts by weight of the total of the components (A) to (D).

WO 2008/087741 A1