

ABSTRACT

Provided is a method for storing a fluorobutene by which decomposition is unlikely to proceed during
5 storage. A fluorobutene represented by general formula $C_4H_xF_y$ where x is 0 or more and 7 or less, y is 1 or more and 8 or less, and $x + y$ is 8 contains or does not contain at least one of manganese, cobalt, nickel, and silicon as a metal impurity. The fluorobutene is stored
10 in a container in which the total concentration of manganese, cobalt, nickel, and silicon is 1,000 ppb by mass or less when containing at least one of manganese, cobalt, nickel, and silicon.

No figure