			based				
10	0.20	0.9	Elastomer-based	1.8	2700	Satisfied	Satisfied
11	0.20	0.9	Elastomer-based	2.3	3500	Satisfied	Satisfied
12	0.20	1.0	Elastomer-based	1.6	2400	Satisfied	Satisfied
13	0.20	1.0	Elastomer-based	2.2	3300	Satisfied	Satisfied
14	0.20	1.2	Elastomer-based	1.1	2000	Satisfied	Satisfied
15	0.20	1.2	Elastomer-based	1.3	2000	Satisfied	Satisfied
16	0.20	0.1	Elastomer-based	1.2	1800	Unsatisfied	Unsatisfied
17	0.20	0.1	Elastomer-based	2.1	3200	Unsatisfied	Unsatisfied
18	0.20	0.3	Elastomer-based	1.3	2000	Unsatisfied	Unsatisfied
19	0.20	0.3	Elastomer-based	3.4	5100	Satisfied	Satisfied
20	0.20	0.4	Elastomer-based	1.2	1800	Unsatisfied	Unsatisfied
21	0.20	0.6	Elastomer-based	3.6	5400	Satisfied	Satisfied
22	0.20	0.8	Elastomer-based	0.5	800	Satisfied	Satisfied
23	0.20	0.8	Elastomer-based	3.2	4800	Satisfied	Satisfied
24	0.20	1.1	Elastomer-based	0.7	1100	Satisfied	Satisfied
25	0.20	1.1	Elastomer-based	2.6	3900	Unsatisfied	Unsatisfied
26	0.20	1.5	Elastomer-based	0.8	1200	Unsatisfied	Satisfied
27	0.20	1.4	Elastomer-based	2.8	4200	Unsatisfied	Unsatisfied
28	0.20	0.8	Anaerobic adhesive	2.8	4200	Satisfied	Satisfied
29	0.20	1.1	Elastomer-	2.0	4200	Satisfied	Unsatisfied

			based				

*a: −4.3×t1+3.6≤t2≤−4.3×t1+6.9 ··· (Equation 1)

*b: −5000×t1+4500≤E≤−5000×t1+9000 ··· (Equation 2)

[0049]

[Table 1B]

No.	Mechanical strength		Presence or absence of peeling of insulation coating	Magnetic properties		Example / Comparative example
	(MPa)	Decision		W15/50	Decision	
1	6	Good	Absence	2.53	Good	Example
2	8	Good	Absence	2.56	Good	Example
3	7	Good	Absence	2.50	Excellent	Example
4	6	Good	Absence	2.56	Good	Example
5	10	Excellent	Absence	2.58	Good	Example
6	10	Excellent	Absence	2.49	Excellent	Example
7	5	Good	Absence	2.59	Good	Example
8	9	Excellent	Absence	2.50	Excellent	Example
9	5	Good	Absence	2.53	Good	Example
10	9	Excellent	Absence	2.51	Excellent	Example
11	7	Good	Absence	2.57	Good	Example
12	6	Good	Absence	2.50	Excellent	Example
13	6	Good	Absence	2.58	Good	Example
14	7	Good	Absence	2.59	Excellent	Example
15	5	Good	Absence	2.51	Excellent	Example
16	6	Good	Absence	2.74	Poor	Comparative example
17	9	Excellent	Absence	2.79	Poor	Comparative example
18	1	Poor	Absence	2.63	Good	Comparative example
19	10	Excellent	Presence	2.87	Poor	Comparative example
20	2	Poor	Absence	2.58	Good	Comparative example
21	10	Excellent	Presence	2.74	Poor	Comparative example
22	1	Poor	Absence	2.58	Good	Comparative example