



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C10M 143/12, C08F 297/04 // (C10M 143/12, 143:10), C10N 20:02, 30:04, 40:25, 60:02	A1	(11) International Publication Number: WO 99/42542 (43) International Publication Date: 26 August 1999 (26.08.99)
(21) International Application Number: PCT/EP99/01003 (22) International Filing Date: 16 February 1999 (16.02.99) (30) Priority Data: 60/075,230 19 February 1998 (19.02.98) US (71) Applicant: SHELL INTERNATIONALE RESEARCH MAATSCHAPPIJ B.V. [NL/NL]; Carel van Bylandtlaan 30, NL-2596 HR The Hague (NL). (72) Inventor: RHODES, Robert, Barnett; 11735 Normont Drive, Houston, TX 77070 (US).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: STAR POLYMER VISCOSITY INDEX IMPROVER FOR OIL COMPOSITIONS		
(57) Abstract Star polymers which can be used as viscosity index improvers in oil compositions formulated for high performance engines. The star polymers have tetrablock copolymer arms of hydrogenated polyisoprene-polybutadiene-polyisoprene with a block of polystyrene and which provide excellent low temperature performance in lubricating oils, exhibit good thickening efficiency, and are finishable as polymer crumb.		