



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶: B01J 31/40, C07C 45/50	A1	(11) International Publication Number: WO 99/07469 (43) International Publication Date: 18 February 1999 (18.02.99)
(21) International Application Number: PCT/NL98/00433 (22) International Filing Date: 29 July 1998 (29.07.98) (30) Priority Data: 97202452.5 8 August 1997 (08.08.97) EP (71) Applicants (for all designated States except US): DSM N.V. [NL/NL]; Het Overloon 1, NL-6411 TE Heerlen (NL). E.I. DU PONT DE NEMOURS AND COMPANY [US/US]; 1007 Market Street, Wilmington, DE 19898 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): BROEDERS, Nicolaas, Lambertus, Hendrinus, Laurentius [NL/NL]; Parallelweg 26, NL-4845 CR Wagenberg (NL). GELLING, Onko, Jan [NL/NL]; Odalaan 19, NL-6129 HV Stein (NL). MARTENS, Hendrik, Franciscus [NL/NL]; Wolvenakker 66, NL-3994 EC Houten (NL). TIMMER, Klaas [NL/NL]; Bilgzig 15, NL-3721 XJ Bilthoven (NL). MEINEMA, Harmen, Anne [NL/NL]; Landweg 287, NL-3833 VJ Leusden (NL). (74) Agent: SCHMEETZ, Marcel, Max, Hubertina, Johanna; Oc- tooibureau DSM, P.O. Box 9, NL-6160 MA Geleen (NL).		(81) Designated States: AL, AU, BA, BB, BG, BR, CA, CN, CU, CZ, EE, GE, HR, HU, ID, IL, IS, JP, KP, KR, LC, LK, LR, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, SL, TR, TT, UA, US, UZ, VN, YU, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: PROCESS TO SEPARATE A GROUP 8-10 METAL/PHOSPHITE LIGAND COMPLEX FROM AN ORGANIC LIQUID		
(57) Abstract Process to separate a group 8-10 metal/phosphite ligand complex from an organic liquid mixture, wherein the following steps are performed: (1) contacting the organic liquid with a support having bonded thereto an organophosphine ligand and separating the organic mixture which is poor in group 8-10 metal/phosphite ligand complex, (2) contacting the thus obtained loaded support with an organic solvent and carbon monoxide and separating the thus obtained organic solvent rich in group 8-10 metal/phosphite ligand complex, and (3) reusing the support obtained in step (2) in step (1).		