

ABSTRACT

Foamable modified polystyrene resin particles which are foamable modified polystyrene resin particles (d) comprising modified
5 polystyrene resin particles (c) containing a blowing agent (e); the modified polystyrene resin particles (c) comprising a polystyrene resin and rubber polymer particles (b) being dispersed in the resin, wherein the rubber polymer particles (b) are dispersed uniformly throughout a continuous phase of the polystyrene resin or in a state
10 of a density of the particles (b) being higher in a center portion of the resin particle than in a surface layer portion thereof, and the modified polystyrene resin particles (c) are modified polystyrene resin particles prepared by impregnating a monomer mixture consisting essentially of a styrene monomer and a conjugated diene
15 monomer and comprising the styrene monomer in a larger amount than the conjugated diene monomer, into polystyrene resin particles (a) and carrying out copolymerization.



162162



G00002