

DECK PLATE AND COMPOSITE DECK SLAB

Abstract

To simplify treatment applied to a deck plate, while achieving improvement of a plurality of functions and performance, such as improvement of fire-resistant performance of the deck plate and a composite deck slab and appearance.

A deck plate (10) used for a composite deck slab (1) includes a wooden part (20) provided on a lower surface side of the deck plate, and the wooden part has a thickness calculated as a product of a fire-resistant time to be added to the composite deck slab and a carbonization rate of the wooden part.

Fig. 1