

PALLET OUTER PACKAGING PAPER**ABSTRACT**

The invention relates to pallet outer packaging paper, to an outer packaging method using this pallet outer packaging paper as an outer packaging material, and to a method for producing such pallet outer packaging paper. The pallet outer packaging paper comprises at least 70 wt.% cellulose fibres having a length-weighted average fibre length in accordance with ISO 16065-2:2014 of 1.8 mm to 2.8 mm, and has a bending stiffness in accordance with ISO 2493-1:2010, using a bend angle of 15° and a test bend length of 10 mm, of at most 35 mN in the machine direction and at most 30 mN in the transverse direction, and a bending stiffness index of at most 100 Nm⁶/kg³ in the machine direction and at most 80 Nm⁶/kg³ in the transverse direction, and a grammage of 50g/m² to 90 g/m².

Fig 1