【CLAIMS】

【Claim 1】

A carrier for a cosmetic composition comprising a urethane foam having a hardness of 1-100 when measured with an Asker hardness tester type F before impregnation, wherein the cosmetic composition has a viscosity of 1,000-5,000 centipoise (cps) or 15,000-60,000 cps.

【Claim 2】

The carrier for a cosmetic composition according to claim 1, wherein the cosmetic composition has a viscosity of 1,000-5,000 cps and the urethane foam has a hardness of 50-100 when measured with an Asker hardness tester type F before impregnation.

【Claim 3】

The carrier for a cosmetic composition according to claim 1, wherein the cosmetic composition has a viscosity of 15,000-60,000 cps and the urethane foam has a hardness of greater than or equal to 1 but less than 50 when measured with an Asker hardness tester type F before impregnation.

【Claim 4】

A carrier for a cosmetic composition comprising a urethane foam having a number of pores per inch (ppi) of 10-200, wherein the cosmetic composition has a viscosity of 1,000-5,000 centipoise (cps) or 15,000-60,000 cps.

【Claim 5】

The carrier for a cosmetic composition according to claim 4, wherein the urethane foam has a number of pores per inch of greater than or equal to 10 but less than 90 and the cosmetic composition has a viscosity of 1,000-5,000 cps.

【Claim 6】

The carrier for a cosmetic composition according to claim 4, wherein the urethane foam has a number of pores per inch of 90-200 ppi and the cosmetic composition has a viscosity of 15,000-60,000 cps.

【Claim 7】

The carrier for a cosmetic composition according to any one of claims 1 to 6, wherein the urethane foam is a polyether-based urethane foam.

【Claim 8】

The carrier for a cosmetic composition according to any one of claims 1 to 6, wherein the cosmetic composition is an aqueous dispersion, an oily dispersion, a water-in-oil (W/O) emulsion or an oil-in-water (O/W) emulsion.

【Claim 9】

A cosmetic comprising the carrier for a cosmetic composition according to any one of claims 1 to 6 comprising a cosmetic composition.

CLAIMS

1. A cosmetic comprising:

a cosmetic composition of viscosity of 2,000 to 3,000 centipoise (cps) or 30,000 to 50,000 cps; and

a urethane foam carrier, which is impregnated with the cosmetic composition,

wherein the urethane foam has a hardness of 60 to 90 when measured with an Asker hardness tester type F before impregnation and a number of pores per inch (ppi) of 30 to below 70 when the cosmetic composition has a viscosity of 2,000 to 3,000 cps,

wherein the urethane foam has a hardness of 15 to 35 when measured with an Asker hardness tester type F before impregnation and a number of pores per inch (ppi) of 120 to 170 when the cosmetic composition has a viscosity of 30,000 to 50,000 cps.

2. The cosmetic according to claim 1, wherein the urethane foam is a polyether-based urethane foam.

3. The cosmetic according to claims 1 or 2, wherein the cosmetic composition is an aqueous dispersion, an oily dispersion, a water-in-oil (W/O) emulsion or an oil-in-water (O/W) emulsion.