Claims

1. An anti-bedsore mattress comprising a mattress made of a natural latex foam having a load-bearing point, an upper surface, and a lower surface;
   wherein the natural latex foam has a density of between 65 to 90 kg/m^3;
   the upper surface is provided with blank spaces throughout the upper surface, in which each blank space has a diameter of 10 to 15 mm and a gap between each blank space is 25 to 35 mm;
   the lower surface provides a plain surface characteristic or connected curl; and
   the load-bearing point is separated into three parts comprising a coccyx supporting part (20) having 5 to 7.5 cm of thickness and a top part (30) and a bottom part (40) having a thickness of between 5 to 7.5 cm.
2. The anti-bedsore mattress according to claim 1, wherein the coccyx supporting part (20) has a density of 65 to 90 kg/m^3.
3. The anti-bedsore mattress according to claim 1, wherein the coccyx supporting part (20) provides supporting space of 40 to 50 cm and is positioned next to the central of mattress length at least 10 cm upward.
4. The anti-bedsore mattress according to claim 1, wherein the top part (30) and the bottom part (40) have a density of between 65 to 85 kg/m^3.
5. The anti-bedsore mattress according to claim 1, further comprising an additional supporting cushion (10) on top of the anti-bedsore mattress that is made of a natural latex foam having a density of 55 to 75 kg/m^3 and a thickness of between 1.5 to 2.5 cm.
6. The anti-bedsore mattress according to claim 1, further comprising an additional supporting cushion (50) at the bottom of the anti-bedsore mattress that is made of a natural latex foam having a density of between 75 to 85 kg/m^3 and a thickness of between 2.5 to 7.5 cm.
7. The anti-bedsore mattress according to claim 1, further comprising an additional mattress cover made of a water-repellent material which can be chosen from any one or both of cloth or synthetic leather.
8. The anti-bedsore mattress according to claim 1, further comprising an additional pillow made of natural latex foam having a density of between 50 to 65 kg/m^3 and a thickness of between 4 to 15 cm.