liquid agent of the present invention to the skin, the content of the silicone oil in the liquid agent is preferably 10 mass% or less, more preferably 5 mass% or less, even more preferably 1 mass% or less, and even more preferably 0.1 mass% or less.

The kinetic viscosities of the silicone oils at 25°C are preferably 3 mm^2/s or more, more preferably 4 mm^2/s or more, and even more preferably 5 mm^2/s or more, and are preferably 30 mm^2/s or less, more preferably 20 mm^2/s or less, and even more preferably 10 mm^2/s or less, from the viewpoint of bringing the electrostatically sprayed coating into intimate contact with the skin.

From the viewpoint of bringing the electrostatically sprayed coating into intimate contact with the skin, the silicon oil preferably includes dimethylpolysiloxane.

[0050]

It is preferable that the liquid agent contains the liquid oil, and the content of the liquid oil in the liquid agent is preferably 0.1 mass% or more, more preferably 0.5 mass% or more, and even more preferably 5 mass% or more. In addition, the content of the liquid oil in the liquid agent is preferably 100 mass% or less. The content of the liquid oil in the liquid agent is preferably 0.1 mass% or more and 100 mass% or less, more preferably 0.5 mass% or more and 100 mass% or less, and even more preferably 5 mass% or more and 100 mass% or less.

Furthermore, it is preferable that the liquid agent contains the liquid oil or polyol, and the content of the liquid oil or polyol in the liquid agent is preferably 0.1 mass% or more, more preferably 0.5 mass% or more, and even more preferably 5 mass% or more. In addition, the content of the liquid oil or the polyol in the liquid agent is preferably 100 mass% or less. The content of the liquid oil in the liquid agent is preferably 0.1 mass% or more and 100 mass% or less, more preferably 0.5 mass% or more and 100 mass% or less, and even more preferably 5 mass% or more and 100 mass% or less.

[0051]

When the liquid agent contains the polar oil, it is preferable that the liquid agent contains water and the polar oil from the viewpoint of enhancing the adhesion of the coating to the skin, and the total content of water and the polar oil in the liquid agent is preferably 40 mass% or more and 100 mass% or less. Also, from the viewpoint of stability, the liquid agent may contain a surfactant, a polymer, and a thickener, and from the viewpoint of improving the adhesion to the skin and the moisturizing performance