

ABSTRACT

A polyphenylene ether composition comprising: 100 parts by weight of (A) a polyphenylene ether resin or a combination of a polyphenylene ether resin and a styrene resin; 1 to 40 parts by weight of (B) a flame retardant which is comprised mainly of at least one member selected from the group consisting of two specific condensed phosphoric esters; 0.3 to 10 parts by weight of (C) a hydrogenated block copolymer which is defined as a hydrogenation product of a block copolymer comprising a polymerized styrene block and a polymerized conjugated diene block, wherein at least one polymerized styrene block has a number average molecular weight of 15,000 or more; and 0.3 to 10 parts by weight of (D) a polyolefin resin, wherein the weight ratio of the component (C) to the component (D) is from 70/30 to 15/85.



162162



G00002