Claims

1. An ethylene-vinyl alcohol copolymer composition comprising:
(A) an ethylene-vinyl alcohol copolymer;
(B) a styrene derivative; and
(C) an iron compound;
wherein the ethylene-vinyl alcohol copolymer (A) has an ethylene structural unit content of 20 to 60 mol %, ~~and~~
wherein the styrene derivative (B) is present in an amount of 1 to 1,000 ppm based on the weight of the ethylene-vinyl alcohol copolymer composition, and
wherein the iron compound (C) is present in an amount of 0.01 to 5 ppm on a metal basis based on a weight of the ethylene-vinyl alcohol copolymer composition.

~~2. The ethylene-vinyl alcohol copolymer composition according to claim 1, wherein the styrene derivative (B) is present in an amount of 1 to 1,000 ppm based on the weight of the ethylene-vinyl alcohol copolymer composition.~~

2~~3~~. The ethylene-vinyl alcohol copolymer composition according to claim 1 ~~or 2~~, wherein a weight ratio of the amount of the styrene derivative (B) to the amount of the iron compound (C) on a metal basis is 0.2 to 50,000.

3~~4~~. Pellets comprising the ethylene-vinyl alcohol copolymer composition according to claim 1 or 2~~any one of claims 1 to 3~~.

4~~5~~. A multilayer structure comprising a layer that comprises the ethylene-vinyl alcohol copolymer composition according to claim 1 or 2~~any one of claims 1 to 3~~.