[CLAIMS]

【Claim 1】

A water-in-oil (W/O) type sunscreen composition comprising an aqueous phase part and an oil phase part, wherein the oil phase part comprises: microparticles comprising a polymer matrix in which bis-ethylhexyloxyphenol methoxyphenyl triazine is dispersed; and bis-ethylhexyloxyphenol methoxyphenyl triazine dissolved in polar oil,

wherein the microparticles are comprised in an amount of 0.1-30 wt% based on the total weight of the composition, and

wherein the bis-ethylhexyloxyphenol methoxyphenyl triazine in the form of bis-ethylhexyloxyphenol methoxyphenyl triazine dissolved in polar oil is comprised in an amount of 0.01-2 wt% based on the total weight of the composition.

~~【Claim 2】~~

~~The composition according to claim 1, wherein the microparticles are comprised in an amount of 0.1-30 wt% based on the total weight of the composition.~~

~~【Claim 3】~~

~~The composition according to claim 1, wherein bis-ethylhexyloxyphenol methoxyphenyl triazine, in the form of bis-ethylhexyloxyphenol methoxyphenyl triazine dissolved in polar oil, is comprised in an amount of 0.01-2 wt% based on the total weight of the composition.~~

【Claim ~~4~~2】

The composition according to claim 1, wherein the polar oil comprises oil comprising at least one polar functional group selected from carboxyl (-COO), ketone (-CO) and hydroxyl (-OH) groups.

【Claim ~~5~~3】

The composition according to claim 1, wherein the polar oil comprises at least one oil selected from butylene glycol dicaprylate~~/~~dicapriate, ethylhexyl salicylate, ethylhexyl methoxycinnamate, homosalate, C12-15 alkyl benzoates, dibutyl adipate, dicaprylryl carbonate, caprylyl-caprylate, cococaprylate, octocrylene, propylheptyl caprylate, isopropyl palmitate, caprylic/capric triglyceride and cocoglyceride.

【Claim ~~6~~4】

The composition according to claim 1, wherein the microparticles are bowl-like nonporous microparticles.

【Claim ~~7~~5】

The composition according to claim 1, wherein the microparticles comprises bis-ethylhexyloxyphenol methoxyphenyl triazine in an amount of 20-30 wt% based on the total weight of the microparticles.

【Claim ~~8~~6】

The composition according to claim 1, wherein the microparticles have an average diameter of 1-10 μm.

【Claim ~~9~~7】

The composition according to claim 1, wherein the polymer matrix comprises bis-ethylhexyloxyphenol methoxyphenyl triazine, and polymerizate of polymerizable monomers with a multi-functional crosslinking agent.

【Claim ~~10~~8】

The composition according to claim ~~9~~7, wherein the polymerizable monomer comprises at least one selected from the group consisting of: at least one aromatic vinyl monomer selected from the group consisting of styrene, methylstyrene, ethylstyrene, fluorostyrene, chlorostyrene and vinyltoluene; and at least one acrylic vinyl monomer selected from the group consisting of methyl (meth)acrylate, ethyl (meth)acrylate, butyl (meth)acrylate, octyl (meth)acrylate, stearyl (meth)acrylate, benzyl (meth)acrylate and glycidyl (meth)acrylate.

【Claim ~~11~~9】

The composition according to claim ~~9~~7, wherein the multifunctional crosslinking agent comprises at least one selected from the group consisting of divinylbenzene, ethylene glycol dimethacrylate, diethylene glycol dimethacrylate, triethylene glycol dimethacrylate, trimethylene propane trimethacrylate, 1,3-butanediol dimethacrylate, 1,6-hexanediol dimethacrylate and tri(meth)acrylate.

【Claim ~~12~~10】

The composition according to claim 1, wherein the aqueous phase part comprises at least one of water and ethanol.

【Claim ~~13~~11】

The composition according to claim 1, which is a water-in-silicon oil (W/S) type composition.

【Claim ~~14~~12】

The composition according to claim 1, which has a sun protection factor (SPF) of 30 or higher.