

CONCRETE COMPOSITION AND METHOD FOR MANUFACTURING CONCRETE
COMPOSITION

5

ABSTRACT

Provided is a concrete composition in which
cost-effectiveness and environmental load reduction are
superior, material separation resistance and/or impact
10 deformation resistance is secured at a high level, and
workability is superior.

The concrete composition comprises: cement; and crushed
fly ash that is obtained by crushing fly ash raw powder, in which
the crushed fly ash satisfies a condition that a JA funnel flow
15 time of fly ash paste containing 50 parts by mass of water with
respect to 100 parts by mass of the crushed fly ash is in a range
of 17 ~ 27 seconds.