

**Abstract**

Pastes containing flatting agents and/or texture additives, containing

- 5           A)     5 to 30 wt.% of one or more thixotropic (meth)acrylic copolymers  
                  and/or one or more thixotropic polyesters
- B)     15 to 45 wt.% of one or more flatting and/or texturing agents,
- 10           C)     30 to 65 wt.% of one or more organic solvents

and optionally wetting and dispersing agents, rheology modifiers, catalysts and  
optionally further additives and auxiliaries, wherein the proportions of components A),  
B) and C) add up to 100 wt.% and the weight ratio of thixotropic (meth)acrylic  
15 copolymer and/or thixotropic polyester : flatting and/or texturing agents is 1 : 6 to 1 :  
0.8.