compound used.

[29] The composition may include 0 to 1% by weight of a polar oil including at least one polar functional group selected from a carboxyl group (COO), a ketone group (CO), and a hydroxyl group (OH), and the like, based on a total weight of the composition.

[30] The water-in-silicone type cosmetic composition may further include a PEG-added silicone-based surfactant.

[31] The composition may include the bis-ethylhexyloxyphenol methoxyphenyl triazine in an amount of 0.1 to 10% by weight based on a total weight of the composition.

[32] The composition may contain an organic UV sunscreen in an amount of 25% by weight or less, the organic UV sunscreen including bis-ethylhexyloxyphenol methoxyphenyl triazine, and a sun protection factor (SPF) of the composition which is calculated by Equation 1 below may be 10 or more:

[33] [Equation 1]

[34] SPF = (minimum erythema dose (MED) of skin part applied with water-in-silicone type cosmetic composition) / (MED of skin part not applied with water-in-silicone type cosmetic composition).

[35]

【Advantageous Effects】

[122] Further, the water-in-silicone type cosmetic composition according to an embodiment of the present invention may contain an organic sunscreen including the bis-ethylhexyloxyphenol methoxyphenyl triazine in an amount of 25% by weight or less, and a sun protection factor (SPF) of the composition which is calculated by Equation 1 below may be 10 or more:

[123] [Equation 1]

[124] SPF = (minimum erythema dose (MED) of skin part applied with water-in-silicone type cosmetic composition) / (MED of skin part not applied with water-in-silicone type cosmetic composition)

[125] For example, the water-in-silicone type cosmetic composition according to an embodiment of the present invention includes the bis-ethylhexyloxyphenol methoxyphenyl triazine up to in an amount of 4.5% by weight, and contains the organic sunscreen including the bis-ethylhexyloxyphenol methoxyphenyl triazine in an amount of 25% by weight or less, wherein the SPF of the composition calculated by Equation 1 above may be 10 to 50, specifically, 20 to 50, and more specifically, 30 to 50.

[126] The water-in-silicone type cosmetic composition according to an embodiment of the present invention includes one or two or more silicone-based oils selected from dimethicone, cyclomethicone, phenyltrimethicone,