



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C07C 209/00	A1	(11) International Publication Number: WO 99/50224 (43) International Publication Date: 7 October 1999 (07.10.99)
(21) International Application Number: PCT/US99/06079 (22) International Filing Date: 19 March 1999 (19.03.99) (30) Priority Data: 09/049,358 27 March 1998 (27.03.98) US (71) Applicant: EXXON RESEARCH AND ENGINEERING COMPANY [US/US]; P.O. Box 390, 180 Park Avenue, Florham Park, NJ 07932-0390 (US). (72) Inventor: VARADARAJ, Ramesh; 18 Aberdeen Circle, Flemington, NJ 08822 (US). (74) Agents: BAKUN, Estelle, C. et al.; Exxon Research and Engineering Company, P.O. Box 390, Florham Park, NJ 07932-0390 (US).		(81) Designated States: AU, BR, CA, CN, JP, MX, NO, RU, SG, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: RECOVERY OF AMINES FROM EMULSIONS (57) Abstract The instant invention is directed to a method for recovering surface active amines from an emulsion comprising the salt of the amine comprising: (a) contacting an emulsion layer or phase containing surface active amine salt with an acid selected from the group comprising mineral acids and carbon dioxide in an amount sufficient and under conditions to produce an amine salt of said mineral acid or an amine bicarbonate, wherein said surface active amine salt is produced via emulsion fractionation with said surface active amine; (b) separating an upper layer and a lower aqueous layer; (c) adding, to the lower aqueous layer, an inorganic base if step (a) utilizes a mineral acid, or heating at a temperature and for a time sufficient if step (a) utilizes carbon dioxide, to raise the pH of the aqueous layer to greater than or equal to 8; (d) blowing gas through said aqueous layer to produce a foam containing said surface active amine; (e) recovering said foam containing said surface active amine.		