Claims

1. An ophthalmic aqueous composition comprising:
(A) methyl cellulose having a label viscosity of 4 and methyl cellulose having a label viscosity of 15 in such an amount that a mass ratio is 1:4 to 4:1 and a total concentration is 0.2 to 5 w/v%;
(B) polyethylene glycol having a weight average molecular weight of 4000 or 8000 at 0.5 to 4.0 w/v%;
(C) polyvinylpyrrolidone K25 at 0.5 to 4.0 w/v%; and
(D) citric acid or sodium salts thereof at 1.0 to 4.0 w/v%,
wherein all w/v% are based on the total amount of the composition, and
wherein the ophthalmic aqueous composition has a gelling property.