

DESCRIPTION

ADENOSINE PHOSPHATE-CONTAINING O/W TYPE EMULSION
COMPOSITION HAVING LOW VISCOSITY

5

Technical Field
[0001]

10 The present invention relates to a low viscosity O/W emulsion composition comprising an adenosine phosphate and/or a salt thereof, and an acrylic acid-alkyl methacrylate copolymer.

Background Art
[0002]

15 An adenosine phosphate is known to have a moisturizing effect and a whitening effect, and cosmetics containing an adenosine phosphate have already been studied in various ways (for example, Patent Document 1), and have been put on the market.

20 Alkyl acrylate copolymers are known as polymeric emulsifiers suitable for the formulation of gel creams and emulsions having a lightly and fresh feeling during use.

Prior Art Document

25 Patent Document
[0003]
[Patent Document 1] WO 2002/41853
[0004]

30 The disclosures of the prior art documents cited herein are hereby incorporated by reference in their entirety.

Summary

Technical Problem
[0005]

35 The present inventors attempted to develop an O/W emulsion composition containing an adenosine phosphate and an acrylic acid-alkyl methacrylate copolymer and having a low viscosity (less than 10,000 mPa·s), but encountered the problem of not being able to obtain a composition having a
40 good emulsification stability. The object of the present invention is to provide a low viscosity (less than 10,000 mPa·s) O/W emulsion composition comprising an adenosine phosphate and/or a salt thereof and an acrylic acid-alkyl

methacrylate copolymer and having a good emulsification stability.

Solution to Problem

5 [0006]

The present inventors have found that unexpectedly, a specific water-soluble polymer and a specific pH adjuster respectively improve the emulsification stability of a composition comprising an adenosine phosphate and/or a salt thereof and an acrylic acid-alkyl methacrylate copolymer,.

10 In addition, the present inventors have found that an addition of an uncrystallized high melting point oil having a melting point of 30 °C or higher; an oil-based gelling agent; and/or a silicone agent for improving feel further improve the feel during use of the composition.

15 [0007]

Specifically, the present application provides the following aspects of the invention.

[0008]

20 [1] An O/W emulsion composition,
comprising Ingredient (A), Ingredient (B), Ingredient (E), and Ingredient (F); and
comprising Ingredient (C) and/or Ingredient (D);
wherein

25 Ingredient (A): an adenosine phosphate and/or a salt thereof;

Ingredient (B): an acrylic acid-alkyl methacrylate copolymer;

30 Ingredient (C): a water-soluble polymer selected from a swelling thickener, an associative thickener, a polysaccharide and a derivative thereof, and a mixture thereof;

Ingredient (D): a pH adjuster which is an organic alkali compound;

35 Ingredient (E): an oil content;

Ingredient (F): water, and

40 wherein the composition has a viscosity of less than 10,000 mPa·s (for example, 200 to 10,000 mPa·s, 300 to 9,000 mPa·s, 500 to 8,000 mPa·s, 1,000 to 5,000 mPa·s, 1,500 to 3,000 mPa·s).

[0009]

[2] The composition according to [1], wherein Ingredient (B) is an acrylic acid-alkyl methacrylate copolymer having

a molecular weight of 100,000 to 5,000,000.

[0010]

[3] The composition according to [1] or [2], wherein Ingredient (B) is an acrylic acid-alkyl methacrylate copolymer wherein the alkyl group has 8 to 35 carbon atoms.

[0011]

[4] The composition according to any one of [1] to [3], wherein Ingredient (B) is acrylates/C10-30 alkyl acrylate crosspolymer.

10 [0012]

[5] The composition according to any one of [1] to [4], wherein Ingredient (C) is a water-soluble polymer selected from:

15 a swelling thickener selected from sodium polyacrylate, ammonium polyacrylate, acrylamide/sodium acrylate copolymer, vinylpyrrolidone/2-acrylamide-2-methylpropanesulfonic acid copolymer, a mixture of polyacrylamide and sodium polyacrylate, sodium acrylate/2-acrylamide-2-methylpropanesulfonic acid copolymer, hydroxyethyl
20 acrylate/2-acrylamide-2-methylpropanesulfonic acid copolymer, and a mixture thereof;

an associative thickener selected from a polyacrylic acid-based associative thickener, polyvinyl alcohol, a polyvinyl-based thickener, a polyether-based associative thickener, a polyglycol-based associative thickener, a maleic anhydride copolymer-based associative thickener, a polyamide-based associative thickener, a polyester-based associative thickener, a hydrophobic cellulose ester-based associative thickener, a urethane associative thickener, a
25 polycarboxylic acid-based associative thickener, and a mixture thereof;

a polysaccharide selected from xanthan gum, guar gum, carrageenan, tamarind gum, quince seed gum, sclerotium gum, agar, cationic xanthan gum, cationic cellulose, hydroxypropyl starch phosphate, and a mixture thereof, and
35 a derivative thereof; and

a mixture thereof.

[0013]

[6] The composition according to any one of [1] to [5], wherein Ingredient (C) is a water-soluble polymer selected from:

a swelling thickener selected from sodium polyacrylate, ammonium polyacrylate, acrylamide/sodium acrylate copolymer,

vinylpyrrolidone/2-acrylamide-2-methylpropanesulfonic acid copolymer, a mixture of polyacrylamide and sodium polyacrylate, sodium acrylate/2-acrylamide-2-methylpropanesulfonic acid copolymer, hydroxyethyl acrylate/2-acrylamide-2-methylpropanesulfonic acid copolymer, and a mixture thereof;

a urethane associative thickener selected from PEG-240/HDI copolymer bis-decyltetradeceth-20 ether, PEG-150/stearyl alcohol/SMDI copolymer, PEG-150/decyl alcohol/SMDI copolymer, polyurethane-59, and a mixture thereof; and

a mixture thereof.

[0014]

[7] The composition according to any one of [1] to [6], wherein Ingredient (C) is selected from sodium polyacrylate, PEG-240/HDI copolymer bis-decyltetradeceth-20 ether, and a mixture thereof.

[0015]

[8] The composition according to any one of [1] to [7], wherein Ingredient (C) is sodium polyacrylate.

[0016]

[9] The composition according to any one of [1] to [8], wherein Ingredient (D) is a pH adjuster which is an organic alkali compound selected from tromethamine, aminomethyl propanediol, aminomethyl propanol, arginine, and a mixture thereof.

[0017]

[10] The composition according to any one of [1] to [9], wherein Ingredient (D) is tromethamine, arginine, and a mixture thereof.

[0018]

[11] The composition according to any one of [1] to [10], wherein Ingredient (D) is tromethamine.

[0019]

[12] The composition according to any one of [1] to [11], wherein the composition comprises Ingredient (C), and Ingredient (C)/Ingredient (A) (weight ratio) is 0.01 to 30 (preferably 0.01 to 20, more preferably 0.02 to 10, more preferably 0.03 to 5, even more preferably 0.04 to 0.8, 0.1 to 0.5).

[0020]

[13] The composition according to any one of [1] to [12], wherein the composition comprises Ingredient (C), and

Ingredient (C)/(Ingredient (A) + Ingredient (B)) (weight ratio) is 0.005 to 20 (preferably 0.01 to 10, more preferably 0.02 to 5, even more preferably 0.01 to 1.5, even more preferably 0.04 to 0.7, 0.1 to 0.3).

5 [0021]

[14] The composition according to any one of [1] to [13], wherein the composition has a pH of 5.5 to 7.5 (preferably pH 6 to 7, for example, pH 6.5 to 7).

[0022]

10 [15] The composition according to any one of [1] to [14], wherein the composition comprises Ingredient (D) and has a pH of 5.5 to 7.5 (preferably pH 6 to 7, for example, pH 6.5 to 7).

[0023]

15 [16] The composition according to any one of [1] to [15], wherein

the composition does not comprise a pH adjuster which is an inorganic alkali compound, or

20 the composition comprises a pH adjuster which is an inorganic alkali compound, and the pH adjuster which is an inorganic alkali compound/Ingredient (D) (weight ratio) is 0.1 or less (preferably 0.01 or less).

[0024]

25 [17] The composition according to any one of [1] to [16], wherein Ingredient (C)/Ingredient (B) (weight ratio) is 0.05 to 60 (preferably 0.1 to 30, more preferably 0.1 to 20, even more preferably 0.1 to 10, still more preferably 0.1 to 5, still more preferably 0.5 to 4, 0.3 to 1).

[0025]

30 [18] The composition according to any one of [1] to [17], wherein the composition comprises 0.001 to 10% by weight (preferably 0.01 to 10% by weight, more preferably 0.1 to 7% by weight, more preferably 0.2 to 5% by weight, even more preferably 0.3 to 4% by weight, still more preferably 0.4 to 3.5% by weight, 1 to 5% by weight, 0.4 to 5% by weight) of Ingredient (A).

[0026]

40 [19] The composition according to any one of [1] to [18], wherein the composition comprises 0.05 to 2% by weight (preferably 0.1 to 1.5% by weight, more preferably 0.15 to 1% by weight, even more preferably 0.15 to 0.8% by weight, still more preferably 0.2 to 0.4% by weight) of Ingredient (B).

[0027]

[20] The composition according to any one of [1] to [19], wherein the composition comprises 0.01 to 10% by weight (preferably 0.01 to 8% by weight, more preferably 0.03 to 4% by weight, more preferably 0.1 to 4% by weight, even more preferably 0.1 2% by weight, still more preferably 0.2 to 0.8% by weight) of Ingredient (C).

[0028]

[21] The composition according to any one of [1] to [20], wherein the composition comprises 0.1 to 50% by weight (preferably 1 to 30% by weight, more preferably 2 to 25% by weight, more preferably 3 to 23% by weight, even more preferably 4 to 20% by weight, still more preferably 5 to 16% by weight, 5 to 8% by weight) of Ingredient (E).

[0029]

[22] The composition according to any one of [1] to [21], wherein the composition comprises 20 to 99% by weight (preferably 30 to 99% by weight, more preferably 40 to 99% by weight, more preferably 50 to 99% by weight, even more preferably 60 to 95% by weight, still more preferably 70 to 90% by weight) of Ingredient (F).

[0030]

[23] The composition according to any one of [1] to [22], wherein Ingredient (E) comprises Ingredient (G) selected from an uncrystallized high melting point oil having a melting point of 30 °C or higher; an oil-based gelling agent; a silicone agent for improving feel; and a mixture thereof.

[0031]

[24] The composition according to any one of [23], wherein Ingredient (G) is selected from:

an uncrystallized high melting point oil having a melting point of 30 °C or higher selected from an uncrystallized triglyceride having a melting point of 30 °C or higher; an uncrystallized sterol fatty acid ester having a melting point of 30 °C or higher; petrolatum; and a mixture thereof;

an oil-based gelling agent selected from an inulin fatty acid ester, a dextrin fatty acid ester, polyglycerol, dibutyl ethylhexanoyl glutamide, dibutyl lauroyl glutamide, sodium dilaureamidoglutamide lysine, vinyl dimethicone/methicone silsesquioxane crosspolymer, PEG/PPG-19/19 dimethicone, and a mixture thereof;

a silicone agent for improving feel selected from an amino-modified silicone, a silicone wax, polyether-modified silicone, highly polymerized dimethicone, a silicone wax, a silicone emulsion, a silicone powder, and a mixture thereof;
5 and

a mixture thereof.

[0032]

[25] The composition according to [23] or [24], wherein
Ingredient (G) is selected from
10 caprylic/capric/myristic/stearic triglyceride, theobroma
grandiflorum seed butter, phytosteryl/behenyl/octyldodecyl
lauroyl glutamate, an inulin fatty acid ester (for example,
stearoyl inulin), a dextrin fatty acid ester (for example,
dextrin myristate), an amino-modified silicone (for example,
15 aminopropyl dimethicone), a silicone wax (for example,
stearyl dimethicone), and a mixture thereof.

[0033]

[26] The composition according to any one of [23] to
[25], wherein Ingredient (G) is selected from
20 caprylic/capric/myristic/stearic triglyceride, theobroma
grandiflorum seed butter, phytosteryl/behenyl/octyldodecyl
lauroyl glutamate, and a mixture thereof.

[0034]

[27] The composition according to any one of [23] to
[25], wherein Ingredient (G) is selected from an inulin fatty
acid ester (for example, stearoyl inulin), a dextrin fatty
acid ester (for example, dextrin myristate), and a mixture
thereof.

[0035]

[28] The composition according to any one of [23] to
[25], wherein Ingredient (G) is selected from an amino-
modified silicone (for example, aminopropyl dimethicone), a
silicone wax (for example, stearyl dimethicone), and a
mixture thereof.

[0036]

[29] The composition according to any one of [23] to
[28], wherein the amount of Ingredient (G) is 0.1 to 50% by
weight (preferably 1 to 30% by weight, more preferably 2.5
to 25% by weight) based on Ingredient (E).

[0037]

[30] The composition according to any one of [23] to
[26], and [29], wherein Ingredient (G) is an uncrystallized
high melting point oil having a melting point of 30 °C or

higher, and the amount of Ingredient (G) is 0.01 to 50% by weight (preferably 0.1 to 40% by weight, more preferably 6 to 25% by weight) based on Ingredient (E).

[0038]

5 [31] The composition according to any one of [23] to [25], [27], and [29], wherein Ingredient (G) is an oil-based gelling agent, and the amount of Ingredient (G) is 0.01 to 50% by weight (preferably 0.1 to 20% by weight, more preferably 2.5 to 6.25% by weight) based on Ingredient (E).

10 [0039]

[32] The composition according to any one of [23] to [25], [28], and [29], wherein Ingredient (G) is a silicone agent for improving feel, and the amount of Ingredient (G) is 0.01 to 50% by weight (preferably 0.1 to 20% by weight, more preferably 0.5 to 15% by weight, still more preferably 1 to 10% by weight) based on Ingredient (E).

[0040]

[33] The composition according to any one of [23] to [32], wherein the composition comprises 0.001 to 10% by weight (preferably 0.01 to 10% by weight, more preferably 0.1 to 7% by weight, more preferably 0.1 to 5% by weight, even more preferably 0.2 to 3% by weight, still more preferably 0.2 to 2% by weight) of Ingredient (G).

[0041]

25 [34] The composition according to any one of s [1] to [33], wherein the composition further comprises

Ingredient (H): a water-soluble humectant.

[0042]

30 [35] The composition according to any one of [1] to [34], wherein Ingredient (H) is a water-soluble humectant selected from a low-polarity polyhydric alcohol (for example, butylene glycol, bis-ethoxydiglycol cyclohexane 1,4-dicarboxylate, dipropylene glycol, PEG/PPG/polybutylene glycol-8/5/3 glycerin, POE methylglucoside), a saccharide (for example, glyceryl glucoside, diglycerin, trehalose, a sorbitol culture polysaccharide solution), a film forming agent (for example, pullulan, PVP, gum arabic), and a mixture thereof.

[0043]

40 [36] The composition according to any one of [1] to [35] comprising

Ingredient (A): an adenosine phosphate and/or a salt thereof;

Ingredient (B): acrylates/C10-30 alkyl acrylate crosspolymer;

Ingredient (C): cross-linked sodium polyacrylate and/or PEG-240/HDI copolymer bis-decyltetradeceth-20 ether (preferably cross-linked sodium polyacrylate);

Ingredient (E): an oil content; and

Ingredient (F): water,

wherein the composition has a viscosity of 1,500 to 8,000 mPa·s.

[0044]

[37] The composition according to [36], wherein Ingredient (C)/(Ingredient (A) + Ingredient (B)) (weight ratio) is 0.04 to 0.7.

[0045]

[38] The composition according to any one of [1] to [37] comprising

Ingredient (A): an adenosine phosphate and/or a salt thereof 1.5 to 3.5% by weight;

Ingredient (B): acrylates/C10-30 alkyl acrylate crosspolymer 0.2 to 0.4% by weight;

Ingredient (C): cross-linked sodium polyacrylate and/or PEG-240/HDI copolymer bis-decyltetradeceth-20 ether (preferably cross-linked sodium polyacrylate)

0.04 to 0.8% by weight;

Ingredient (E): an oil content 5 to 8% by weight; and

Ingredient (F): water,

wherein the composition has a viscosity of 1,500 to 8,000 mPa·s.

[0046]

[39] The composition according to any one of [1] to [38] comprising

Ingredient (A): an adenosine phosphate and/or a salt thereof;

Ingredient (B): acrylates/C10-30 alkyl acrylate crosspolymer;

Ingredient (D): tromethamine and/or arginine;

Ingredient (E): an oil content; and

Ingredient (F): water,

wherein the composition has a viscosity of 1,500 to 8,000 mPa·s, and a pH of 6 to 7.

[0047]

[40] The composition according to any one of [1] to

[39] comprising

Ingredient (A): an adenosine phosphate and/or a salt thereof 1.5 to 3.5% by weight;

5 Ingredient (B): acrylates/C10-30 alkyl acrylate crosspolymer 0.2 to 0.4% by weight;

Ingredient (D): tromethamine, aminomethyl propanediol, and/or arginine;

10 Ingredient (E): an oil content 5 to 8% by weight; and

Ingredient (F): water, wherein the composition has a viscosity of 1,500 to 8,000 mPa·s, and a pH of 6 to 7.

[0048]

15 [41] The composition according to any one of [1] to [40], which is a lotion; an emulsion selected from an emollient emulsion, a milky lotion, a nourishing emulsion, and an cleansing emulsion; a cream selected from an emollient cream, a massage cream, a cleansing cream, and a makeup cream; a lip balm.

[0049]

[42] The composition according to any one of [1] to [41], which is applied to or sprayed on skin.

[0050]

25 [43] A method for producing an O/W emulsion composition having a viscosity of less than 10,000 mPa·s, comprising mixing Ingredient (A), Ingredient (B), Ingredient (E), and Ingredient (F) in the presence of Ingredient (C) and/or Ingredient (D),

30 wherein

Ingredient (A): an adenosine phosphate and/or a salt thereof;

Ingredient (B): an acrylic acid-alkyl methacrylate copolymer;

35 Ingredient (C): a water-soluble polymer selected from a swelling thickener, an associative thickener, a polysaccharide and a derivative thereof, and a mixture thereof;

40 Ingredient (D): a pH adjuster which is an organic alkali compound;

Ingredient (E): an oil content;

Ingredient (F): water.

[0051]

[44] A method for improving an emulsification stability of an O/W emulsion composition comprising Ingredient (A), Ingredient (B), Ingredient (E), and Ingredient (F) and having a viscosity of less than 10,000 mPa·s,

5 comprising adding Ingredient (C) and/or Ingredient (D), wherein

Ingredient (A): an adenosine phosphate and/or a salt thereof;

10 Ingredient (B): an acrylic acid-alkyl methacrylate copolymer;

Ingredient (C): a water-soluble polymer selected from a swelling thickener, an associative thickener, a polysaccharide and a derivative thereof, and a mixture thereof;

15 Ingredient (D): a pH adjuster which is an organic alkali compound;

Ingredient (E): an oil content;

Ingredient (F): water.

[0052]

20 [45] A method for improving a feel during use of an O/W emulsion composition comprising Ingredient (A), Ingredient (B), Ingredient (E), and Ingredient (F) and having a viscosity of less than 10,000 mPa·s,

25 comprising adding Ingredient (C) and/or Ingredient (D), wherein

Ingredient (A): an adenosine phosphate and/or a salt thereof;

Ingredient (B): an acrylic acid-alkyl methacrylate copolymer;

30 Ingredient (C): a water-soluble polymer selected from a swelling thickener, an associative thickener, a polysaccharide and a derivative thereof, and a mixture thereof;

35 Ingredient (D): a pH adjuster which is an organic alkali compound;

Ingredient (E): an oil content;

Ingredient (F): water.

[0053]

[Item 1]

40 An O/W emulsion composition, comprising Ingredient (A), Ingredient (B), Ingredient (E), and Ingredient (F); and comprising Ingredient (C) and/or Ingredient (D);

wherein

Ingredient (A): an adenosine phosphate and/or a salt thereof;

Ingredient (B): an acrylic acid-alkyl methacrylate copolymer;

Ingredient (C): a water-soluble polymer selected from a swelling thickener, an associative thickener, a polysaccharide and a derivative thereof, and a mixture thereof;

Ingredient (D): a pH adjuster which is an organic alkali compound;

Ingredient (E): an oil content;

Ingredient (F): water, and

wherein the composition has a viscosity of less than 10,000 mPa·s.

[Item 2]

The composition according to Item 1, wherein Ingredient (B) is an acrylic acid-alkyl methacrylate copolymer having a molecular weight of 100,000 to 5,000,000.

[Item 3]

The composition according to Item 1 or 2, wherein Ingredient (C) is a water-soluble polymer selected from:

a swelling thickener selected from sodium polyacrylate, ammonium polyacrylate, ammonium polyacrylate, acrylamide/sodium acrylate copolymer, vinylpyrrolidone/2-acrylamide-2-methylpropanesulfonic acid copolymer, a mixture of polyacrylamide and sodium polyacrylate, sodium acrylate/2-acrylamide-2-methylpropanesulfonic acid copolymer, hydroxyethyl acrylate/2-acrylamide-2-methylpropanesulfonic acid copolymer, and a mixture thereof;

a urethane associative thickener selected from PEG-240/HDI copolymer bis-decyltetradeceth-20 ether, PEG-150/stearyl alcohol/SMDI copolymer, PEG-150/decyl alcohol/SMDI copolymer, polyurethane-59, and a mixture thereof; and

a mixture thereof.

[Item 4]

The composition according to any one of Items 1 to 3, wherein Ingredient (D) is a pH adjuster which is an organic alkali compound selected from tromethamine, aminomethyl propanediol, aminomethyl propanol, arginine, and a mixture thereof.

[Item 5]

The composition according to any one of Items 1 to 4, wherein the composition comprises Ingredient (C), and Ingredient (C)/Ingredient (A) (weight ratio) is 0.01 to 30. [Item 6]

5 The composition according to any one of Items 1 to 5, wherein the composition comprises Ingredient (C), and Ingredient (C)/(Ingredient (A) + Ingredient (B)) (weight ratio) is 0.005 to 20. [Item 7]

10 The composition according to any one of Items 1 to 6, wherein the composition comprises Ingredient (C), and Ingredient (C)/Ingredient (B) (weight ratio) is 0.05 to 60. [Item 8]

15 The composition according to any one of Items 1 to 7, wherein the composition has a pH of 5.5 to 7.5. [Item 9]

The composition according to any one of Items 1 to 8 comprising

20 Ingredient (A): an adenosine phosphate and/or a salt thereof;

Ingredient (B): acrylates/C10-30 alkyl acrylate crosspolymer;

Ingredient (C): cross-linked sodium polyacrylate and/or PEG-240/HDI copolymer bis-decyltetradeceth-20 ether;

25 Ingredient (E): an oil content; and

Ingredient (F): water,

wherein the composition has a viscosity of 1,500 to 10,000 mPa·s.

[Item 10]

30 The composition according to any one of Items 1 to 9 comprising

Ingredient (A): an adenosine phosphate and/or a salt thereof;

35 Ingredient (B): acrylates/C10-30 alkyl acrylate crosspolymer;

Ingredient (D): tromethamine and/or arginine;

Ingredient (E): an oil content; and

Ingredient (F): water,

40 wherein the composition has a viscosity of 1,500 to 10,000 mPa·s, and a pH of 6 to 7.

[Item 11]

The composition according to any one of Items 1 to 10, wherein the composition comprises

0.001 to 10% by weight of Ingredient (A),
0.05 to 2% by weight of Ingredient (B), and
0.1 to 50% by weight of Ingredient (E).

[Item 12]

5 The composition according to any one of Items 1 to 11,
wherein the composition comprises 0.01 to 10% by weight of
Ingredient (C).

[Item 13]

10 The composition according to any one of Items 1 to 12 comprising

Ingredient (A): an adenosine phosphate and/or a salt thereof	0.4 to 3.5% by weight;
--	------------------------

Ingredient (B): acrylates/C10-30 alkyl acrylate
crosspolymer 0.2 to 0.4% by weight;

15 Ingredient (C): cross-linked sodium polyacrylate and/or
PEG-240/HDI copolymer bis-decyltetradeceth-20 ether

0.04 to 0.8% by weight;

Ingredient (E): an oil content 5 to 8% by weight; and

Ingredient (F): water,

20 wherein the composition has a viscosity of 1,500 to
10,000 mPa·s.

[Item 14]

The composition according to any one of Items 1 to 13 comprising

25	Ingredient (A): an adenosine phosphate and/or a salt thereof	0.4 to 3.5% by weight;
----	--	------------------------

Ingredient (B): acrylates/C10-30 alkyl acrylate
crosspolymer 0.2 to 0.4% by weight;

Ingredient (D): tromethamine, aminomethyl propanediol,
30 and/or arginine;

Ingredient (E): an oil content 5 to 8% by weight;
and

Ingredient (F): water,

wherein the composition has a viscosity of 1,500 to 10,000 mPa·s, and a pH of 6 to 7.

[Item 15]

The composition according to any one of Items 1 to 14,
wherein

the composition does not comprise a pH adjuster which
40 is an inorganic alkali compound, or ,

the composition comprises a pH adjuster which is an inorganic alkali compound, and the pH adjuster which is an inorganic alkali compound/Ingredient (D) (weight ratio) is

0.1 or less.

[Item 16]

The composition according to any one of 1 to 15,
wherein Ingredient (E) comprises Ingredient (G)
5 selected from:

an uncrystallized high melting point oil having a
melting point of 30 °C or higher selected from an
uncrystallized triglyceride having a melting point of 30 °C
or higher; an uncrystallized sterol fatty acid ester having
10 a melting point of 30 °C or higher; petrolatum; and a mixture
thereof;

an oil-based gelling agent selected from an inulin fatty
acid ester, a dextrin fatty acid ester, polyglycerol, dibutyl
ethylhexanoyl glutamide, dibutyl lauroyl glutamide, sodium
15 dilauramidoglutamide lysine, vinyl dimethicone/methicone
silsesquioxane crosspolymer, PEG/PPG-19/19 dimethicone, and
a mixture thereof;

a silicone agent for improving feel selected from an
amino-modified silicone, a silicone wax, polyether-modified
20 silicone, highly polymerized dimethicone, a silicone wax, a
silicone emulsion, a silicone powder, and a mixture thereof;
and

a mixture thereof, and

wherein the amount of Ingredient (G) is 0.1 to 50% by
25 weight based on Ingredient (E).

[Item 17]

The composition according to any one of Items 1 to 16
wherein the composition comprises 0.1 to 5% by weight of
Ingredient (G).

30 [Item 18]

The composition according to any one of Items 1 to 17,
wherein the composition further comprises

Ingredient (H): a water-soluble humectant.

35 Advantageous Effects of Invention

[0054]

The present invention provide a low viscosity (less
than 10,000 mPa·s) O/W emulsion composition comprising an
adenosine phosphate and/or a salt thereof and an acrylic
40 acid-alkyl methacrylate copolymer and having a good
emulsification stability. In addition, the feel of the
composition during use is improved by adding an
uncrystallized high melting point oil having a melting point

of 30 °C or higher, an oil-based gelling agent, and/or a silicone agent for improving feel.

[0055]

In one aspect, the present disclosure provides an O/W emulsion composition (hereinafter sometimes referred to as "the composition of the present invention"),

comprising Ingredient (A), Ingredient (B), Ingredient (E), and Ingredient (F), and

comprising Ingredient (C) and/or Ingredient (D), and wherein

Ingredient (A): an adenosine phosphate and/or a salt thereof;

Ingredient (B): an acrylic acid-alkyl methacrylate copolymer;

Ingredient (C): a water-soluble polymer selected from a swelling thickener, an associative thickener, a polysaccharide and a derivative thereof, and a mixture thereof;

Ingredient (D): a pH adjuster which is an organic alkali compound;

Ingredient (E): an oil content;

Ingredient (F): water, and

wherein the composition has a viscosity of less than 10,000 mPa·s.

[0056]

The emulsification stability and/or the feel during use of the low viscosity O/W emulsion composition comprising an adenosine phosphate and/or a salt thereof and an acrylic acid-alkyl methacrylate copolymer may be improved by adding Ingredient (C) and/or Ingredient (D).

[0057]

As used herein, the term "O/W emulsion composition" means an emulsion composition in which oil is dispersed in an aqueous phase. The method for determine whether a emulsion composition is O/W type is not particularly limited, and can be tested by a commonly used method (for example, dispersion, electrical conduction, dye, dilution, and refractive index methods).

[0058]

In one embodiment, the viscosity of the composition of the present invention is less than 10,000 mPa·s. The preferred viscosity range of the present composition may vary depending on the use, form, etc., but may include 200

to 10,000 mPa·s, 300 to 9,000 mPa·s, 500 to 8,000 mPa·s, 1,000 to 5,000 mPa·s, 1,500 to 3,000 mPa·s and the like. Further, examples of the lower limit of the viscosity of the composition of the present invention include 200 mPa·s, 300 mPa·s, 500 mPa·s, and 800 mPa·s. Examples of the upper limit include 1,000 mPa·s, 2,000 mPa·s, 3,000 mPa·s, 4,000 mPa·s, 5,000 mPa·s, 6,000 mPa·s, 7,000 mPa·s, 8,000 mPa·s, 9,000 mPa·s, and 10,000 mPa·s. Preferred examples of the range may be shown by a combination of the lower limit and the upper limit.

[0059]

In the present disclosure, a viscosity of a composition is determined by a single cylinder-type rotational viscometer (B-type viscometer, Tokyo Keiki BM type), rotor No. 1 to 4 at 25 °C, 12 rpm or 30 rpm for 1 minute. Alternatively, it may be determined in a manner equivalent to that described above.

[0060]

In the present application, examples of an adenosine phosphate include adenosine monophosphate (adenosine 2'-monophosphate, adenosine 3'-monophosphate, adenosine 5'-monophosphate etc.), adenosine diphosphate (adenosine 5'-diphosphate etc.), adenosine triphosphate (adenosine 5'-triphosphate etc.), adenosine 3',5'-cyclic phosphate etc., and a single kind of the adenosine phosphate may be used, or any combination of two or more kinds of the adenosine phosphate may be used.

[0061]

In the present application, a salt of adenosine phosphate(s) is not particularly limited as long as it can be formulated in a cosmetic, a drug or quasi-drug for external use. Examples of salts of adenosine monophosphate include specifically alkali metal salts such as sodium salts, potassium salts and the like; alkaline earth metal salts such as calcium salts, magnesium salts, barium salts and the like; basic amino acid salts such as arginine, lysine and the like; ammonium salts such as ammonium salts, tricyclohexylammonium salts and the like; alkanolamine salts such as monoethanolamine salts, diethanolamine salts, triethanolamine salts, monoisopropanolamine salts, diisopropanolamine salts, triisopropanolamine and the like,

and a single kind of the salt of adenosine phosphate(s) may be used, or any combination of two or more kinds of the salt of adenosine phosphate(s) may be used.

[0062]

5 The amount of Ingredient (A) comprised in the composition of the present invention may vary depending on the use, form, etc. of the composition, but may be optionally selected from a range of, for example, usually 0.001 to 10% by weight based on the total weight of the composition. Preferably 0.01% by weight to 10% by weight, more preferably 0.1% by weight to 7% by weight, more preferably 0.2% by weight to 5% by weight, even more preferably 0.3% by weight to 4% by weight, still more preferably 0.4% by weight to 3.5% by weight are exemplified. Further preferred range examples include 1 to 5% by weight and 0.4 to 5% by weight. Further examples of the lower limit of the amount range of Ingredient (A) comprised in the composition of the present invention include 0.001% by weight, 0.01% by weight, 0.1% by weight, 0.3% by weight, 0.4% by weight, 0.5% by weight, 0.7% by weight, and 1% by weight, and examples of the upper limit include 1% by weight, 2% by weight, 3% by weight, 3.5% by weight, 4% by weight, 5% by weight, 7% by weight, and 10% by weight, and preferred examples of the range may be shown by a combination of the lower limit and the upper limit.

25 [0063]

 In the present application, an acrylic acid-alkyl methacrylate copolymer is not particularly limited, and for example, an acrylic acid-alkyl methacrylate copolymer having a molecular weight of 100,000 to 5,000,000 is exemplified. Examples of an acrylic acid-alkyl methacrylate copolymer include an acrylic acid-alkyl methacrylate copolymer wherein the alkyl group has 8 to 35 carbon atoms, more preferably an acrylic acid-alkyl methacrylate copolymer wherein the alkyl group has 10 to 30 carbon atoms (for example, acrylates/C10-30 alkyl acrylate crosspolymer etc.). The structure thereof is not limited, and are appropriately selected according to a purpose. A single kind of the acrylic acid-alkyl methacrylate copolymer may be used, or any combination of two or more kinds of the acrylic acid-alkyl methacrylate copolymer may be used in the composition of the present invention.

40 [0064]

 The amount of Ingredient (B) comprised in the

composition of the present invention may vary depending on the use, form, etc. of the composition, but may be optionally selected from, for example, a range of 0.05 to 2% by weight based on the total weight of the composition. More preferably 0.1% by weight to 1.5% by weight, more preferably 0.15% by weight to 1% by weight, even more preferably 0.15% by weight to 0.8% by weight, still more preferably 0.2% by weight to 0.4% by weight are exemplified. Further, examples of the lower limit of the amount range of Ingredient (B) comprised in the composition of the present invention include 0.05, 0.1% by weight, 0.15% by weight, and 0.2% by weight, and examples of the upper limit include 0.4% by weight, 0.6% by weight, 0.7% by weight, 0.8% by weight, 1% by weight, 1.5% by weight, and 2% by weight, and preferred examples of the range may be shown by a combination of the lower limit and the upper limit.

[0065]

Examples of a water-soluble polymer of Ingredient (C) which may be comprised in the composition of the present invention include a swelling thickener, an associative thickener, a polysaccharide and a derivative thereof. A single kind of the water-soluble polymer may be used, or any combination of two or more kinds of the water-soluble polymer may be used in the composition of the present invention.

[0066]

Examples of a swelling thickener include a alkali swelling thickener such as sodium polyacrylate (for example, cross-linked sodium polyacrylate), ammonium polyacrylate, acrylamide/sodium acrylate copolymer, vinylpyrrolidone/2-acrylamide-2-methylpropanesulfonic acid copolymer, a mixture of polyacrylamide and sodium polyacrylate, sodium acrylate/2-acrylamide-2-methylpropanesulfonic acid copolymer, hydroxyethyl acrylate/2-acrylamide-2-methylpropanesulfonic acid copolymer. A single kind of the swelling thickener may be used, or any combination of two or more kinds of the swelling thickener may be used in the composition of the present invention.

[0067]

Examples of an associative thickener include a polyacrylic acid-based associative thickener: for example, acrylic acid copolymer, acrylates/vinyl neodecanoate crosspolymer, (acrylates/steareth-20 methacrylate crosspolymer, acrylates/steareth-20 methacrylate copolymer,

acrylates/beheneth-25 methacrylate copolymer,
acrylates/steareth-20 itaconate copolymer and the like ;
polyvinyl alcohol; a polyvinyl-based thickener; a polyether-
based associative thickener; a polyglycol-based associative
5 thickener; a maleic anhydride copolymer-based associative
thickener; a polyamide-based associative thickener; a
polyester-based associative thickener; a hydrophobic
cellulose ester-based associative thickener; a urethane
associative thickener: for example, PEG-240/HDI copolymer
10 bis-decyltetradeceth-20 ether, PEG-150/stearyl alcohol/SMDI
copolymer, PEG-150/decyl alcohol/SMDI copolymer,
polyurethane-59 and the like ; a polycarboxylic acid-based
associative thickener, and a single kind of the associative
thickener may be used, or any combination of two or more
15 kinds of the associative thickener may be used.
[0068]

Examples of a polysaccharide and a derivative thereof
include cationic xanthan gum, cationic cellulose, xanthan
gum, guar gum, carrageenan, tamarind gum, quince seed gum,
20 sclerotium gum, hydroxypropyl starch phosphate and agar.
A single kind of the polysaccharide and a derivative thereof
may be used, or any combination of two or more kinds of the
polysaccharide and a derivative thereof may be used.
[0069]

25 In the composition of the present invention, the amount
of Ingredient (C) is not particularly limited so long as an
emulsifying property of the composition is stable and/or the
composition exhibits a good feel during use, but the weight
ratio of Ingredient (C) to Ingredient (A) (Ingredient
30 (C)/Ingredient (A)) is, for example, 0.01 to 30, preferably
0.01 to 20, more preferably 0.02 to 10, more preferably 0.03
to 5, and even more preferably 0.04 to 0.8. Another
preferred range example of the weight ratio is 0.1 to 0.5.
Further, examples of the lower limit of the (Ingredient
35 (C)/Ingredient (A)) (weight ratio) include 0.01, 0.02, 0.03,
0.04, 0.1, 0.2, and 0.5, and examples of the upper limit
include 0.5, 0.8, 1, 1.5, 2, 3, 5, 10, 20, 30, and preferred
examples of the range may be shown by a combination of the
lower limit and the upper limit.
40 [0070]

Regarding the amount of Ingredient (C) in the
composition of the present invention, for example, the weight
ratio of Ingredient (C) to the sum of Ingredient (A) and

Ingredient (B) (Ingredient (C)/(Ingredient (A) + Ingredient (B)) is 0.005 to 20, preferably 0.01 to 10, more preferably 0.02 to 5, even more preferably 0.01 to 1.5, and even more preferably 0.04 to 0.7. Another preferred range example of the weight ratio is 0.1 to 0.3. Further, examples of the lower limit of the (Ingredient (C)/(Ingredient (A) + Ingredient (B)) (weight ratio) include 0.005, 0.01, 0.02, 0.03, 0.04, and 0.1, and examples of the upper limit include 0.3, 0.7, 1, 1.5, 2, and 5, and preferred examples of the range may be shown by a combination of the lower limit and the upper limit.

[0071]

In the composition of the present invention, the amount of Ingredient (C) is not particularly limited so long as an emulsifying property of the composition is stable and/or the composition exhibits a good feel during use, but the weight ratio of Ingredient (C) to Ingredient (B) (Ingredient (C)/Ingredient (B)) is, for example, 0.05 to 60, preferably 0.1 to 30, more preferably 0.1 to 20, even more preferably 0.1 to 10, still more preferably 0.1 to 5, still more preferably 0.5 to 4. Another preferred range example of the weight ratio is 0.3 to 1. Further, examples of the lower limit of (Ingredient (C)/Ingredient (B)) (weight ratio) include 0.05, 0.1, 0.2, 0.3, 0.5, and 1, and examples of the upper limit include 60, 30, 20, 15, 10, 8, 5, 4, 3, 2, and 1, and preferred examples of the range may be shown by a combination of the lower limit and the upper limit.

[0072]

The amount of Ingredient (C) comprised in the composition of the present invention may be optionally selected from, for example, a range of usually 0.01 to 10% by weight based on the total weight of the composition. Preferably 0.01% by weight to 8% by weight, more preferably 0.03% by weight to 4% by weight, more preferably 0.1% by weight to 4% by weight, even more preferably 0.1% by weight to 2% by weight, still more preferably 0.2% by weight to 0.8% by weight are exemplified. Further, examples of the lower limit of the amount range of Ingredient (C) comprised in the composition of the present invention include 0.001% by weight, 0.01% by weight, 0.03% by weight, 0.1% by weight, and 0.2% by weight, and examples of the upper limit include 10% by weight, 7% by weight, 5% by weight, 3% by weight, 2% by weight, 1% by weight, and 0.8% by weight, and preferred

examples of the range may be shown by a combination of the lower limit and the upper limit.

[0073]

5 Examples of a pH adjuster which is an organic alkali compound of Ingredient (D) include tromethamine, aminomethyl propanediol, aminomethyl propanol, and arginine, and a single kind of the pH adjuster may be used, or any combination of two or more kinds of the pH adjuster may be used.

10 [0074]

The preferred pH of the composition of the present invention varies depending on the use, etc. of the composition, and includes, for example, pH 5.5 to 7.5 (preferably pH 6 to 7, such as pH 6.5 to 7). In adjusting the pH of the composition of the present invention, a pH adjuster (for example, a pH adjuster of an inorganic alkali compound (for example, potassium hydroxide, sodium hydroxide)) other than Ingredient (D) may be used to the extent that the effect on the emulsification stability and/or the feeling during use is not problematic. When Ingredient (D) and an inorganic alkali compound are used together, in the composition of the present invention, the weight ratio of the pH adjuster of inorganic alkali compound to Ingredient (D) (a pH adjuster of an inorganic alkali compound /Ingredient (D)) is preferably 0.1 or less (more preferably 0.01 or less). In one embodiment, an organic alkali compound may be used in the composition of the present invention in view of its ability to inhibit discoloration with time and/or change of odour with time of the composition.

30 [0075]

In the composition of the present invention, the amount of Ingredient (D) is not particularly limited as long as the emulsification stability and/or the feel during use of the composition is good, and varies depending on the amount of Ingredient (A), the type and amount of other ingredients and the preferred pH of the composition. For example, the weight ratio of Ingredient (D) to Ingredient (A) (Ingredient (D)/Ingredient (A)) is 0.01 to 50 (for example, 0.05 to 40, 0.1 to 30, 0.1 to 20, 0.1 to 10). Further examples of the lower limit of the "Ingredient (D)/Ingredient (A) (weight ratio)" include 0.01, 0.05, and 0.1 and examples of the upper limit include 2, 5, 10, 20, 40 and 50, and preferred examples of the range may be shown by a combination of the lower limit

and the upper limit.

[0076]

In the composition of the present invention, the oil content of Ingredient (E) is not particularly limited.

5 Specific examples of the oil content includes oils, for example vegetable oils such as peanut oil, sesame oil, soybean oil, safflower oil, avocado oil, sunflower oil, corn oil, rapeseed oil, cottonseed oil, castor oil, camellia oil, coconut oil, olive oil, poppy oil, cacao
10 oil, jojoba oil, etc., and animal oils such as beef tallow, pork tallow, wool oil, etc.; and the like;

hydrocarbon-based liquid oils such as petrolatum, liquid paraffin, squalane, hydrogenated polyisobutene, α -olefin oligomer, etc.;

15 higher fatty acid esters such as isopropyl myristate, isopropyl isostearate, myristyl myristate, cetyl ethylhexanoate, cetyl palmitate, cetyl isooctanoate, isocetyl myristate, n-butyl myristate, octyldodecyl myristate, isopropyl linolenate, propyl ricinoleate,
20 isopropyl ricinoleate, pentaerythritol tetraoctanoate, isobutyl ricinoleate, heptyl ricinoleate, diethyl sebacate, diisopropyl adipate, etc.; sterol fatty acid esters such as phytosteryl isostearate, phytosteryl/octyldodecyl lauroyl glutamate, etc.; lanolins and derivatives thereof such as
25 lanolin, lanolin oil, lanolin wax, etc.; waxes such as bleached beeswax, spermaceti, Japan wax, etc.;

higher aliphatic alcohols such as cetyl alcohol, stearyl alcohol, behenyl alcohol, batyl alcohol, chimyl alcohol, etc.;

30 Waxes;

higher fatty acids such as stearic acid, oleic acid, palmitic acid, etc.;

mixtures of mono-, di-, tri-glyceride of saturated or unsaturated fatty acids having 12 to 18 carbon atoms;

35 silicone oils, for example, chain silicones such as methyl polysiloxane, dimethylpolysiloxane, methylphenylpolysiloxane, methylhydrogenpolysiloxane, etc., cyclic silicones such as cyclopentasiloxane, decamethylcyclopentasiloxane, octamethylcyclotetrasiloxane,
40 methylcyclotetrasiloxane, etc., crosslinked silicones such as crosslinked methylpolysiloxane, crosslinked methylphenylpolysiloxane, etc., modified silicones modified with polyoxyethylene, polyoxypropylene, etc., and the like.

[0077]

5 The amount of Ingredient (E) comprised in the composition of the present invention may be optionally selected from a range of, for example, usually 0.1 to 50% by weight based on the total weight of the composition. Preferably 1% by weight to 30% by weight, more preferably 2% by weight to 25% by weight, more preferably 3% by weight to 23% by weight, even more preferably 4% by weight to 20% by weight, still more preferably 5% by weight to 16% by weight, 10 5% by weight to 8% by weight are exemplified. Further examples of the lower limit of the amount range of Ingredient (E) comprised in the composition of the present invention include 0.1% by weight, 1% by weight, 2% by weight, 3% by weight, 4% by weight, and 5% by weight, and examples of the 15 upper limit include 50% by weight, 30% by weight, 27% by weight, 25% by weight, 23% by weight, 20% by weight, 16% by weight, and preferred examples of the range may be shown by a combination of the lower limit and the upper limit.

[0078]

20 In the composition of the present invention, Ingredient (E) may comprise Ingredient (G) selected from an uncrystallized high melting point oil having a melting point of 30 °C or higher; an oil-based gelling agent; a silicone agent for improving feel; and a mixture thereof. The feel 25 during use of the composition of the present invention may be further improved by adding Ingredient (G) to the composition of the present invention.

[0079]

30 Regarding the feel during use of the composition of the present invention, an addition of an uncrystallized high melting point oil having a melting point of 30 °C or higher into the composition of the present invention may improve the thickness feeling and the richness feeling while unexpectedly reducing the stickiness feeling and improving 35 the fresh feeling. Although it is generally difficult to obtain a stable emulsification when adding a high melting point oil into an emulsion composition comprising a polymeric emulsifier, it may be easy to obtain a stable emulsification by using an uncrystallized high melting point oil in the 40 emulsion composition.

[0080]

Examples of an uncrystallized high melting point oil include

an uncrystallized triglyceride having a melting point of 30 °C or higher: for example, caprylic/capric/myristic/stearic triglyceride, theobroma grandiflorum seed butter, shea butter, hydrogenated palm oil, hydrogenated jojoba oil, jojoba butter, cocoa butter, palm oil, palm kernel oil, hydrogenated oil, coconut acid, PEG-60 almond glycerides, irvingia gabonensis kernel butter, hydrogenated coco-glycerides, lanolin acid;

petrolatum;

an uncrystallized sterol fatty acid ester having a melting point of 30 °C or higher: for example, phytosteryl macadamiate, polyoxyethylene phytosterol (5E.O.), phytosteryl sunflowerseedate, phytosteryl/behenyl/octyldodecyl lauroyl glutamate, bis-behenyl/isostearyl/phytosteryl dimer dilinoleyl dimer dilinoleate, phytosteryl/isostearyl/cetyl/stearyl/behenyl dimer dilinoleate, raspberry seed oil/tocopheryl succinate aminopropanediol esters, diglyceryl adipate mixed fatty acid ester, bis-diglyceryl polyacyladipate-2).

A single kind of the uncrystallized high melting point oil may be used, or any combination of two or more kinds of the uncrystallized high melting point oil may be used.

[0081]

Regarding the feel during use of the composition of the present invention, an addition of an oil-based gelling agent into the composition of the present invention may improve the thickness feeling and the richness feeling while unexpectedly reducing the stickiness feeling and improving the fresh feeling. The addition of an oil-based gelling agent may increase the viscosity of the oil phase, may delay an oil release after the application of the composition of the present invention to control the spreadability of oil, which may cause a fresh feeling in addition to a thickness feeling and a smoothness feeling.

[0082]

Examples of an oil-based gelling agent include an inulin fatty acid ester (for example, stearyl inulin), a dextrin fatty acid ester (for example, dextrin myristate), polyglycerol, dibutyl ethylhexanoyl glutamide, dibutyl lauroyl glutamide, sodium dilaureamidoglutamide lysine, vinyl dimethicone/methicone silsesquioxane crosspolymer, hydrogenated polydecene, hydrogenated styrene/isoprene copolymer, silica silylate and PEG/PPG-19/19 dimethicone.

A single kind of the oil-based gelling agent may be used, or any combination of two or more kinds of the oil-based gelling agent may be used.

[0083]

5 Regarding the feel during use of the composition of the present invention, an addition of a silicone agent for improving feel into the composition of the present invention may alleviate the stickiness feeling, may increase the fresh feeling, and may unexpectedly increase the richness feeling and the thickness feeling.

10 [0084]

15 Examples of a silicone agent for improving feel include an amino-modified silicone (for example, aminopropyl dimethicone), a silicone wax (for example, stearyl dimethicone, bis-PEG-18 methyl ether dimethyl silane, C26-28 alkyl dimethicone, C26-28 alkyl methicone, bis-stearoxydimethylsilane, acrylates/stearyl acrylate/dimethicone methacrylate copolymer, acrylates/behenyl acrylate/dimethicone methacrylate copolymer, polyether-modified silicone, highly polymerized dimethicone, a silicone wax, a silicone emulsion, and a silicone powder. A single kind of the silicone agent for improving feel may be used, or any combination of two or more kinds of the silicone agent for improving feel may be used.

25 [0085]

30 The amount of the Ingredient (G) is not particularly limited as long as the emulsification stability and/or the feel during use of the composition are good, but for example, the amount of Ingredient (G) in Ingredient (E) is 0.1 to 50% by weight, preferably 1 to 30% by weight, more preferably 2.5 to 25% by weight relative to Ingredient (E) 100% by weight.

35 Further, examples of the lower limit of the amount range of Ingredient (G) relative to Ingredient (E) 100% by weight include 0.1% by weight, 0.5% by weight, 1% by weight, 2% by weight, 2.5% by weight, and 5% by weight, and examples of the upper limit include 50% by weight, 40% by weight, 35% by weight, 30% by weight, 25% by weight, and preferred examples of the range may be shown by a combination of the lower limit and the upper limit.

40 [0086]

 Further, when Ingredient (G) is an uncrystallized high

melting point oil having a melting point of 30 °C or higher, the amount of Ingredient (G) in Ingredient (E) is, for example, 0.01 to 50% by weight, preferably 0.1 to 40% by weight, more preferably 6 to 25% by weight relative to Ingredient (E) 100% by weight.

Further, examples of the lower limit of the amount range of Ingredient (G) relative to Ingredient (E) 100% by weight include 0.01% by weight, 0.02% by weight, 0.1% by weight, 1% by weight, 3% by weight, and 6% by weight, and examples of the upper limit include 50% by weight, 40% by weight, 30% by weight, 25% by weight, and preferred examples of the range may be shown by a combination of the lower limit and the upper limit.

[0087]

Further, when Ingredient (G) is an oil-based gelling agent, the amount of Ingredient (G) in Ingredient (E) is, for example, 0.01 to 50% by weight, preferably 0.1 to 20% by weight, more preferably 2.5 to 6.25% by weight relative to Ingredient (E) 100% by weight.

Further, examples of the lower limit of the amount range of Ingredient (G) relative to Ingredient (E) 100% by weight include 0.01% by weight, 0.1% by weight, 0.5% by weight, 1% by weight, 2% by weight, and 2.5% by weight, and examples of the upper limit include 50% by weight, 30% by weight, 20% by weight, 10% by weight, 6.25% by weight, and preferred examples of the range may be shown by a combination of the lower limit and the upper limit.

[0088]

Further, when Ingredient (G) is a silicone agent for improving feel, the amount of Ingredient (G) in Ingredient (E) is, for example, 0.01 to 50% by weight, preferably 0.1 to 20% by weight, more preferably 0.5 to 15% by weight, still more preferably 1 to 10% by weight relative to Ingredient (E) 100% by weight.

Further, examples of the lower limit of the amount range of Ingredient (G) relative to Ingredient (E) 100% by weight include 0.01% by weight, 0.1% by weight, 0.5% by weight, 1% by weight, 2% by weight, and 3% by weight, and examples of the upper limit include 50% by weight, 30% by weight, 20% by weight, 15% by weight, 10% by weight, and preferred examples of the range may be shown by a combination of the lower limit and the upper limit.

[0089]

The amount of Ingredient (G) which may be comprised in the composition of the present invention may be optionally selected from a range of, for example, usually 0.001 to 10% by weight based on the total weight of the composition. Preferably 0.01% by weight to 10% by weight, more preferably 0.1% by weight to 7% by weight, more preferably 0.1% by weight to 5% by weight, even more preferably 0.2% by weight to 3% by weight, still more preferably 0.2% by weight to 2% by weight are exemplified.

Further examples of the lower limit of the amount range of Ingredient (G) which may be comprised in the composition of the present invention include 0.001% by weight, 0.01% by weight, 0.1% by weight, 0.2% by weight, 0.5% by weight, 0.7% by weight, and 1% by weight, and examples of the upper limit include 1% by weight, 2% by weight, 2.5% by weight, 3% by weight, 5% by weight, 7% by weight, 10% by weight, and preferred examples of the range may be shown by a combination of the lower limit and the upper limit.

[0090]

The composition of the present invention may comprise Ingredient (H): a water-soluble humectant. The addition of a water-soluble humectant may improve the feel during use of the composition of the present invention.

[0091]

Examples of a water-soluble humectant include a low-polarity polyhydric alcohol (for example, butylene glycol, bis-ethoxydiglycol, cyclohexane, 1,4-dicarboxylate, dipropylene glycol, PEG/PPG/polybutylene glycol-8/5/3 glycerin, POE methylglucoside), a saccharide (for example, glyceryl glucoside, diglycerin, trehalose, a sorbitol culture polysaccharide solution), and a film forming agent (for example, pullulan, PVP, gum arabic), and a single kind of the water-soluble humectant may be used, or any combination of two or more kinds of the water-soluble humectant may be used.

[0092]

The amount of Ingredient (H) which may be comprised in the composition of the present invention may be optionally selected from, for example, a range of 0.001 to 50% by weight based on the total weight of the composition. Preferably 0.01% by weight to 30% by weight, more preferably 0.1% by weight to 20% by weight, more preferably 0.5% by weight to 10% by weight are exemplified.

Further, examples of the lower limit of the amount range of Ingredient (H) which may be comprised in the composition of the present invention include 0.001% by weight, 0.01% by weight, 0.1% by weight, 0.5% by weight, and 1% by weight, and examples of the upper limit include 1% by weight, 2% by weight, 3% by weight, 5% by weight, 7% by weight, 10% by weight, 20% by weight, 25% by weight, and 30% by weight, and preferred examples of the range may be shown by a combination of the lower limit and the upper limit.

[0093]

The amount of water of Ingredient (F) comprised in the composition of the present invention is not particularly limited and may vary depending on the amounts of other ingredients, but may be optionally selected from, for example, a range of usually 20 to 99% by weight based on the total weight of the composition. Preferably 30% by weight to 99% by weight, more preferably 40% by weight to 99% by weight, more preferably 50% by weight to 99% by weight, even more preferably 60% by weight to 95% by weight, still more preferably 70% by weight to 90% by weight are exemplified.

Further, examples of the lower limit of the amount range of Ingredient (F) comprised in the composition of the present invention include 20% by weight, 30% by weight, 40% by weight, 50% by weight, 60% by weight, and 70% by weight, and examples of the upper limit include 99% by weight, 95% by weight, and 90% by weight, and preferred examples of the range may be shown by a combination of the lower limit and the upper limit.

[0094]

The composition of the present invention may optionally comprise a chelating agent (for example, edetate, etidronic acid, sodium polyphosphate, sodium metaphosphate).

[0095]

Each ingredient that may be compounded into the composition of the present invention may be in the form of a hydrate.

[0096]

The composition of the present invention may be prepared in various forms by combining pharmaceutically or cosmetically acceptable base(s) or carrier(s) in addition to the above ingredients. For pharmaceutically or cosmetically acceptable base(s) and carrier(s), conventionally known one(s) can be used. The composition of the present invention

may comprise, if required, a wide variety of known ingredients used for externally-applied compositions suitable for the skin or mucous membranes, such as cosmetics, externally-applied medical/quasi-medical drugs, etc.

5 Examples of such ingredients include solvents (for example, cyclomethicone, phytosteryl macadamiate, C12-15 alkyl benzoate, diethylamino hydroxybenzoyl hexyl benzoate), surfactants (for example, isostearic acid), detergent bases (for example, PEG-7 glyceryl cocoate), colorants (dyes and
10 pigments), flavors, preservatives, bactericides ((antibacterials), for example, paraben, phenoxyethanol), thickeners (for example, carboxyvinylpolymer), antioxidants, sequestering agents, cooling agents, deodorizers, humectants (for example, glycerin, pentylene glycol), UV absorbers (for
15 example, 2-ethylhexyl *p*-methoxycinnamate, octocrylene), UV dispersants, vitamins, plant extracts, skin astringents (for example, ethanol), anti-inflammatory agents (antiphlogistic agents), whitening agents, cell activators, vasodilators, blood circulation accelerators, skin function accelerators,
20 and the like.

[0097]

The composition of the present invention may be used as a composition for external use to be applied or sprayed on the skin. Specifically, the composition of the present
25 invention may be used as an external preparation (skin preparation) for cosmetics, external medicines or external quasi-medicines.

[0098]

The form of the composition of the present invention is
30 not particularly limited as long as it can be applied to the skin, and examples thereof include a paste, a mousse, a gel, a liquid, a milky liquid, a suspension liquid, a cream, an ointment, a solid, a sheet, an aerosol, a spray and a liniment. Especially when using as a cosmetic, lotion;
35 emulsions such as emollient emulsion, milky lotion, nourishing emulsion, and cleansing emulsion; cream such as emollient cream, massage cream, cleansing cream, and makeup cream; a lip balm and the like.

Example

[0099]

5 The present invention is explained in further detail with reference to Formulation Examples and Test Examples. However, the scope of the invention is not limited to these Examples.

[0100]

Test Example 1

10 Each of the ingredients were combined together and mixed according to the compositions shown in Table 1 to give skin emulsion compositions of Examples 1 to 6 and Comparative examples 1 to 3. Specifically, the pH was adjusted by ingredient 7 while mixing ingredients 1 to 6, 8 and 9 shown
15 in the table, and the mixture was uniformly mixed to give a gel. The resulting gel was uniformly mixed with ingredient 10 and emulsified.

The viscosity and pH of the resulting emulsion composition was measured, and a centrifugation method and an accelerated test at 60 °C were performed to evaluate the
20 stability of the composition.

The pH was measured at a room temperature of 25 °C using a pH meter F-52 (manufactured by HORIBA, Ltd.).

25 The viscosity was measured by B-type viscometer. Specifically, the viscosity was measured at a room temperature of 25 °C using BM type viscometer (manufactured by Tokyo Keiki) (rotor No. 3, 12 rpm, 60 seconds). The unit is mPa·s.

30 The stability was examined using a centrifuge. Specifically, centrifugation was performed at 2000 rpm for 60 seconds in a centrifuge, himac SCT5BA (manufactured by Hitachi), and the degree of separation was visually evaluated (X: Completely separated, ©: No change).

[0101]

[Table 1]

(Wt%) Ingredient		Comp. Ex. 1	Ex. 1	Ex. 2	Ex. 3	Comp. Ex. 2	Ex. 4	Comp. Ex. 3	Ex. 5	Ex. 6
1	Purified water	Balance	Balance	Balance	Balance	Balance	Balance	Balance	Balance	Balance
2	Acrylates/C10-30 alkyl acrylate crosspolymer	0.2	0.2	0.2	0.2	0.25	0.25	0.4	0.4	0.2
3	Carboxyvinyl polymer	0.2	-	-	-	0.1	-	0.1	-	-
4	Cross-linked sodium polyacrylate	-	0.5	0.8	-	-	0.2	-	-	0.2
5	PEG-240/HDI copolymer bis-decyltetradeceth-20 ether	-	-	-	0.5	-	-	-	0.2	-
6	Adenosine phosphate	1	1	1	1	1	1	5	5	1
7	Potassium hydroxide	q.s	q.s	q.s	q.s	q.s	q.s	q.s	q.s	q.s
8	1,3-BG	7	7	7	7	3	3	3	3	3
9	Methylparaben	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
10	Liquid paraffin	5	5	5	5	5	5	5	5	5
Total		100	100	100	100	100	100	100	100	100
Viscosity		1312.5	1872.5	7750	6750	950	6500	1162.5	2180	2400
pH		6.5 to 7.0	6.5 to 7.0	6.5 to 7.0	6.5 to 7.0	6.5 to 7.0	6.5 to 7.0	6.5 to 7.0	6.5 to 7.0	6.5 to 7.0
Emulsification stability (Centrifugation 2000rpm × 1 min)		X	◎	◎	◎	X	◎	X	◎	◎

Comp. Ex.: Comparative example

Ex.: Example

q.s: quantum sufficit

[0102]

As shown in Table 1, the emulsification stability of Comparative example 1 to 3 comprising carboxyvinylpolyme was poor. On the other hand, Examples 1 to 6 comprising cross-linked sodium polyacrylate or PEG-240/HDI copolymer bis-decyltetradeceth-20 ether, both of which are water-soluble polymers, showed a good emulsification stability.

[0103]

Test Example 2

According to the compositions shown in Table 2, each of the ingredients were combined together mixed to give the skin emulsion compositions of Examples 7 to 9 and Comparative example 4. Specifically, while ingredients 1 to 3 and 8 shown in the table were mixed, the pH of the mixture was adjusted by an addition of one of ingredients 4 to 7, and the mixture was uniformly mixed to give a gel. The resulting gel was uniformly mixed with Ingredient 9 and emulsified. The pH and emulsification stability were determined in the same manner as in Test Example 1. In addition, the resulting emulsion compositions were placed in a constant temperature chamber at 60 °C and allowed to stand for 2 weeks, and then the color and odor were evaluated by a sensory evaluation.

[0104]

[Table 2]

Ingredient (% by weight)		Comp. Ex. 4	Ex. 7	Ex. 8	Ex. 9
1	Purified water	Balance	Balance	Balance	Balance
2	Acrylates/C10-30 alkyl acrylate crosspolymer	0.5	0.5	0.5	0.5
3	Adenosine phosphate	3	3	3	3
4	Potassium hydroxide	q.s	-	-	-
5	Tromethamine	-	q.s	-	-
6	Aminomethyl propanediol	-	-	q.s	-
7	Arginine	-	-	-	q.s
8	BG	3	3	3	3
9	Liquid paraffin	5	5	5	5
Total		100	100	100	100
Viscosity		4500	5600	5100	5900
pH		6.5	6.5	6.5	6.5
Emulsification stability (Centrifugation 2000 rpm × 1 min)		X	◎	◎	◎
Discoloration		△	◎	◎	△
Odor change		X	◎	△	◎

Comp. Ex.: Comparative example

Ex.: Example

5 q.s: quantum sufficit

[0105]

As shown in Table 2, the emulsion stability of Comparative example 4 comprising potassium hydroxide, which is an inorganic alkali compound, was poor. In addition, Comparative example 4 was slightly discolored and markedly changed in odor.

On the other hand, Examples 7 to 9 comprising tromethamine, aminomethyl propanediol or arginine, all of which are organic alkali compounds, showed a good emulsification stability, and the results of discoloration were equivalent to or better than that of Comparative example 4, and the results of odor change were better than that of Comparative example 4.

[0106]

20 Test Example 3-1

Each of the ingredients were combined together and mixed according to the compositions shown in Table 3-1 to give the

skin emulsion compositions of Example 10 to 13 and Comparative examples 5 to 6. Specifically, while ingredients 1 to 3 and 5 to 7 shown in the table were mixed, the pH of the mixture was adjusted by an addition of the ingredients 4, and the mixture was uniformly mixed to give a gel. The resulting gel was uniformly mixed with ingredient 8 to 12 and emulsified.

[0107]

A sensory evaluation of Examples 10 to 13 and Comparative examples 5 to 6 was performed by 4 panelists.

As for the feel during use,
the more thickness feeling is, the better result is;
the more richness feeling is, the better result is;
the less stickiness feeling is, the better result is;
the more fresh feeling is, the better result is.

<Sensory Evaluation Score>

The same amount of the test composition (0.1 g) was spread on the inner side of the forearm with a constant force, and the thickness feeling, the richness feeling, the less stickiness feeling, the fresh feeling were scored as below, using point 3 of Comparative example 5 as a reference point. The average points based on 4 panelists were calculated.

5 points: markedly improved
4 points: improved
3 points: no difference
2 points: worsened
1 point : markedly worsened

[0108]

The total sum of each of the average points of the thickness feeling, the richness feeling, the less stickiness feeling, and the fresh feeling was used as an overall score for each sample. A comprehensive evaluation of the feeling during use was rated based on this overall score as follows.

<Comprehensive evaluation>

"◎" represents that overall score was 17 or more, which shows that the feel during use was improved.

"○" represents that overall score was 13 or more but less than 17, which shows that the feel during use was slightly improved.

"△" represents that overall score was 10 or more but less than 13, which shows that no improvement in the feel during

use was perceived.

"X" represents that overall score was less than 10, which shows that the feel during use was worsened.

[0109]

[Table 3-1]

Ingredient (% by weight)		Comp. Ex. 5	Comp. Ex. 6	Ex. 10	Ex. 11	Ex. 12	Ex. 13
1	Purified water	Balan ce	Balan ce	Balan ce	Balan ce	Balan ce	Balan ce
2	Acrylates/C10-30 alkyl acrylate crosspolymer	0.5	0.5	0.5	0.5	0.5	0.5
3	Adenosine phosphate	3	3	3	3	3	3
4	Tromethamine	q.s	q.s	q.s	q.s	q.s	q.s
5	Glycerin	3	3	3	3	3	3
6	Diglycerin	1.5	1.5	1.5	1.5	1.5	1.5
7	Pentylene glycol	3	3	3	3	3	3
8	Liquid paraffin	8	6	6	7.5	6	7
9	Cetyl alcohol	-	2	-	-	-	-
10	Caprylic/capric/myr istic/stearic triglyceride	-	-	2	0.5	-	-
11	Theobroma grandiflorum seed butter	-	-	-	-	2	-
12	Phytosteryl/behenyl /octyldodecyl lauroyl glutamate	-	-	-	-	-	1
pH		6.5	6.5	6.5	6.5	6.5	6.5
Viscosity		8500	N/A	8250	8750	8750	9050
Thickness feeling		3	N/A	4.75	4.25	4.75	5
Richness feeling		3	N/A	5	4.25	4.75	4.5
Less stickiness feeling		3	N/A	4.5	3.25	4.5	3.75
Fresh feeling		3	N/A	4.75	3.75	4.75	4
Overall score		12	N/A	19	15.5	18.75	17.25
Comprehensive evaluation		-	X	◎	○	◎	◎

Comp. Ex.: Comparative example

Ex.: Example

5 q.s: quantum sufficit

N/A in Thickness, Richnes, Less stickiness, Fresh feelings:
Preparation not available

N/A in Overall score: Calculation Not available

[0110]

10 As shown in Table 3-1, Examples 10 to 13 comprises

caprylic/capric/myristic/stearic triglyceride, theobroma
grandiflorum seed butter, or
phytosteryl/behenyl/octyldodecyl lauroyl glutamate, all of
which are uncrystallized high melting point oils. As shown
5 in Table 3-1, Examples 10 to 13 comprising an uncrystallized
high melting point oil each showed an improvement in the
feel during use compared with Comparative example 5, which
does not comprise an uncrystallized high melting point oil.
Comparative Example 6 in which cetyl alcohol, an
10 uncrystallized high melting point oil, was blended, did not
form a uniform composition.

[0111]

Test Example 3-2

Each of the ingredients were combined together and mixed
15 according to the compositions shown in Table 3-2 to give the
skin emulsion compositions of Comparative example 7,
Examples 14 to 15. The pH and viscosity of the resulting
emulsion composition for skin were determined in the same
manner as in Test Example 1, and the feeling during use was
20 evaluated in the same manner as in Test Example 3-1.

[0112]

[Table 3-2]

Ingredient (% by weight)		Comp. Ex. 7	Ex. 14	Ex. 15
1	Purified water	Balance	Balance	Balance
2	Acrylates/C10-30 alkyl acrylate crosspolymer	0.5	0.5	0.5
3	Adenosine phosphate	3	3	3
4	Tromethamine	q.s	q.s	q.s
5	Glycerin	3	3	3
6	Diglycerin	1.5	1.5	1.5
7	Pentylene glycol	3	3	3
8	Liquid paraffin	8	7.8	7.5
9	Stearoyl inulin	-	0.2	-
10	Dextrin myristate	-	-	0.5
pH		6.5	6.5	6.5
Viscosity		8500	9150	9100
Thickness feeling		3	3.5	4.25
Richness feeling		3	4	4.5
Less stickiness feeling		3	4.25	4.25
Fresh feeling		3	5	5
Overall score		12	16.75	18
Comprehensive evaluation		-	○	◎

Comp. Ex.: Comparative example

Ex.: Example

5 q.s: quantum sufficit

[0113]

As shown in Table 3-2, Examples 14 to 15 comprise stearoyl inulin or dextrin myristate, both of which an oil-based gelling agent. Examples 14 to 15 comprising an oil-based gelling agent each showed an improvement in the feel during use compared with Comparative Example 7, which does not comprise an oil-based gelling agent.

[0114]

Test Example 3-3

15 Each of the ingredients were combined together and mixed according to the compositions shown in Table 3-3 to give the skin emulsion compositions of Comparative example 8, Examples 16 to 17.

20 The pH and viscosity of the resulting emulsion compositions for skin were determined in the same manner as in Test Example 1, and the feeling during use was evaluated

in the same manner as in Test Example 3-1.

[0115]

[Table 3-3]

Ingredient (% by weight)		Comp. Ex. 8	Ex. 16	Ex. 17
1	Purified water	Balance	Balance	Balance
2	Acrylates/C10-30 alkyl acrylate crosspolymer	0.4	0.4	0.4
3	Cross-linked sodium polyacrylate	0.2	0.2	0.2
4	Adenosine phosphate	2	2	2
5	Potassium hydroxide	q.s	q.s	q.s
6	Cyclopentasiloxane	5.5	5	5
7	Aminopropyl dimethicone	-	0.5	-
8	Stearyl dimethicone	-	-	0.5
pH		6.5 to 7.0	6.5 to 7.0	6.5 to 7.0
Viscosity		4550	4700	4750
Thickness feeling		3	5	4
Richness feeling		3	5	4.5
Less stickiness feeling		3	4	4.75
Fresh feeling		3	4	4
Overall score		12	18	17.25
Comprehensive evaluation		X	◎	◎

Comp. Ex.: Comparative example

Ex.: Example

q.s: quantum sufficit

[0116]

As shown in Table 3-3, Examples 16 to 17 comprise aminopropyl dimethicone or stearyl dimethicone, both of which are silicone agents for improving feel. Examples 16 to 17 comprising a silicone agent for improving feel each showed an improvement in the feel during use compared with Comparative example 8, which does not comprise a silicone agent for improving feel.

[0117]

Formulation Examples of Oil-in-Water Emulsified Cosmetics

All amounts are expressed in % by weight based on the total weight of the product.

[0118]

<1. Emollient emulsion>

1	Adenosine phosphate	0.5
2	Acrylates/C10-30 alkyl acrylate crosspolymer	0.3
3	Sodium polyacrylate	0.2
4	BG	4
5	Glycerin	4
6	PEG/PPG/polybutylene glycol-8/5/3 glycerin	2
7	Cetyl ethylhexanoate	3
8	Cyclopentasiloxane	2
10	Isostearic acid	0.5
11	Hydrogenated polyisobutene	3
12	Aminopropyl dimethicone	0.5
13	Potassium hydroxide	0.2
14	Phenoxyethanol	0.4
15	Purified water	Balance
TOTAL		100

[0119]

<2. Gel emulsion>

1	Adenosine phosphate	3.0
2	Acrylates/C10-30 alkyl acrylate crosspolymer	0.5
3	Carboxyvinylpolymer	0.1
4	Sorbitol culture polysaccharide solution	1
5	POE methylglucoside	2
6	BG	4
7	Glycerin	4
8	Cyclopentasiloxane	5
9	Highly polymerized dimethicone	0.5
10	Tromethamine	q.s
11	Paraben	0.25
12	Purified water	Balance
TOTAL		100

[0120]

<3. Sunscreen emulsion>

1	Adenosine phosphate	1
2	Cyclomethicone	4
3	Phytosteryl macadamiate	0.4
4	C12-15 alkyl benzoate	2
5	2-ethylhexyl <i>p</i> -methoxycinnamate	7
6	Octocrylene	2
7	Diethylamino hydroxybenzoyl hexyl benzoate	3
8	Acrylates/C10-30 alkyl acrylate crosspolymer	0.2
9	PEG-240/HDI copolymer bis-decyltetradeceth-20 ether	0.5
10	Concentrated glycerin	4
11	1,3-Butylene glycol	3
12	Ethanol	5
13	Potassium hydroxide	q.s
14	Phenoxyethanol	0.3
15	Purified water	Balance
TOTAL		100

[0121]

<4. Cleansing milk>

1	Adenosine phosphate	3
2	Cyclomethicone	10
3	PEG-7 glyceryl cocoate	5
4	Stearoyl inulin	0.4
5	Acrylates/C10-30 alkyl acrylate crosspolymer	0.4
6	Sodium polyacrylate	0.2
7	1,3-Butylene glycol	15
8	Potassium hydroxide	q.s
9	Paraben	0.3
10	Purified water	Balance
TOTAL		100

CLAIMS

1. An O/W emulsion composition,
comprising Ingredient (A), Ingredient (B), Ingredient
5 (E), and Ingredient (F); and
comprising Ingredient (C) and/or Ingredient (D);
wherein
Ingredient (A): an adenosine phosphate and/or a salt
thereof;
10 Ingredient (B): an acrylic acid-alkyl methacrylate
copolymer;
Ingredient (C): a water-soluble polymer selected from
a swelling thickener, an associative thickener, a
polysaccharide and a derivative thereof, and a mixture
15 thereof;
Ingredient (D): a pH adjuster which is an organic alkali
compound;
Ingredient (E): an oil content;
Ingredient (F): water, and
20 wherein the composition has a viscosity of less than
10,000 mPa·s.
2. The composition according to Claim 1, wherein
Ingredient (B) is an acrylic acid-alkyl methacrylate
25 copolymer having a molecular weight of 100,000 to 5,000,000.
3. The composition according to Claim 1 or 2, wherein
Ingredient (C) is a water-soluble polymer selected from:
a swelling thickener selected from sodium polyacrylate,
30 ammonium polyacrylate, ammonium polyacrylate,
acrylamide/sodium acrylate copolymer, vinylpyrrolidone/2-
acrylamide-2-methylpropanesulfonic acid copolymer, a mixture
of polyacrylamide and sodium polyacrylate, sodium
acrylate/2-acrylamide-2-methylpropanesulfonic acid
35 copolymer, hydroxyethyl acrylate/2-acrylamide-2-
methylpropanesulfonic acid copolymer, and a mixture thereof;
a urethane associative thickener selected from PEG-
240/HDI copolymer bis-decyltetradeceth-20 ether, PEG-
150/stearyl alcohol/SMDI copolymer, PEG-150/decyl
40 alcohol/SMDI copolymer, polyurethane-59 and a mixture
thereof; and
a mixture thereof.

4. The composition according to any one of Claims 1 to 3,
wherein Ingredient (D) is a pH adjuster which is an organic
alkali compound selected from tromethamine, aminomethyl
propanediol, aminomethyl propanol, arginine and a mixture
thereof.

5. The composition according to any one of Claims 1 to 4,
wherein the composition comprises Ingredient (C), and
Ingredient (C)/Ingredient (A) (weight ratio) is 0.01 to 30.

6. The composition according to any one of Claims 1 to 5,
wherein the composition comprises Ingredient (C), and
Ingredient (C)/(Ingredient (A) + Ingredient (B)) (weight
ratio) is 0.005 to 20.

7. The composition according to any one of Claims 1 to 6,
wherein the composition comprises Ingredient (C), and
Ingredient (C)/Ingredient (B) (weight ratio) is 0.05 to 60.

8. The composition according to any one of Claims 1 to 7,
wherein the composition has a pH of 5.5 to 7.5.

9. The composition according to any one of Claims 1 to 8
comprising

Ingredient (A): an adenosine phosphate and/or a salt
thereof;

Ingredient (B): acrylates/C10-30 alkyl acrylate
crosspolymer;

Ingredient (C): cross-linked sodium polyacrylate and/or
PEG-240/HDI copolymer bis-decyltetradeceth-20 ether;

Ingredient (E): an oil content; and

Ingredient (F): water,

wherein the composition has a viscosity of 1,500 to
10,000 mPa.s.

10. The composition according to any one of Claims 1 to 9
comprising

Ingredient (A): an adenosine phosphate and/or a salt
thereof;

Ingredient (B): acrylates/C10-30 alkyl acrylate
crosspolymer;

Ingredient (D): tromethamine and/or arginine;

Ingredient (E): an oil content; and
 Ingredient (F): water,
 wherein the composition has a viscosity of 1,500 to
 10,000 mPa·s, and a pH of 6 to 7.

5

11. The composition according to any one of Claims 1 to 10,
 wherein the composition comprises

0.001 to 10% by weight of Ingredient (A),
 0.05 to 2% by weight of Ingredient (B), and
 0.1 to 50% by weight of Ingredient (E).

10

12. The composition according to any one of Claims 1 to 11,
 wherein the composition comprises 0.01 to 10% by weight of
 Ingredient (C).

15

13. The composition according to any one of Claims 1 to 12
 comprising

Ingredient (A): an adenosine phosphate and/or a salt
 thereof 0.4 to 3.5% by weight;

20

Ingredient (B): acrylates/C10-30 alkyl acrylate
 crosspolymer 0.2 to 0.4% by weight;

Ingredient (C): cross-linked sodium polyacrylate and/or
 PEG-240/HDI copolymer bis-decyltetradeceth-20 ether

0.04 to 0.8% by weight;

25

Ingredient (E): an oil content 5 to 8% by weight; and

Ingredient (F): water,

wherein the composition has a viscosity of 1,500 to
 10,000 mPa·s.

30

14. The composition according to any one of Claims 1 to 13
 comprising

Ingredient (A): an adenosine phosphate and/or a salt
 thereof 0.4 to 3.5% by weight;

Ingredient (B): acrylates/C10-30 alkyl acrylate
 crosspolymer 0.2 to 0.4% by weight;

35

Ingredient (D): tromethamine, aminomethyl propanediol,
 and/or arginine;

Ingredient (E): an oil content 5 to 8% by weight;
 and

40

Ingredient (F): water,

wherein the composition has a viscosity of 1,500 to
 10,000 mPa·s, and a pH of 6 to 7.

15. The composition according to any one of Claims 1 to 14, wherein

the composition does not comprise a pH adjuster which is an inorganic alkali compound, or ,

5 the composition comprises a pH adjuster which is an inorganic alkali compound, and the pH adjuster which is an inorganic alkali compound/Ingredient (D) (weight ratio) is 0.1 or less.

10 16. The composition according to any one of 1 to 15, wherein Ingredient (E) comprises Ingredient (G) selected from:

an uncrystallized high melting point oil having a melting point of 30 °C or higher selected from an uncrystallized triglyceride having a melting point of 30 °C or higher; an uncrystallized sterol fatty acid ester having a melting point of 30 °C or higher; petrolatum; and a mixture thereof;

20 an oil-based gelling agent selected from an inulin fatty acid ester, a dextrin fatty acid ester, polyglycerol, dibutyl ethylhexanoyl glutamide, dibutyl lauroyl glutamide, sodium dilaureamidoglutamide lysine, vinyl dimethicone/methicone silsesquioxane crosspolymer, PEG/PPG-19/19 dimethicone, and a mixture thereof;

25 a silicone agent for improving feel selected from an amino-modified silicone, a silicone wax, polyether-modified silicone, highly polymerized dimethicone, a silicone wax, a silicone emulsion, a silicone powder, and a mixture thereof; and

30 a mixture thereof, and

wherein the amount of Ingredient (G) is 0.1 to 50% by weight based on Ingredient (E),.

35 17. The composition according to any one of Claims 1 to 16 wherein the composition comprises 0.1 to 5% by weight of Ingredient (G).

18. The composition according to any one of Claims 1 to 17, wherein the composition further comprises

40 Ingredient (H): a water-soluble humectant.