

ABSTRACT

QUASI-AZEOTROPIC MIXTURE BASED ON
5 1,1,1,3,3-PENTAFLUOROBUTANE, METHYLENE CHLORIDE AND
METHANOL FOR THE TREATMENT OF SOLID SURFACES

In order to replace 1,1,2-trichloro-1,2,2-
trifluoroethane and 1,1-dichloro-1-fluoroethane in
10 compositions for treating solid surfaces (in particular
defluxing), the invention proposes the use of a quasi-
azeotropic mixture containing, by weight, from 75 to 95%
of 1,1,1,3,3-pentafluorobutane, from 1 to 15% of
methylene chloride and from 1 to 10% of methanol.

15