WHAT IS CLAIMED IS:

[Claim 1]

~~1.~~ An enteric softgel capsule comprising:

(a) a fill material; and

(b) a shell composition,

wherein the fill material comprises at least one pharmaceutically active ingredient, ~~and~~

~~wherein~~ the shell composition comprises about 40 wt% to about 80 wt% of a gelatin, about 2.0 wt% to about 20 wt% of a low methoxy pectin, about 0.15 wt% to about 4.0 wt% of a cellulose derivative, and about 15 wt% to about 40 wt% of a plasticizer, and the cellulose derivative is selected from the group consisting of hydroxypropylmethylcellulose, methyl cellulose, hydroxypropyl cellulose, and combinations thereof.

[Claim 2]

~~2.~~ The enteric softgel capsule of claim 1, wherein the gelatin is selected from the group consisting of Type A gelatin, Type B gelatin and mixtures thereof.

[Claim 3]

~~3.~~ The enteric softgel capsule of claim 1, wherein the gelatin is selected from the group consisting of fish gelatin, hide gelatin, bone gelatin and mixtures thereof.

[Claim 4]

~~4.~~ The enteric softgel capsule of any one of claims 1-3, wherein the low methoxy pectin ~~is selected from the group consisting of LM Pectin (P 25), LM Pectin (445C), LM Pectin (100C) and combinations thereof~~ has a degree of esterification of 20% to 40%.

[Claim 5]

~~5.~~ The enteric softgel capsule of any one of claims 1-4, wherein the plasticizer is selected from the group consisting of glycerol, glycerin, sorbitol and combinations thereof.

[Claim 6]

~~6.~~ The enteric softgel capsule of claim 5, wherein ~~the~~said plasticizer is glycerol.

[Claim 7]

~~7.~~ The enteric softgel capsule of any one of claims 1-6, wherein the cellulose derivative is ~~selected from the group consisting of hydroxypropylmethylcellulose, methyl cellulose,~~ hydroxypropyl ~~cellulose, and combinations thereof~~ methylcellulose.

~~8. The enteric softgel capsule of claim 7, wherein the cellulose derivative is hydroxypropylmethylcellulose.~~

[Claim 8]

~~9.~~ The enteric softgel capsule of any one of claims 1-~~8~~7, wherein the shell composition comprises from about 45 wt% to about 75 wt% of the gelatin.

[Claim 9]

~~10.~~ The enteric softgel capsule of claim ~~9~~8, wherein the shell composition comprises from about 50 wt% to about 70 wt% of the gelatin.

[Claim 10]

~~11.~~ The enteric softgel capsule of any one of claims 1-~~10~~9, wherein the shell composition comprises from about 3 wt% to about 15 wt% of the pectin.

[Claim 11]

~~12.~~ The enteric softgel capsule of claim ~~11~~10, wherein the shell composition comprises from about 3 wt% to about 5.5 wt% of the pectin.

[Claim 12]

~~13.~~ The enteric softgel capsule of any one of claims 1-~~12~~11, wherein the shell composition comprises from about 20 wt% to about 35 wt% of the plasticizer.

[Claim 13]

~~14.~~ The enteric softgel capsule of claim ~~13~~12, wherein the shell composition comprises from about 25 wt% to about 30 wt% of the plasticizer.

[Claim 14]

~~15.~~ The enteric softgel capsule of any one of claims 1-~~14~~13, wherein the shell composition comprises from about 0.20 wt% to about 2.0 wt% of the cellulose derivative.

[Claim 15]

~~16.~~ The enteric softgel capsule of claim ~~15~~14, wherein the shell composition comprises from about 0.25 wt% to about 1.4 wt% of the cellulose derivative.

[Claim 16]

~~17.~~ The enteric softgel capsule of any one of claim 1-6, wherein the capsule disintegrates in less than about 30 minutes, less than about 20 minutes, less than about 10 minutes, or less than about 5 minutes in an intestinal environment based on a disintegration test performed in a basket-rack assembly NT-40H model apparatus in a 1000 mL beaker at about 37 °C±2°C.

[Claim 17]

~~18.~~ The enteric softgel capsule of any one of claims 1-~~17~~16, wherein the capsule disintegrated in about one hours, about two hours, about three hours, about four hours, or about five hours in an acidic medium based on a disintegration test performed in a basket-rack assembly NT-40H model apparatus in a 1000 mL beaker at about 37 °C±2°C.

[Claim 18]

~~19.~~ A process of preparing an enteric softgel capsule according to any one of claims 1-~~18~~17 comprising the steps of:

(a) preparing the fill material; and

(b) encapsulating the fill material with an enteric shell composition.

[Claim 19]

~~20.~~ The process according to claim ~~19~~18 further comprising preparing the enteric shell composition by admixing a gelatin, HPMC, a low methoxy pectin and a plasticizer, wherein the enteric shell composition that is free of enteric polymers.