[TITLE OF INVENTION]

NI-BASED ALLOY POWDER FOR ADDITIVE MANUFACTURING, ADDITIVE MANUFACTURED COMPONENT, AND ADDITIVE MANUFACTURING METHOD

[ABSTRACT]

Provided are a Ni-based alloy powder for additive manufacturing, an additive manufactured component, and a manufacturing method therefor, all of which prevent development of cracks. The Ni-based alloy powder for additive manufacturing contains, in mass%, 10.0% to 16.0% of Cr, 4.0% to 9.0% of Al, 1.0% to 6.0% of Mo, 0.5% to 4.0% of Nb, 0.5% or less of Ti, 0.5% or less of Zr, 0.06% to 0.4% of C, and 0.04% or less of B with the balance being Ni and unavoidable impurities, in which $150 \leq 120Nb+650Zr+32Ti-385C \leq 270$ is satisfied.

[FIG.2]