What is claimed is:

1. A pharmaceutical composition comprising:

(A) losartan or a pharmaceutically acceptable salt thereof;

(B) amlodipine or a pharmaceutically acceptable salt thereof;

(C) a disintegrant in an amount of 3 to 10% by weight based on the total weight of the composition; and

(D) a coating agent,

wherein the disintegrant is at least one selected from the group consisting of sodium starch glycolate, croscarmellose sodium and crospovidone;

wherein the coating agent comprises hypromellose having a viscosity of 10 to 30 mPa·s, and is contained in an amount of 1 to 10% by weight based on the total weight of the composition;

wherein the weight ratio of the disintegrant to the coating agent in the composition ranges from 1.5:1 to 4.0:1; and

wherein the composition is in form of a coated tablet which shows a thickness increase of 3% or less upon exposure for 5 hours to conditions of 40° C. and 75% relative humidity and shows a mass increase of 5% or less upon exposure for 5 hours to conditions of 40° C. and 75% relative humidity.

2. The composition of claim 1, wherein the losartan or the pharmaceutically acceptable salt thereof is contained in an amount of 15 to 30% by weight based on the total weight of the composition.

3. The composition of claim 1, wherein the amlodipine or the pharmaceutically acceptable salt thereof is contained in an amount of 3 to 20% by weight based on the weight of the losartan or the pharmaceutically acceptable salt thereof.

4. The composition of claim 1, wherein the amlodipine or the pharmaceutically acceptable salt thereof is contained in an amount of 5 to 15% by weight based on the weight of the losartan or the pharmaceutically acceptable salt thereof.

**5**. The composition of claim **2**, wherein the amlodipine or the pharmaceutically acceptable salt thereof is contained in an amount of 5 to 15% by weight based on the weight of the losartan or the pharmaceutically acceptable salt thereof.

**6**. The composition of claim **1**, wherein the disintegrant is contained in an amount of 5 to 9% by weight based on the total weight of the composition.

**7**. The composition of claim **1**, wherein the coating agent is contained in an amount of 2 to 4% by weight based on the total weight of the composition.

**8**. The composition of claim **1**, wherein the coating agent further comprises at least one selected from the group consisting of polyvinyl alcohol and hydroxypropyl cellulose.

**9**. The composition of claim **1**, wherein the weight ratio of the disintegrant to the coating agent in the composition ranges from 1.9:1 to 3.0:1.

**10**. The composition of claim **6**, wherein the weight ratio of the disintegrant to the coating agent in the composition ranges from 1.9:1 to 3.0:1.