


# PHOTOCURABLE RESIN COMPOSITION AND OPTICAL COMPONENT USING THE SAME

## ABSTRACT OF THE DISCLOSURE

The present invention relates to a photocurable resin composition including an epoxy resin, an oxetane compound and a photopolymerization initiator, in which the epoxy resin includes the following ingredients (A) and (B) in combination, and the oxetane compound includes the following ingredient (C): (A) an epoxy resin having at least two epoxy groups in one molecule thereof and being liquid at 60°C or higher; (B) a solid epoxy resin having at least two epoxy groups in one molecule thereof and having a refractive index of 1.6 or more by itself; and (C) an oxetane compound represented by the following general formula (1) in which n is an integer of 1 to 6.



NO FIGURE