

9804475-3
1905



PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A23L 2/52, 2/68, 1/304, A61K 33/06		A1	(11) International Publication Number: WO 97/30601 (43) International Publication Date: 28 August 1997 (28.08.97)
(21) International Application Number: PCT/EP97/00646 (22) International Filing Date: 12 February 1997 (12.02.97) (30) Priority Data: 9603518.3 20 February 1996 (20.02.96) GB (71) Applicant (for all designated States except US): SMITHKLINE BEECHAM PLC [GB/GB]; New Horizons Court, Brentford, Middlesex TW8 9EP (GB). (72) Inventor; and (75) Inventor/Applicant (for US only): PARKER, David, Myatt [GB/GB]; SmithKline Beecham Consumer Brands, The Royal Forest Factory, Coleford, Gloucestershire GL16 8JB (GB). (74) Agent: WHITE, Susan, Mary; SmithKline Beecham, Corporate Intellectual Property, Two New Horizons Court, Brentford, Middlesex TW8 9EP (GB).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>	
(54) Title: LIQUID ORAL COMPOSITIONS COMPRISING A CALCIUM COMPOUND AND AN ACIDULANT			
(57) Abstract Acidic oral compositions having reduced tooth erosion characteristics, especially acid beverages such as fruit juice drink concentrates, or oral healthcare products such as mouthwashes, are prepared by adding a calcium compound to the acid composition so that the mol ratio of calcium to acid ranges from 0.3 to 0.8, and the pH of the composition, if necessary after adjustment with an alkali, is from 3.5 to 4.5.			