


The Claims defining the invention are as follows:

1. A salt which is 4-[3-(cyanomethyl)-3-(3',5'-dimethyl-1H,1'H-4,4'-bipyrazol-1-yl)azetidin-1-yl]-2,5-difluoro-N-[(1S)-2,2,2-trifluoro-1-methylethyl]benzamide phosphate (Compound 1 phosphate) having the formula:



2. The salt of claim 1 that is a 1:1 stoichiometric ratio of 4-[3-(cyanomethyl)-3-(3',5'-dimethyl-1'H-[4,4']bipyrazolyl-1-yl)-azetidin-1-yl]-2,5-difluoro-N-(2,2,2-trifluoro-1-methyl-ethyl)-benzamide (Compound 1) to phosphoric acid.

3. The salt of claims 1 or 2 that is isolated.

4. A solid form of the salt of any one of claims 1-3 wherein the solid form is crystalline.

5. The solid form of claim 4 having a XRPD peak, in terms of 2-theta, at 6.8 ± 0.2 degrees.

6. The solid form of claim 4 having at least one XRPD peaks, in terms of 2-theta, selected from 6.8 ± 0.2 , 16.5 ± 0.2 , 20.7 ± 0.2 , and 23.6 ± 0.2 degrees.

7. The solid form of claim 4 having at least two XRPD peaks, in terms of 2-theta, selected from 6.8 ± 0.2 , 16.5 ± 0.2 , 20.7 ± 0.2 , and 23.6 ± 0.2 degrees.

8. The solid form of claim 4 having at least three XRPD peaks, in terms of 2-theta, selected from 6.8 ± 0.2 , 16.5 ± 0.2 , 20.7 ± 0.2 , and 23.6 ± 0.2 degrees.

9. The solid form of any one of claims 5-8 further having at least one XRPD peak, in terms of 2-theta, selected from 11.7 ± 0.2 , 13.5 ± 0.2 , 15.9 ± 0.2 , 18.4 ± 0.2 , and 19.8 ± 0.2 degrees.
10. The solid form of any one of claims 5-8 further having at least two XRPD peak, in terms of 2-theta, selected from 11.7 ± 0.2 , 13.5 ± 0.2 , 15.9 ± 0.2 , 18.4 ± 0.2 , and 19.8 ± 0.2 degrees.
11. The solid form of any one of claims 5-8 further having at least three XRPD peak, in terms of 2-theta, selected from 11.7 ± 0.2 , 13.5 ± 0.2 , 15.9 ± 0.2 , 18.4 ± 0.2 , and 19.8 ± 0.2 degrees.
12. The solid form of any one of claims 5-8 further having at least four XRPD peak, in terms of 2-theta, selected from 11.7 ± 0.2 , 13.5 ± 0.2 , 15.9 ± 0.2 , 18.4 ± 0.2 , and 19.8 ± 0.2 degrees.
13. The solid form of any one of claims 4-12 having an XRPD pattern as shown in Figure 4C.
14. The solid form of claim 4 characterized by a DSC thermogram having an endothermic event at $228 \pm 3^\circ\text{C}$.
15. The solid form of claim 14 wherein the endothermic event has an onset at $224 \pm 3^\circ\text{C}$.
16. The solid form of claim 4 having a DSC thermogram as shown in Figure 4A.
17. The solid form of claim 4 having a TGA thermogram as shown in Figure 4B.