What is claimed is:

1. A composition comprising:
   (a) a resinous binder,
   (b) from 10 to 30 percent by weight based on resin solids weight of a polysilicone resin.

2. The composition of claim 1 in which the resinous binder comprises a polymer containing reactive functional groups.

3. The composition of claim 2 in which the resinous binder comprises a curing agent that has groups that are reactive with the functional groups of the polymer.

4. The composition of claim 2 in which the polymer is an acrylic polymer.

5. The composition of claim 3 in which the crosslinking agent comprises an aminoplast or a phenolplast.

6. The composition of claim 1 in which the polysilicone resin contains functional groups that are reactive with functional groups of the crosslinking agent.

7. The composition of claim 6 in which the functional groups are hydroxyl.

8. The composition of claim 7 in which the polysilicone resin has a hydroxyl content of 3 to 20 percent by weight based on solids weight of the polysilicone resin.

9. The composition of claim 1 in which the polysilicone resin is phenylated.

10. The composition of claim 9 in which the polysilicone resin is an alkyl-phenyl silsesquioxane resin.

11. The composition of claim 1, which is dissolved or dispersed in aqueous medium.

12. The composition of claim 1, which is substantially free of bisphenol A and derivatives thereof.

13. A coated article comprising:

(a) a substrate, and

(b) a coating deposited on at least a portion of the substrate from the composition of claim 1.

14. The coated article of claim 13 in which the substrate is a container.

15. The coated article of claim 14 in which the container is a food or beverage container.

16. The coated article of claim 15 in which the coating is on the interior surface of the container.

What is claimed is:

1. A coated article comprising:
   (a) substrate and
   (b) a coating deposited on at least a portion of the substrate from the composition comprising a resinous binder and from 10 to 30 percent by weight based on resin solids weight of a polysilicone resin.

2. The coated article of claim 1 in which the substrate is a container.

3. The coated article of claim 2 in which the container is a food or beverage container.

4. The coated article of claim 3 in which the coating is on the interior surface of the container.