


provided that if the A ring is 6 membered aryl or 6 membered heteroaryl, L is absent such that the B ring and the C ring are fused;

further provided that if the A ring is a 5 to 6 membered heteroaryl having 3 heteroatoms, two of said heteroatoms must be nitrogen;


- 5 further provided that if the A ring is unsubstituted 6 membered aryl and L is absent, the fused B and C rings are not unsubstituted indolyl or indolyl substituted by one or two halogen atoms; and

further provided that if the B ring is tetrazolyl, L is selected from the group consisting of CH₂, CH(CH₃), C(CH₃)₂, CF₂; and the C ring is phenyl.

- 10 In one aspect, the present disclosure relates to a compound of formula I:



having the structure



or a pharmaceutically acceptable salt thereof, wherein

- 15 R¹ is selected from the group consisting of H and unsubstituted C₁-C₄ alkyl;

the A ring is selected from the group consisting of 5 membered aryl, and 5 membered heteroaryl having 1 to 3 heteroatoms selected from the group consisting of nitrogen, oxygen and sulfur; wherein the A ring is optionally substituted with:

- 20 (a) 1 to 3 substituents selected from the group consisting of halogen, C₁-C₆ alkyl, C₁-C₆ haloalkyl, C₃-C₆ cycloalkyl, C₁-C₆ alkoxy, C₁-C₆ haloalkoxy, C₁-C₆ thioalkyl, cyano, phenyl, benzyl, CH₂-(C₃-C₆ cycloalkyl), and CH₂CH₂-(C₃-C₆ cycloalkyl); wherein if a nitrogen atom in the A ring is substituted, the substituent is not halogen, C₁-C₆ alkoxy, C₁-C₆ haloalkoxy, C₁-C₆ thioalkyl, or cyano;
- 25 (b) 1 substituent selected from the group consisting of C₄-C₆ heterocyclyl, C₅-C₆ heteroaryl, CH₂-(C₄-C₆ heterocyclyl), CH₂CH₂-(C₄-C₆ heterocyclyl), CH₂-(C₅-C₆

heteroaryl), CH₂CH₂-(C₅-C₆ heteroaryl); and optionally a second substituent selected from the group consisting of C₁-C₆ alkyl, C₁-C₆ haloalkyl, C₁-C₆ alkoxy, and C₁-C₆ haloalkoxy; or

(c) two adjacent substituents which together form phenyl, C₅-C₆ heteroaryl, C₄-C₆ heterocyclyl or C₄-C₆ cycloalkyl;

Z¹ is selected from the group consisting of:

(i) C and N when the A ring is a 5 membered heteroaryl, and

(ii) C when the A ring is a 5 membered aryl;

Z², Z³, and Z⁴ are each independently selected from the group consisting of CR^Z and NR⁸;

each R^Z is independently selected from the group consisting of H, halogen, C₁-C₆ alkyl, C₃-C₆ cycloalkyl, CH₂(C₃-C₆ cycloalkyl), C₁-C₆ haloalkyl, C₁-C₆ alkoxy, C₁-C₆ thioalkyl, CH₂(C₄-C₆ cycloalkoxy), CH₂(C₄-C₆ thiocycloalkyl), phenyl, benzyl, 4 to 6 memberd heterocyclyl; and 5 to 6 membered heteroaryl;

each R⁸ is either absent if the nitrogen atom to which it is attached has three bonds to other atoms, or R⁸ is selected from the group consisting of H, C₁-C₆ alkyl, C₃-C₆ cycloalkyl, CH₂(C₃-C₆ cycloalkyl), C₁-C₆ haloalkyl, CH₂(C₄-C₆ cycloalkoxy), CH₂(C₄-C₆ thiocycloalkyl), phenyl, and benzyl;

wherein Z¹ is N only if X is CH₂, CF₂, CH(CH₃), CH(CF₃), C(CH₃)₂, or CH(OH);

wherein if Z¹ is N, at least one of Z², Z³ or Z⁴ is CR^Z;

wherein, when Z² and Z³ are each independently selected from CR^Z and NR⁸, Z² and Z³ together with their respective R^Z and R⁸ substituents may form a 6 membered aryl, 6 membered heteroaryl, 5 to 6 membered cycloalkyl or 5 to 6 membered heterocyclyl group;

wherein, when Z³ and Z⁴ are each independently selected from CR^Z and NR⁸, Z³ and Z⁴ together with their respective R^Z and R⁸ substituents may form a 6 membered aryl, 6 membered heteroaryl, 5 to 6 membered cycloalkyl or 5 to 6 membered heterocyclyl group;

the B ring is tetrazolyl or a 5 to 6 membered heteroaryl having 1 to 3 heteroatoms selected from the group consisting of nitrogen, oxygen and sulfur; wherein the B ring is optionally substituted with 1 to 2 substituents selected from the group consisting of halogen, C₁-C₄ alkyl, C₃-C₄ cycloalkyl, C₁-C₄ haloalkyl, C₁-C₄ alkoxy, C₁-C₄ haloalkoxy and cyano; and wherein if a nitrogen atom in the B ring is substituted, the substituent is not halogen, C₁-C₆ alkoxy, C₁-C₆ haloalkoxy, C₁-C₆ thioalkyl, or cyano;

the C ring is selected from the group consisting of phenyl, 5 to 6 membered heteroaryl, 5 to 7 membered cycloalkyl, and 5 to 7 membered heterocyclyl; wherein the C ring is optionally substituted with:

(a) 1 to 4 substituents selected from the group consisting of halogen, C₁-C₆ alkyl, C₁-C₆ haloalkyl, C₃-C₆ cycloalkyl, C₁-C₆ alkoxy, C₁-C₆ haloalkoxy, C₁-C₆ thioalkyl, cyano, phenyl, benzyl, CH₂-(C₃-C₆ cycloalkyl), and CH₂CH₂-(C₃-C₆ cycloalkyl); wherein if a nitrogen atom in the C ring is substituted, the substituent is not halogen, C₁-C₆ alkoxy, C₁-C₆ haloalkoxy, C₁-C₆ thioalkyl, or cyano;

(b) 1 to 2 substituents selected from the group consisting of C₁-C₆ alkyl, C₁-C₆ haloalkyl, C₁-C₆ alkoxy, C₁-C₆ haloalkoxy, CH₂-(C₄-C₆ heterocyclyl), CH₂CH₂-(C₄-C₆ heterocyclyl), and unsubstituted C₅-C₆ heteroaryl; or

(c) two adjacent substituents which together form phenyl, C₅-C₆ heteroaryl, C₄-C₆ heterocyclyl or C₄-C₆ cycloalkyl;

L is selected from the group consisting of a bond, O, S, NH, NCH₃, (CH₂)_m, CH(CH₃), C(CH₃)₂, CF₂, CH₂O, CH₂S, CH(OH), CH₂NH, and CH₂N(CH₃), or L is absent such that the B ring and the C ring are fused;

X is selected from the group consisting of O, S, SO, SO₂, CH₂, C(CH₃)₂, CF₂ and CHCF₃;

m is 1 or 4; and

n is 1 or 2;

provided that if the A ring is a 5 membered heteroaryl having 3 heteroatoms, two of said heteroatoms must be nitrogen;


and

further provided that if the B ring is tetrazolyl, L is selected from the group consisting of CH₂CH(CH₃), C(CH₃)₂, CF₂; and the C ring is phenyl.

In the following description, all references to formula I also include subembodiments of formula I (i.e., formulae 1a, 1b, etc.).

Also provided herein are pharmaceutical compositions comprising a compound of formula I, or a pharmaceutically acceptable salt thereof, and one or more pharmaceutically acceptable carriers or excipients. Specific embodiments include pharmaceutical compositions suitable for intravenous or oral delivery.

In another aspect, the present disclosure relates to a compound, or a pharmaceutically acceptable salt thereof, wherein the compound is



N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin
5 -6-yl)-1-(3,3,3-trifluoropropyl)-1H-1,2,4-triazole-3-carboxamide.

In another aspect, the present disclosure relates to a compound as defined herein for use as a therapeutically active substance.

In another aspect, the present disclosure relates to a pharmaceutical composition comprising a compound as defined herein and a therapeutically inert carrier.

In another aspect, the present disclosure relates to the use of a compound as defined herein in the manufacture of a medicament for the treatment of a disease or disorder selected from the group consisting of irritable bowel disorders (IBD), irritable bowel syndrome (IBS), Crohn's disease, ulcerative colitis, myocardial infarction, stroke, traumatic brain injury, atherosclerosis, ischemia-reperfusion injury of kidneys, liver and lungs, cisplatin-induced kidney injury, sepsis, systemic inflammatory response syndrome (SIRS), pancreatitis, psoriasis, retinitis pigmentosa, retinal degeneration, chronic kidney diseases, acute respiratory distress syndrome (ARDS), chronic obstructive pulmonary disease (COPD).

In another aspect, the present disclosure relates to a compound as defined herein for use in the treatment or prophylaxis of a disease or disorder selected from the group consisting of irritable bowel disorders (IBD), irritable bowel syndrome (IBS), Crohn's disease, ulcerative colitis, myocardial infarction, stroke, traumatic brain injury, atherosclerosis, ischemia-reperfusion injury of kidneys, liver and lungs, cisplatin-induced kidney injury, sepsis, systemic inflammatory response syndrome (SIRS), pancreatitis, psoriasis, retinitis pigmentosa, retinal degeneration, chronic kidney diseases, acute respiratory distress syndrome (ARDS), chronic obstructive pulmonary disease (COPD).

Also provided herein are oral formulations of a compound of formula I, or a pharmaceutically acceptable salt thereof, and one or more pharmaceutically acceptable carriers or excipients suitable for oral delivery.


Also provided herein are parenteral formulations of a compound of formula I, or a pharmaceutically acceptable salt thereof, and one or more pharmaceutically acceptable carriers or excipients suitable for parenteral delivery.

In some embodiments, provided herein are uses of a compound of formula I, or a pharmaceutically acceptable salt thereof, for the treatment of diseases and disorders. In some embodiments, the diseases and disorders to be treated are selected from the group consisting of irritable bowel disorders (IBD), irritable bowel syndrome (IBS), Crohn's disease, ulcerative colitis, myocardial infarction, stroke, traumatic brain injury, atherosclerosis, ischemia-reperfusion injury of kidneys, liver and lungs, cisplatin-induced kidney injury, sepsis, systemic inflammatory response syndrome (SIRS), pancreatitis, psoriasis, retinitis pigmentosa, retinal degeneration, chronic kidney diseases, acute respiratory distress syndrome (ARDS), chronic obstructive pulmonary disease (COPD).


In some embodiments, the disease or disorder to be treated is selected from the group consisting of inflammatory bowel diseases (including Crohn's disease and ulcerative colitis), psoriasis, retinal detachment, retinitis pigmentosa, macular degeneration, pancreatitis, atopic dermatitis, arthritis (including rheumatoid arthritis, osteoarthritis, spondylarthritis, gout, systemic onset juvenile idiopathic arthritis (SoJIA), psoriatic arthritis), systemic lupus

CLAIMS:

1. A compound of formula I:



having the structure



or a pharmaceutically acceptable salt thereof, wherein

R^1 is selected from the group consisting of H and unsubstituted C_1 - C_4 alkyl;

the A ring is selected from the group consisting of 5 membered aryl, and 5 membered heteroaryl having 1 to 3 heteroatoms selected from the group consisting of nitrogen, oxygen and sulfur; wherein the A ring is optionally substituted with:

- (a) 1 to 3 substituents selected from the group consisting of halogen, C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_3 - C_6 cycloalkyl, C_1 - C_6 alkoxy, C_1 - C_6 haloalkoxy, C_1 - C_6 thioalkyl, cyano, phenyl, benzyl, CH_2 -(C_3 - C_6 cycloalkyl), and CH_2CH_2 -(C_3 - C_6 cycloalkyl); wherein if a nitrogen atom in the A ring is substituted, the substituent is not halogen, C_1 - C_6 alkoxy, C_1 - C_6 haloalkoxy, C_1 - C_6 thioalkyl, or cyano;
- (b) 1 substituent selected from the group consisting of C_4 - C_6 heterocyclyl, C_5 - C_6 heteroaryl, CH_2 -(C_4 - C_6 heterocyclyl), CH_2CH_2 -(C_4 - C_6 heterocyclyl), CH_2 -(C_5 - C_6 heteroaryl), CH_2CH_2 -(C_5 - C_6 heteroaryl); and optionally a second substituent selected from the group consisting of C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_1 - C_6 alkoxy, and C_1 - C_6 haloalkoxy; or
- (c) two adjacent substituents which together form phenyl, C_5 - C_6 heteroaryl, C_4 - C_6 heterocyclyl or C_4 - C_6 cycloalkyl;

Z^1 is selected from the group consisting of:

- (i) C and N when the A ring is a 5 membered heteroaryl, and
- (ii) C when the A ring is a 5 membered aryl;

Z^2 , Z^3 , and Z^4 are each independently selected from the group consisting of CR^Z and NR^8 ;

each R^Z is independently selected from the group consisting of H, halogen, C_1 - C_6 alkyl, C_3 - C_6 cycloalkyl, CH_2 (C_3 - C_6 cycloalkyl), C_1 - C_6 haloalkyl, C_1 - C_6 alkoxy, C_1 - C_6 thioalkyl, CH_2 (C_4 - C_6 cycloalkoxy), CH_2 (C_4 - C_6 thiocycloalkyl), phenyl, benzyl, 4 to 6 membered heterocyclyl; and 5 to 6 membered heteroaryl;

each R^8 is either absent if the nitrogen atom to which it is attached has three bonds to other atoms, or R^8 is selected from the group consisting of H, C_1 - C_6 alkyl, C_3 - C_6 cycloalkyl, CH_2 (C_3 - C_6 cycloalkyl), C_1 - C_6 haloalkyl, CH_2 (C_4 - C_6 cycloalkoxy), CH_2 (C_4 - C_6 thiocycloalkyl), phenyl, and benzyl;

wherein Z^1 is N only if X is CH_2 , CF_2 , $CH(CH_3)$, $CH(CF_3)$, $C(CH_3)_2$, or $CH(OH)$;

wherein if Z^1 is N, at least one of Z^2 , Z^3 or Z^4 is CR^Z ;

wherein, when Z^2 and Z^3 are each independently selected from CR^Z and NR^8 , Z^2 and Z^3 together with their respective R^Z and R^8 substituents may form a 6 membered aryl, 6 membered heteroaryl, 5 to 6 membered cycloalkyl or 5 to 6 membered heterocyclyl group;

wherein, when Z^3 and Z^4 are each independently selected from CR^Z and NR^8 , Z^3 and Z^4 together with their respective R^Z and R^8 substituents may form a 6 membered aryl, 6 membered heteroaryl, 5 to 6 membered cycloalkyl or 5 to 6 membered heterocyclyl group;

the B ring is tetrazolyl or a 5 to 6 membered heteroaryl having 1 to 3 heteroatoms selected from the group consisting of nitrogen, oxygen and sulfur; wherein the B ring is optionally substituted with 1 to 2 substituents selected from the group consisting of halogen, C_1 - C_4 alkyl, C_3 - C_4 cycloalkyl, C_1 - C_4 haloalkyl, C_1 - C_4 alkoxy, C_1 - C_4 haloalkoxy and cyano; and wherein if a nitrogen atom in the B ring is substituted, the substituent is not halogen, C_1 - C_6 alkoxy, C_1 - C_6 haloalkoxy, C_1 - C_6 thioalkyl, or cyano;

the C ring is selected from the group consisting of phenyl, 5 to 6 membered heteroaryl, 5 to 7 membered cycloalkyl, and 5 to 7 membered heterocyclyl; wherein the C ring is optionally substituted with:

- (a) 1 to 4 substituents selected from the group consisting of halogen, C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_3 - C_6 cycloalkyl, C_1 - C_6 alkoxy, C_1 - C_6 haloalkoxy, C_1 - C_6 thioalkyl, cyano, phenyl, benzyl, CH_2 -(C_3 - C_6 cycloalkyl), and CH_2CH_2 -(C_3 - C_6 cycloalkyl); wherein if a nitrogen atom in the C ring is substituted, the substituent is not halogen, C_1 - C_6 alkoxy, C_1 - C_6 haloalkoxy, C_1 - C_6 thioalkyl, or cyano;
- (b) 1 to 2 substituents selected from the group consisting of C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_1 - C_6 alkoxy, C_1 - C_6 haloalkoxy, CH_2 -(C_4 - C_6 heterocyclyl), CH_2CH_2 -(C_4 - C_6 heterocyclyl), and unsubstituted C_5 - C_6 heteroaryl; or
- (c) two adjacent substituents which together form phenyl, C_5 - C_6 heteroaryl, C_4 - C_6 heterocyclyl or C_4 - C_6 cycloalkyl;

L is selected from the group consisting of a bond, O, S, NH, NCH₃, (CH₂)_m, CH(CH₃), C(CH₃)₂, CF₂, CH₂O, CH₂S, CH(OH), CH₂NH, and CH₂N(CH₃), or L is absent such that the B ring and the C ring are fused;

X is selected from the group consisting of O, S, SO, SO₂, CH₂, C(CH₃)₂, CF₂ and CHCF₃;

m is 1 or 4; and


n is 1 or 2;


provided that if the A ring is a 5 membered heteroaryl having 3 heteroatoms, two of said heteroatoms must be nitrogen;

and

further provided that if the B ring is tetrazolyl, L is selected from the group consisting of CH₂, CH(CH₃), C(CH₃)₂, CF₂; and the C ring is phenyl.

2. A compound of formula I(a) according to claim 1, wherein the compound is of a formula selected from the group consisting of:







wherein each R^9 is independently selected from the group consisting of hydrogen, C_1 - C_6 alkyl, C_3 - C_6 cycloalkyl, C_3 - C_6 cycloalkyl substituted by 1 to 2 fluorine atoms, C_1 - C_6 haloalkyl, (C_1 - C_4 alkoxy)- C_1 - C_2 alkyl, phenyl, benzyl, C_4 - C_6 heterocyclyl, CH_2 -(C_3 - C_6 cycloalkyl), CH_2 -(C_3 - C_6 cycloalkyl substituted by 1 to 2 fluorine atoms), and CH_2 -(C_4 - C_6 heterocyclyl).


3. A compound according to claim 2, wherein each R^9 is selected from the group consisting of hydrogen, C_1 - C_4 alkyl, C_1 - C_4 haloalkyl, $CH_2CH_2OCH_3$, C_3 - C_4 cycloalkyl, C_3 - C_4 cycloalkyl substituted by 1 to 2 fluorine atoms, CH_2 -(C_3 - C_4 cycloalkyl), CH_2 -(C_3 - C_4 cycloalkyl substituted by 1 to 2 fluorine atoms), and CH_2 -(C_4 heterocyclyl).


4. A compound according to any one of claims 1-3, wherein:



is selected from the group consisting of:







Y is selected from the group consisting of O, S, SO and SO₂;

X¹, X² and X³ are each independently N or CH, wherein 1 or 2 of X¹, X² and X³ is N;

X⁴ and X⁵ are each independently N or CH;

R^{5a} and R^{5b}, are each independently selected from the group consisting of H, C₁-C₆ alkyl, C₃-C₆ cycloalkyl, C₁-C₆ haloalkyl, C₁-C₆ alkoxy, C₁-C₆ haloalkoxy, phenyl, benzyl, -CH₂(C₃-C₆ cycloalkyl); and 5 to 6 membered heteroaryl; wherein R^{5a} and R^{5b} together with the carbon to which they are attached may form a 3 to 4 membered cycloalkyl or a 4 membered cycloalkoxy;

R^{6a} and R^{6b} are each independently selected from the group consisting of H, C₁-C₆ alkyl, C₃-C₆ cycloalkyl, C₁-C₆ haloalkyl, C₁-C₆ alkoxy, C₁-C₆ haloalkoxy, phenyl, mono- or difluorophenyl, benzyl, -CH₂(C₃-C₆ cycloalkyl), and 5 to 6 membered heteroaryl; wherein R^{6a} and R^{6b} together with the carbon to which they are attached may form a 3 to 4 membered cycloalkyl or a 4 membered cycloalkoxy;

wherein when R^{5a} and R^{6a} are each H, R^{5b} and R^{6b} may together form a 3 or 4 membered cycloalkyl;


and wherein only two of R^{5a} , R^{5b} , R^{6a} and R^{6b} may be other than H in each instance;

R^7 is selected from the group consisting of H and unsubstituted C_1 - C_4 alkyl;


R^{10} is selected from the group consisting of H, C_1 - C_6 alkyl, C_3 - C_6 cycloalkyl, C_1 - C_6 haloalkyl, phenyl, and benzyl; and

R^{11} is selected from the group consisting of H, halogen, C_1 - C_4 alkyl, and C_1 - C_4 haloalkyl.

5. A compound according to claim 4, wherein:



is selected from the group consisting of:




; wherein


R^{5a} and R^{5b} are each H; or

R^{5a} and R^{6a} are each H, and R^{5b} and R^{6b} together form cyclopropyl or cyclobutyl.


6. A compound according to claim 4 or 5, wherein Y is O.
7. A compound according to any one of claims 4-6, wherein R^{5a} and R^{5b} are each H.
8. A compound according to any one of claims 1-3, wherein:



is selected from the group consisting of:




9. A compound according to any one of claims 1-3, wherein



R^{12} is selected from the group consisting of halogen and methyl; and


t is 0, 1 or 2.

10. A compound according to claim 1, wherein the compound is of the formula:




wherein R^{6b} is selected from the group consisting of H, C_1 - C_6 alkyl, C_3 - C_6 cycloalkyl, C_1 - C_6 haloalkyl, C_1 - C_6 alkoxy, C_1 - C_6 haloalkoxy, phenyl, mono- or di-fluorophenyl, benzyl, - CH_2 (C_3 - C_6 cycloalkyl), and 5 to 6 membered heteroaryl.

11. A compound according to claim 1, wherein the compound is of the formula:



wherein Y is NH or O; and R^{6b} is selected from the group consisting of H, C₁-C₆ alkyl, C₃-C₆ cycloalkyl, C₁-C₆ haloalkyl, C₁-C₆ alkoxy, C₁-C₆ haloalkoxy, phenyl, mono- or di-fluorophenyl, benzyl, -CH₂(C₃-C₆ cycloalkyl), and 5 to 6 membered heteroaryl.

12. A compound according to claim 1, wherein the compound is of the formula:



wherein Y is NH or O; and R^{6b} is selected from the group consisting of H, C₁-C₆ alkyl, C₃-C₆ cycloalkyl, C₁-C₆ haloalkyl, C₁-C₆ alkoxy, C₁-C₆ haloalkoxy, phenyl, mono- or di-fluorophenyl, benzyl, -CH₂(C₃-C₆ cycloalkyl), and 5 to 6 membered heteroaryl.


13. A compound according to any one of claims 10 to 12, wherein R¹ is H or methyl; the A ring is 5 membered heteroaryl; Z¹ is C or N; and X is CH₂ or O.

14. A compound according to any one of claims 10 to 12, wherein R¹ is H or methyl; the A ring is 6 membered aryl or 5 membered heteroaryl; Z¹ is C or N; X is CH₂ or O; and R^{6b} is selected from the group consisting of C₁-C₄ alkyl, C₁-C₄ haloalkyl, phenyl, fluorophenyl or di-fluorophenyl.


15. A compound according to any one of claims 1 to 14, wherein n is 1.

16. A compound according to any one of claims 1 to 15, wherein R¹ is H or CH₃.


17. A compound according to claim 1, wherein the compound is selected from the group consisting of




1-[(3,4-difluorophenyl)methyl]-N-[(6S)-5-oxo-1,4,6,7-tetrahydropyrazolo[3,4-b][1,4]oxazepin-6-yl]pyrazole-3-carboxamide




1-[(3,4-difluorophenyl)methyl]-N-[(6S)-5-oxo-1,4,6,7-tetrahydropyrazolo[3,4-b][1,4]oxazepin-6-yl]imidazole-4-carboxamide




5-methyl-N-((S)-5-oxo-4,5,6,7-tetrahydro-1H-pyrazolo[3,4-b][1,4]oxazepin-6-yl)-1,4,5,7-tetrahydropyrano[3,4-c]pyrazole-3-carboxamide




5-benzyl-N-(4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-4H-1,2,4-triazole-3-carboxamide




(S)-5-benzyl-N-(4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-4H-1,2,4-triazole-3-carboxamide




(R)-5-benzyl-N-(4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-4H-1,2,4-triazole-3-carboxamide




5-benzyl-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-4H-1,2,4-triazole-3-carboxamide




5-benzyl-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-4H-1,2,4-triazole-3-carboxamide




5-benzyl-N-(4-methyl-5-oxo-2-(trifluoromethyl)-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-4H-1,2,4-triazole-3-carboxamide




5-benzyl-N-(3,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-4H-1,2,4-triazole-3-carboxamide




(S)-N-((S)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-5-(trifluoromethyl)-4,5,6,7-tetrahydro-1H-indazole-3-carboxamide




(R)-N-((S)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-5-(trifluoromethyl)-4,5,6,7-tetrahydro-1H-indazole-3-carboxamide




1-benzyl-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-N-(4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-7-(trifluoromethyl)imidazo[1,5-a]pyridine-1-carboxamide




N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-7-(trifluoromethyl)imidazo[1,5-a]pyridine-1-carboxamide




(S)-5-benzyl-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-4H-1,2,4-triazole-3-carboxamide




(S)-5-benzyl-N-(4-methyl-5-oxo-2-(trifluoromethyl)-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-4H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(4-methyl-5-oxo-2-(trifluoromethyl)-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(4-methyl-5-oxo-2-(trifluoromethyl)-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




5-benzyl-N-(4-methyl-5-oxo-4,5,6,7,8,9-hexahydropyrazolo[1,5-a][1,3]diazocin-6-yl)-4H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(4-methyl-5-oxo-4,5,6,7,8,9-hexahydropyrazolo[1,5-a][1,3]diazocin-6-yl)-1H-1,2,4-triazole-3-carboxamide




N-(4-methyl-5-oxo-4,5,6,7,8,9-hexahydropyrazolo[1,5-a][1,3]diazocin-6-yl)-5-(1-phenylethyl)-4H-1,2,4-triazole-3-carboxamide




5-(4-fluorobenzyl)-N-(4-methyl-5-oxo-4,5,6,7,8,9-hexahydropyrazolo[1,5-a][1,3]diazocin-6-yl)-4H-1,2,4-triazole-3-carboxamide




5-(2,3-difluorobenzyl)-N-(4-methyl-5-oxo-4,5,6,7,8,9-hexahydropyrazolo[1,5-a][1,3]diazocin-6-yl)-4H-1,2,4-triazole-3-carboxamide




(S)-5-(4-fluorobenzyl)-N-(4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-4H-1,2,4-triazole-3-carboxamide




(S)-5-(2,3-difluorobenzyl)-N-(4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-4H-1,2,4-triazole-3-carboxamide




N-((S)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-5-(1-phenylethyl)-4H-1,2,4-triazole-3-carboxamide




(S)-N-(4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-4-phenoxycolinamide




5-benzyl-N-(1-methyl-2-oxo-1,2,3,4,5,6-hexahydroimidazo[1,5-a][1,3]diazocin-3-yl)-4H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(1-methyl-2-oxo-1,2,3,4,5,6-hexahydroimidazo[1,5-a][1,3]diazocin-3-yl)-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(2-cyclopropyl-4-methyl-5-oxo-4,5,6,7,8,9-hexahydropyrazolo[1,5-a][1,3]diazocin-6-yl)-1H-1,2,4-triazole-3-carboxamide




5-benzyl-N-(2-cyclopropyl-4-methyl-5-oxo-4,5,6,7,8,9-hexahydropyrazolo[1,5-a][1,3]diazocin-6-yl)-4H-1,2,4-triazole-3-carboxamide




1-methyl-N-((S)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(2,2,2-trifluoroethyl)-1,3-dihydrofuro[3,4-c]pyridine-6-carboxamide




1-benzyl-N-(3,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




5-benzyl-N-(1-methyl-2-oxo-2,3,4,5-tetrahydro-1H-[1,3]diazepino[1,2-b]indazol-3-yl)-4H-1,2,4-triazole-3-carboxamide




5-benzyl-N-(1-methyl-2-oxo-2,3,4,5-tetrahydro-1H-benzo[4,5]imidazo[1,2-a][1,3]diazepin-3-yl)-4H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(1-methyl-2-oxo-2,3,4,5-tetrahydro-1H-[1,3]diazepino[1,2-b]indazol-3-yl)-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(1-methyl-2-oxo-2,3,4,5-tetrahydro-1H-benzo[4,5]imidazo[1,2-a][1,3]diazepin-3-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,3-triazole-4-carboxamide




(S)-N-(4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-4'H,6'H-spiro[cyclopentane-1,5'-pyrrolo[1,2-c][1,2,3]triazole]-3'-carboxamide




N-((S)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-5-phenyl-5,6-dihydro-4H-pyrrolo[1,2-c][1,2,3]triazole-3-carboxamide




N-((S)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-5-phenyl-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide




(R)-N-((S)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-5-phenyl-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide




(S)-N-((S)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-5-phenyl-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide




5-benzyl-N-(1-methyl-2-oxo-2,3,4,5,8,9,10,11-octahydro-1H-[1,3]diazepino[1,2-b]indazol-3-yl)-4H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(2-(2,2-difluorocyclopropyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(1-methyl-2-oxo-2,3,4,5,8,9,10,11-octahydro-1H-[1,3]diazepino[1,2-b]indazol-3-yl)-1H-1,2,3-triazole-4-carboxamide




1-benzyl-N-(1-methyl-2-oxo-2,3,4,5,8,9,10,11-octahydro-1H-[1,3]diazepino[1,2-b]indazol-3-yl)-1H-1,2,4-triazole-3-carboxamide




(5S)-N-(1-methyl-2-oxo-2,3,4,5,8,9,10,11-octahydro-1H-[1,3]diazepino[1,2-b]indazol-3-yl)-5-(trifluoromethyl)-4,5,6,7-tetrahydro-1H-indazole-3-carboxamide




1-benzyl-N-(1-methyl-9,9-dioxido-2-oxo-1,2,3,4,5,10-hexahydro-8H-thieno[3',4':3,4]pyrazolo[1,5-a][1,3]diazepin-3-yl)-1H-1,2,4-triazole-3-carboxamide




5-benzyl-N-(1-methyl-9,9-dioxido-2-oxo-1,2,3,4,5,10-hexahydro-8H-thieno[3',4':3,4]pyrazolo[1,5-a][1,3]diazepin-3-yl)-4H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(1-methyl-2-oxo-1,2,3,4,5,10-hexahydro-8H-thieno[3',4':3,4]pyrazolo[1,5-a][1,3]diazepin-3-yl)-1H-1,2,4-triazole-3-carboxamide




5-benzyl-N-(1-methyl-2-oxo-1,2,3,4,5,10-hexahydro-8H-thieno[3',4':3,4]pyrazolo[1,5-a][1,3]diazepin-3-yl)-4H-1,2,4-triazole-3-carboxamide




(S)-1-(3,4-difluorobenzyl)-N-(4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-imidazole-4-carboxamide




1-benzyl-N-((S)-2-((S)-2,2-difluorocyclopropyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-((S)-2-((R)-2,2-difluorocyclopropyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(9-methyl-8-oxo-6,7,8,9-tetrahydro-5H-imidazo[1,2-a][1,3]diazepin-7-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(4-methyl-5-oxo-4,5,6,7,8,9-hexahydropyrazolo[1,5-a][1,3]diazocin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(1-methyl-2-oxo-1,2,3,4,5,6-hexahydroimidazo[1,5-a][1,3]diazocin-3-yl)-1H-1,2,4-triazole-3-carboxamide




N-((S)-2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-((R)-1-phenylethyl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-(cyclopentylmethyl)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-(cyclopentylmethyl)-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-(cyclohexylmethyl)-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(4-fluorobenzyl)-1H-1,2,4-triazole-3-carboxamide




N-((S)-2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-((S)-1-phenylethyl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(3,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(1-methyl-2-oxo-1,2,3,4,5,6-hexahydroimidazo[1,5-a][1,3]diazocin-3-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-(4-chlorobenzyl)-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




5-benzyl-N-(9-methyl-8-oxo-6,7,8,9-tetrahydro-5H-imidazo[1,2-a][1,3]diazepin-7-yl)-4H-1,2,4-triazole-3-carboxamide




(5S)-N-(9-methyl-8-oxo-6,7,8,9-tetrahydro-5H-imidazo[1,2-a][1,3]diazepin-7-yl)-5-(trifluoromethyl)-4,5,6,7-tetrahydro-1H-indazole-3-carboxamide




1-(3,4-difluorobenzyl)-N-(9-methyl-8-oxo-6,7,8,9-tetrahydro-5H-imidazo[1,2-a][1,3]diazepin-7-yl)-1H-pyrazole-3-carboxamide




1-(3,4-difluorobenzyl)-N-(9-methyl-8-oxo-6,7,8,9-tetrahydro-5H-imidazo[1,2-a][1,3]diazepin-7-yl)-1H-imidazole-4-carboxamide




(S)-5-benzyl-N-(1-isopropyl-4-methyl-5-oxo-4,5,6,7-tetrahydro-1H-pyrazolo[3,4-b][1,4]oxazepin-6-yl)-4H-1,2,4-triazole-3-carboxamide




(S)-1-(3,4-difluorobenzyl)-N-(1-isopropyl-4-methyl-5-oxo-4,5,6,7-tetrahydro-1H-pyrazolo[3,4-b][1,4]oxazepin-6-yl)-1H-imidazole-4-carboxamide




(S)-5-benzyl-N-(1,4-dimethyl-5-oxo-4,5,6,7-tetrahydro-1H-pyrazolo[3,4-b][1,4]oxazepin-6-yl)-4H-1,2,4-triazole-3-carboxamide




(S)-1-(3,4-difluorobenzyl)-N-(1,4-dimethyl-5-oxo-4,5,6,7-tetrahydro-1H-pyrazolo[3,4-b][1,4]oxazepin-6-yl)-1H-pyrazole-3-carboxamide




(S)-1-(3,4-difluorobenzyl)-N-(1,4-dimethyl-5-oxo-4,5,6,7-tetrahydro-1H-pyrazolo[3,4-b][1,4]oxazepin-6-yl)-1H-imidazole-4-carboxamide




(S)-N-((S)-1,4-dimethyl-5-oxo-4,5,6,7-tetrahydro-1H-pyrazolo[3,4-b][1,4]oxazepin-6-yl)-5-(trifluoromethyl)-4,5,6,7-tetrahydro-1H-indazole-3-carboxamide




1-benzyl-N-(9-methyl-8-oxo-6,7,8,9-tetrahydro-5H-imidazo[1,2-a][1,3]diazepin-7-yl)-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(9-methyl-8-oxo-6,7,8,9-tetrahydro-5H-imidazo[1,2-a][1,3]diazepin-7-yl)-1H-1,2,3-triazole-4-carboxamide



(S)-5-benzyl-N-(1-isopropyl-5-oxo-4,5,6,7-tetrahydro-1H-pyrazolo[3,4-b][1,4]oxazepin-6-yl)-4H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(6-oxo-4,5,6,7,8,9-hexahydro-3-oxa-1,5a,9a-triazabenzocd]azulen-7-yl)-1H-1,2,4-triazole-3-carboxamide




5-benzyl-N-(6-oxo-4,5,6,7,8,9-hexahydro-3-oxa-1,5a,9a-triazabenzocd]azulen-7-yl)-1H-1,2,4-triazole-3-carboxamide


triazabenz[cd]azulen-7-yl)-4H-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(1-isopropyl-5-oxo-4,5,6,7-tetrahydro-1H-pyrazolo[3,4-b][1,4]oxazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(1-methyl-2-oxo-2,3,4,5-tetrahydro-1H-imidazo[1,5-a][1,3]diazepin-3-yl)-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(4-methyl-5-oxo-2-phenyl-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




5-benzyl-N-(4-methyl-5-oxo-2-phenyl-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(1,9-dimethyl-2-oxo-2,3,4,5-tetrahydro-1H-imidazo[1,5-a][1,3]diazepin-3-yl)-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(4-methyl-5-oxo-2-phenyl-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,3-triazole-4-carboxamide




(S)-1-(2,3-difluorobenzyl)-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-(3,4-difluorobenzyl)-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-(2,4-difluorobenzyl)-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(4-fluorobenzyl)-1H-1,2,4-triazole-3-carboxamide




(S)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(3,4-difluorobenzyl)-1H-1,2,4-triazole-3-carboxamide




(S)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(2,4-difluorobenzyl)-1H-1,2,4-triazole-3-carboxamide




(S)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(4-fluorobenzyl)-1H-1,2,4-triazole-3-carboxamide




5-benzyl-N-(1,9-dimethyl-2-oxo-2,3,4,5-tetrahydro-1H-imidazo[1,5-a][1,3]diazepin-3-yl)-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(1,9-dimethyl-2-oxo-2,3,4,5-tetrahydro-1H-imidazo[1,5-a][1,3]diazepin-3-yl)-1H-1,2,3-triazole-4-carboxamide




(1R)-1-ethyl-1-methyl-N-(9-methyl-8-oxo-6,7,8,9-tetrahydro-5H-imidazo[1,2-a][1,3]diazepin-7-yl)-1,3-dihydrofuro[3,4-c]pyridine-6-carboxamide




1-benzyl-N-(4-methyl-5-oxo-2-(tetrahydro-2H-pyran-4-yl)-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




5-benzyl-N-(4-methyl-5-oxo-2-(tetrahydro-2H-pyran-4-yl)-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(1R)-1-ethyl-1-methyl-N-(4-methyl-5-oxo-2-(tetrahydro-2H-pyran-4-yl)-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1,3-dihydrofuro[3,4-c]pyridine-6-carboxamide




1-benzyl-N-(4-methyl-5-oxo-2-(tetrahydro-2H-pyran-4-yl)-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,3-triazole-4-carboxamide




(S)-5-benzyl-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-4H-1,2,4-triazole-3-carboxamide




(R)-5-benzyl-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-4H-1,2,4-triazole-3-carboxamide




N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-((2-methylpyridin-4-yl)methyl)-1H-1,2,4-triazole-3-carboxamide




(R)-N-((S)-2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-ethyl-1-methyl-1,3-dihydrofuro[3,4-c]pyridine-6-carboxamide




1-((4,4-difluorocyclohexyl)methyl)-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-(cyclobutylmethyl)-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-((3,3-difluorocyclobutyl)methyl)-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-(4-chlorobenzyl)-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(3,3,3-trifluoropropyl)-1H-1,2,4-triazole-3-carboxamide




1-(cyclopentylmethyl)-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-(cyclohexylmethyl)-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-((tetrahydro-2H-pyran-4-yl)methyl)-1H-1,2,4-triazole-3-carboxamide




N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-((4,4-difluorocyclohexyl)methyl)-1H-1,2,4-triazole-3-carboxamide




1-(cyclobutylmethyl)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(4-fluorobenzyl)-1H-1,2,4-triazole-3-carboxamide




N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-((6-methylpyridin-2-yl)methyl)-1H-1,2,4-triazole-3-carboxamide




N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(cyclopropylmethyl)-1H-1,2,4-triazole-3-carboxamide




1-(cyclopentylmethyl)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-((2,2-difluorocyclopropyl)methyl)-N-((S)-2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(1R)-N-(1,9-dimethyl-2-oxo-2,3,4,5-tetrahydro-1H-imidazo[1,5-a][1,3]diazepin-3-yl)-1-ethyl-1-methyl-1,3-dihydrofuro[3,4-c]pyridine-6-carboxamide




(3R)-3-ethyl-3-methyl-N-(4-methyl-5-oxo-2-phenyl-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1,3-dihydrofuro[3,4-c]pyridine-6-carboxamide




(3S)-3-ethyl-3-methyl-N-(4-methyl-5-oxo-2-phenyl-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1,3-dihydrofuro[3,4-c]pyridine-6-carboxamide




N-((S)-2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-methyl-1-(2,2,2-trifluoroethyl)-1,3-dihydrofuro[3,4-c]pyridine-6-carboxamide




N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(4-fluorobenzyl)-1H-1,2,4-triazole-3-carboxamide




N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-((3,3-difluorocyclobutyl)methyl)-1H-1,2,4-triazole-3-carboxamide




N-((S)-2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(1-(4-fluorophenyl)ethyl)-1H-1,2,4-triazole-3-carboxamide




N-((S)-2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(1-phenylethyl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-(2,3-difluorobenzyl)-N-(2,3,4-trimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-(3,4-difluorobenzyl)-N-(2,3,4-trimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(2,3,4-trimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide



(R)-N-((S)-2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-ethyl-1-methyl-1,3-dihydrofuro[3,4-c]pyridine-6-carboxamide




(R)-1-ethyl-1-methyl-N-((S)-2,3,4-trimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1,3-dihydrofuro[3,4-c]pyridine-6-carboxamide




N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-


a)[1,3]diazepin-6-yl)-1-((6-methylpyridin-3-yl)methyl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-(2,4-difluorobenzyl)-N-(2,3,4-trimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-(4-fluorobenzyl)-N-(2,3,4-trimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-5-benzyl-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1,3,4-oxadiazole-2-carboxamide



1-benzyl-N-((6S)-2-(2,2-difluorocyclopropyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-((6R)-2-(2,2-difluorocyclopropyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




5-benzyl-N-((6S)-2-(2,2-difluorocyclopropyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-4H-1,2,4-triazole-3-


carboxamide




5-benzyl-N-((6R)-2-(2,2-difluorocyclopropyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-4H-1,2,4-triazole-3-carboxamide




1-cyclopropyl-N-((S)-2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-methyl-1,3-dihydrofuro[3,4-c]pyridine-6-carboxamide




1-(4-chlorobenzyl)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-((1-methylcyclopropyl)methyl)-1H-1,2,4-triazole-3-carboxamide




N-((S)-2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(1-(4-fluorophenyl)ethyl)-1H-1,2,4-triazole-3-carboxamide




N-((S)-2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-((2,2-difluorocyclopropyl)methyl)-1H-1,2,4-triazole-3-carboxamide




N-((S)-2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(1-phenylethyl)-1H-1,2,4-triazole-3-carboxamide




5-benzyl-N-(1-methyl-2-oxo-2,3,4,5-tetrahydro-1H-imidazo[1,5-a][1,3]diazepin-3-yl)-1H-1,2,4-triazole-3-carboxamide




(1R)-1-ethyl-1-methyl-N-(1-methyl-2-oxo-2,3,4,5-tetrahydro-1H-imidazo[1,5-a][1,3]diazepin-3-yl)-1,3-dihydrofuro[3,4-c]pyridine-6-carboxamide




1-benzyl-N-(1-methyl-2-oxo-2,3,4,5-tetrahydro-1H-imidazo[1,5-a][1,3]diazepin-3-yl)-1H-1,2,3-triazole-4-carboxamide




(S)-1-benzyl-N-(1-methyl-2-oxo-2,3,4,5-tetrahydro-1H-imidazo[1,5-a][1,3]diazepin-3-yl)-1H-1,2,4-triazole-3-carboxamide




(R)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(2,4-difluorobenzyl)-1H-1,2,4-triazole-3-carboxamide




(S)-5-benzyl-N-(2,3,4-trimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-4H-1,2,4-triazole-3-carboxamide




(S)-1-(2,6-difluorobenzyl)-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(2,6-difluorobenzyl)-1H-1,2,4-triazole-3-carboxamide




(S)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(3,5-difluorobenzyl)-1H-1,2,4-triazole-3-carboxamide




(S)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(2,5-difluorobenzyl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-(2,5-difluorobenzyl)-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(2,3-dichlorobenzyl)-1H-1,2,4-triazole-3-carboxamide




(S)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(2,4-dichlorobenzyl)-1H-1,2,4-triazole-3-carboxamide




(S)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-((1-methylcyclopropyl)methyl)-1H-1,2,4-triazole-3-carboxamide




1-(2,3-difluorobenzyl)-N-((S)-2-((R)-2,2-difluorocyclopropyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-(2,3-difluorobenzyl)-N-((R)-2-((R)-2,2-difluorocyclopropyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-(3,4-difluorobenzyl)-N-((S)-2-((R)-2,2-difluorocyclopropyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-(3,4-difluorobenzyl)-N-((R)-2-((R)-2,2-difluorocyclopropyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-(2,4-difluorobenzyl)-N-((S)-2-((R)-2,2-difluorocyclopropyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide



1-(2,4-difluorobenzyl)-N-((R)-2-((R)-2,2-difluorocyclopropyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




N-((S)-2-((R)-2,2-difluorocyclopropyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(4-fluorobenzyl)-1H-1,2,4-triazole-3-carboxamide




N-((R)-2-((R)-2,2-difluorocyclopropyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(4-fluorobenzyl)-1H-1,2,4-triazole-3-carboxamide


3-carboxamide




(S)-N-((S)-2-((R)-2,2-difluorocyclopropyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-ethyl-1-methyl-1,3-dihydrofuro[3,4-c]pyridine-6-carboxamide




1-(2,3-difluorobenzyl)-N-((S)-2-((S)-2,2-difluorocyclopropyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-(3,4-difluorobenzyl)-N-((S)-2-((S)-2,2-difluorocyclopropyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-(2,4-difluorobenzyl)-N-((S)-2-((S)-2,2-difluorocyclopropyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




N-((S)-2-((S)-2,2-difluorocyclopropyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(4-fluorobenzyl)-1H-1,2,4-triazole-3-carboxamide




(R)-N-((R)-2-((R)-2,2-difluorocyclopropyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-ethyl-1-methyl-1,3-dihydrofuro[3,4-c]pyridine-6-carboxamide




(R)-N-((S)-2-((S)-2,2-difluorocyclopropyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-ethyl-1-methyl-1,3-dihydrofuro[3,4-c]pyridine-6-carboxamide




N-((S)-2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-7-ethyl-7-methyl-5,7-dihydrofuro[3,4-d]pyrimidine-2-carboxamide




(R)-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-5-(4-fluorobenzyl)-4H-1,2,4-triazole-3-carboxamide




(S)-5-(4-fluorobenzyl)-N-(2,3,4-trimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-4H-1,2,4-triazole-3-carboxamide




(S)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(2,3-difluorobenzyl)-1H-1,2,4-triazole-3-carboxamide




(S)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-5-(4-fluorobenzyl)-4H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-N-(4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-7-(trifluoromethyl)imidazo[1,5-a]pyridine-1-carboxamide




N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-7-(trifluoromethyl)imidazo[1,5-a]pyridine-1-carboxamide




1-[(4-fluorophenyl)methyl]-N-[rac-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-[(2,4-difluorophenyl)methyl]-N-[rac-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-[(3,4-difluorophenyl)methyl]-N-[rac-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-[(2,3-difluorophenyl)methyl]-N-[rac-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-[(2,6-difluorophenyl)methyl]-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




(5S)-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5-(trifluoromethyl)-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide




5-isopropyl-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide



5-ethyl-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide




(5S)-5-isopropyl-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide




(5R)-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-


6-yl]-5-phenyl-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide




(5S)-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5-phenyl-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide




1-benzyl-N-(2-isopropenyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1,2,4-triazole-3-carboxamide




(S)-N-(2-acetyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-benzyl-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-((6S)-2-(1-hydroxyethyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-((6S)-2-(1-hydroxyethyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-[2-(1-fluoro-1-methyl-ethyl)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[2-(1-fluoro-1-methyl-ethyl)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[2-(1,1-difluoroethyl)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[2-(1-hydroxy-1-methyl-ethyl)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide



5-ethyl-N-[rac-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide




N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5-phenyl-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide




5-ethyl-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5,6,7,8-tetrahydro-[1,2,4]triazolo[1,5-a]pyridine-2-


carboxamide




5-phenyl-N-[rac-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5,6,7,8-tetrahydro-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide




5-cyclohexyl-N-[rac-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5,6,7,8-tetrahydro-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide




5-(2,5-difluorophenyl)-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide




(S)-N-((S)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-5-phenyl-5,6,7,8-tetrahydro-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide




rac-(5R)-5-phenyl-N-[rac-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5,6,7,8-tetrahydro-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide




5-(2-fluorophenyl)-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide




5-(2-fluorophenyl)-N-[rac-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5,6,7,8-tetrahydro-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide




5-(2,5-difluorophenyl)-N-[rac-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5,6,7,8-tetrahydro-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide




5-(3-furyl)-N-[rac-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide




N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5-tetrahydrofuran-3-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide




7-phenyl-N-[rac-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,3-benzothiazole-2-carboxamide




N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5-(1-methylpyrazol-4-yl)-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide




5-(2,6-difluorophenyl)-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide




5-(3,6-dihydro-2H-pyran-4-yl)-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide




5-(2,6-difluorophenyl)-N-[rac-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5,6,7,8-tetrahydro-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide




5-(1-methylpyrazol-4-yl)-N-[rac-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5,6,7,8-tetrahydro-[1,2,4]triazolo[1,5-a]pyridine-2-




rac-(5S)-5-(2,6-difluorophenyl)-N-[rac-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5,6,7,8-tetrahydro-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide




rac-(5R)-5-(2,6-difluorophenyl)-N-[rac-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5,6,7,8-tetrahydro-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide




rac-(5R)-5-(1-methylpyrazol-4-yl)-N-[rac-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5,6,7,8-tetrahydro-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide




1-benzyl-N-[4-methyl-2-(morpholinomethyl)-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[2-[(3,3-difluoropyrrolidin-1-yl)methyl]-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[(6S)-4-methyl-2-(morpholinomethyl)-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[2-[(3-fluoroazetidin-1-yl)methyl]-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[2-[(3-methoxyazetidin-1-yl)methyl]-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




(S)-5-benzyl-N-(1-methyl-9,9-dioxido-2-oxo-1,2,3,4,5,10-hexahydro-8H-thieno[3',4':3,4]pyrazolo[1,5-a][1,3]diazepin-3-yl)-4H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(2-cyclobutyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(2-isopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(2-(cyclopropylmethyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(2-cyclobutyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(2-isopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(2-(cyclopropylmethyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(2-ethyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(2-isopropoxy-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-5-methyl-N-(4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




N-(2-ethyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(2-fluorobenzyl)-1H-1,2,4-triazole-3-carboxamide



(S)-N-(2-ethyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(2-fluorobenzyl)-1H-1,2,4-triazole-3-carboxamide




(R)-5-(2-fluorophenyl)-N-((S)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide




(S)-5-(2-fluorophenyl)-N-((S)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide


b)[1,2,4]triazole-2-carboxamide




N-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1-(tetrahydrofuran-2-ylmethyl)-1,2,4-triazole-3-carboxamide




1-[(3,5-difluorophenyl)methyl]-N-[rac-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-[(2,3-dichlorophenyl)methyl]-N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(2,4-dichlorophenyl)methyl]-N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1-(tetrahydrofuran-2-ylmethyl)-1,2,4-triazole-3-carboxamide




N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1-(tetrahydropyran-3-ylmethyl)-1,2,4-triazole-3-carboxamide




N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1-(tetrahydropyran-2-ylmethyl)-1,2,4-triazole-3-carboxamide




N-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1-(tetrahydropyran-2-ylmethyl)-1,2,4-triazole-3-carboxamide




N-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1-(tetrahydropyran-3-ylmethyl)-1,2,4-triazole-3-carboxamide




N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1-(tetrahydrofuran-3-ylmethyl)-1,2,4-triazole-3-carboxamide




N-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1-(tetrahydrofuran-3-ylmethyl)-1,2,4-triazole-3-carboxamide




N-(S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1-(((1R,3S)-3-trifluoromethylcyclobutyl)methyl)-1H-1,2,4-triazole-3-carboxamide




5-[(4-fluorophenyl)methyl]-N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-4H-1,2,4-triazole-3-carboxamide




7-methyl-N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-7-(2,2,2-trifluoroethyl)-5H-furo[3,4-d]pyrimidine-2-carboxamide




5-[(2,3-difluorophenyl)methyl]-N-(6S)-2,3,4-trimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-4H-1,2,4-triazole-3-carboxamide




1-[(3-methylcyclobutyl)methyl]-N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




N-(S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1-(((1S,3R)-3-trifluoromethylcyclobutyl)methyl)-1H-1,2,4-triazole-3-carboxamide




N-(S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1-(((1S,3R)-3-trifluoromethylcyclobutyl)methyl)-1H-1,2,4-triazole-3-carboxamide




N-(S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1-(((1R,3S)-3-trifluoromethylcyclobutyl)methyl)-1H-1,2,4-triazole-3-carboxamide




1-[(1-methylcyclopentyl)methyl]-N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




N-((S)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(((1S,3R)-3-methylcyclobutyl)methyl)-1H-1,2,4-triazole-3-carboxamide




N-((S)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(((1R,3S)-3-methylcyclobutyl)methyl)-1H-1,2,4-triazole-3-carboxamide




N-((S)-2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(((1R,3S)-3-methylcyclobutyl)methyl)-1H-1,2,4-triazole-3-carboxamide




N-((S)-2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(((1S,3R)-3-methylcyclobutyl)methyl)-1H-1,2,4-triazole-3-carboxamide




N-((S)-2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(((1R,3R)-3-ethylcyclobutyl)methyl)-1H-1,2,4-triazole-3-carboxamide




N-((S)-2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(((1S,3S)-3-ethylcyclobutyl)methyl)-1H-1,2,4-triazole-3-carboxamide




N-((S)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(((1R,3R)-3-ethylcyclobutyl)methyl)-1H-1,2,4-triazole-3-carboxamide




N-((S)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(((1S,3S)-3-ethylcyclobutyl)methyl)-1H-1,2,4-triazole-3-carboxamide




1-[(2,5-difluorophenyl)methyl]-N-(3R)-1,9-dimethyl-2-oxo-4,5-dihydro-3H-imidazo[1,5-a][1,3]diazepin-3-yl-1,2,4-triazole-3-carboxamide




1-benzyl-N-(3R)-1,9-dimethyl-2-oxo-4,5-dihydro-3H-imidazo[1,5-a][1,3]diazepin-3-yl-1,2,4-triazole-3-carboxamide




1-[(2,5-difluorophenyl)methyl]-N-[(7S)-9-methyl-8-oxo-6,7-dihydro-5H-imidazo[1,2-a][1,3]diazepin-7-yl]-1,2,4-triazole-3-carboxamide




1-[(2,5-difluorophenyl)methyl]-N-[(3R)-1-methyl-2-oxo-4,5-dihydro-3H-imidazo[1,5-a][1,3]diazepin-3-yl]-1,2,4-triazole-3-carboxamide




N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]spiro[5H-furo[3,4-d]pyrimidine-7,4'-tetrahydropyran]-2-carboxamide




5-[(2,3-difluorophenyl)methyl]-N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-4H-1,2,4-triazole-3-carboxamide




5-[(2,3-difluorophenyl)methyl]-N-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-4H-1,2,4-triazole-3-carboxamide




1-[(2-fluorophenyl)methyl]-N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(3-fluorophenyl)methyl]-N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(2-chlorophenyl)methyl]-N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide







1-[(3-chlorophenyl)methyl]-N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(2-chlorophenyl)methyl]-N-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(2,3-difluorophenyl)methyl]-N-(6S)-4-methyl-5-oxo-2-(trifluoromethyl)-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




5-[(2,3-difluorophenyl)methyl]-N-(6S)-4-methyl-5-oxo-2-(trifluoromethyl)-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-4H-1,2,4-triazole-3-carboxamide




1-[(4-fluorophenyl)methyl]-N-(6S)-4-methyl-5-oxo-2-(trifluoromethyl)-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(2-fluorophenyl)methyl]-N-(6S)-4-methyl-5-oxo-2-(trifluoromethyl)-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(3-fluorophenyl)methyl]-N-(6S)-4-methyl-5-oxo-2-(trifluoromethyl)-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(2-chlorophenyl)methyl]-N-(6S)-4-methyl-5-oxo-2-(trifluoromethyl)-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(2,4-difluorophenyl)methyl]-N-(6S)-4-methyl-5-oxo-2-(trifluoromethyl)-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(2-fluorophenyl)methyl]-N-[rac-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-[(3-fluorophenyl)methyl]-N-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(4-chlorophenyl)methyl]-N-(6S)-4-methyl-5-oxo-2-(trifluoromethyl)-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(3-chlorophenyl)methyl]-N-(6S)-4-methyl-5-oxo-2-(trifluoromethyl)-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(2,3-dichlorophenyl)methyl]-N-(6S)-4-methyl-5-oxo-2-(trifluoromethyl)-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-benzyl-N-(2,9-dimethyl-8-oxo-6,7-dihydro-5H-imidazo[1,2-a][1,3]diazepin-7-yl)-1,2,4-triazole-3-carboxamide



1-[(3-chlorophenyl)methyl]-N-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-isopropyl-N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]pyrazolo[3,4-d]pyrimidine-6-carboxamide




1-phenyl-N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-


a][1,3]diazepin-6-yl]pyrazolo[3,4-d]pyrimidine-6-carboxamide




2-benzyl-N-((6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl)tetrazole-5-carboxamide




2-benzyl-N-((6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl)tetrazole-5-carboxamide




1-cyclopentyl-N-((6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl)pyrazolo[3,4-d]pyrimidine-6-carboxamide



N-((6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl)spiro[5H-furo[3,4-d]pyrimidine-7,3'-tetrahydropyran]-2-carboxamide




N-((6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl)spiro[3H-furo[3,4-c]pyridine-1,3'-tetrahydropyran]-6-carboxamide




1-benzyl-N-(3,9-dimethyl-8-oxo-6,7-dihydro-5H-imidazo[1,2-a]pyrazolo[3,4-d]pyrimidine-6-carboxamide


a)[1,3]diazepin-7-yl)-1,2,4-triazole-3-carboxamide




1-benzyl-N-(6S)-4-methyl-5-oxo-2-[(1S)-2,2-difluorocyclopropylmethyl]-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-benzyl-N-(6S)-4-methyl-5-oxo-2-[(1R)-2,2-difluorocyclopropylmethyl]-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




5-[(4-fluorophenyl)methyl]-N-(6R)-4-methyl-5-oxo-2-(trifluoromethyl)-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-4H-1,2,4-triazole-3-carboxamide




N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]spiro[5H-furo[3,4-d]pyrimidine-7,3'-tetrahydrofuran]-2-carboxamide




N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]spiro[5H-furo[3,4-d]pyrimidine-7,1'-cyclopentane]-2-carboxamide




8-phenyl-N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5,6,7,8-tetrahydro-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide




1-[(3,3-dimethylcyclobutyl)methyl]-N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-benzyl-N-(1,7-dimethyl-2-oxo-4,5-dihydro-3H-imidazo[1,5-a][1,3]diazepin-3-yl)-1,2,4-triazole-3-carboxamide




N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1-tetrahydropyran-4-yl-pyrazolo[3,4-d]pyrimidine-6-carboxamide




1-[(1-methylcyclobutyl)methyl]-N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(1-methylcyclobutyl)methyl]-N-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide







7-methyl-7-propyl-N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5H-furo[3,4-d]pyrimidine-2-carboxamide




N-[rac-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]spiro[5H-furo[3,4-d]pyrimidine-7,1'-cyclopentane]-2-carboxamide




7-methyl-7-propyl-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5H-furo[3,4-d]pyrimidine-2-carboxamide




N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]spiro[5,6-dihydro-[1,2,4]triazolo[5,1-c][1,4]oxazine-8,1'-cyclopentane]-2-carboxamide




1-[(3,3-difluorocyclopentyl)methyl]-N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-benzyl-N-(6S)-2-(1-fluorocyclopropyl)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




7-phenyl-N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide




rac-(7S)-7-phenyl-N-[rac-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide




1-[(2-fluorophenyl)methyl]-N-[(3R)-1,7-dimethyl-2-oxo-4,5-dihydro-3H-imidazo[1,5-a][1,3]diazepin-3-yl]-1,2,4-triazole-3-carboxamide




1-[(2,5-difluorophenyl)methyl]-N-[(3R)-1,7-dimethyl-2-oxo-4,5-dihydro-3H-imidazo[1,5-a][1,3]diazepin-3-yl]-1,2,4-triazole-3-carboxamide




1-[(2,6-difluorophenyl)methyl]-N-[(3R)-1,7-dimethyl-2-oxo-4,5-dihydro-3H-imidazo[1,5-a][1,3]diazepin-3-yl]-1,2,4-triazole-3-carboxamide




7-phenyl-N-[rac-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide




1-[(2-fluorophenyl)methyl]-N-(3R)-1,9-dimethyl-2-oxo-4,5-dihydro-3H-imidazo[1,5-a][1,3]diazepin-3-yl-1,2,4-triazole-3-carboxamide




1-[(2,6-difluorophenyl)methyl]-N-(3R)-1,9-dimethyl-2-oxo-4,5-dihydro-3H-imidazo[1,5-a][1,3]diazepin-3-yl-1,2,4-triazole-3-carboxamide



1-[(2-chlorophenyl)methyl]-N-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




N-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1-[[2-(trifluoromethyl)phenyl]methyl]-1,2,4-triazole-3-carboxamide




N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1-[[2-(trifluoromethyl)phenyl]methyl]-1,2,4-triazole-3-carboxamide


triazole-3-carboxamide




1-benzyl-N-(6S)-2-cyclopropyl-5-oxo-4,6,7,8-tetrahydropyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-benzyl-N-(6S)-2-methyl-5-oxo-4,6,7,8-tetrahydropyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(2-methoxyphenyl)methyl]-N-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-(o-tolylmethyl)-N-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(2-methoxyphenyl)methyl]-N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(2-cyanophenyl)methyl]-N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-(o-tolylmethyl)-N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(2-methoxyphenyl)methyl]-N-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(2-cyanophenyl)methyl]-N-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(3,3-difluorocyclopentyl)methyl]-N-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide



1-[(2-fluorophenyl)methyl]-N-(3R)-1,7,9-trimethyl-2-oxo-4,5-dihydro-3H-imidazo[1,5-a][1,3]diazepin-3-yl-1,2,4-triazole-3-carboxamide




1-[(2,6-difluorophenyl)methyl]-N-(3R)-1,7,9-trimethyl-2-oxo-4,5-dihydro-3H-imidazo[1,5-a][1,3]diazepin-3-yl-1,2,4-triazole-3-carboxamide




1-[(2,5-difluorophenyl)methyl]-N-(3R)-1,7,9-trimethyl-2-oxo-4,5-dihydro-3H-imidazo[1,5-a][1,3]diazepin-3-yl-1,2,4-triazole-3-


carboxamide




1-[(2-fluorophenyl)methyl]-N-(3R)-1-methyl-2-oxo-4,5-dihydro-3H-imidazo[1,5-a][1,3]diazepin-3-yl-1,2,4-triazole-3-carboxamide




1-[(2,6-difluorophenyl)methyl]-N-[(3R)-1-methyl-2-oxo-4,5-dihydro-3H-imidazo[1,5-a][1,3]diazepin-3-yl]-1,2,4-triazole-3-carboxamide




1-[(2-fluorophenyl)methyl]-N-(7R)-9-methyl-8-oxo-6,7-dihydro-5H-imidazo[1,2-a][1,3]diazepin-7-yl-1,2,4-triazole-3-carboxamide




1-[(2,6-difluorophenyl)methyl]-N-[(7R)-9-methyl-8-oxo-6,7-dihydro-5H-imidazo[1,2-a][1,3]diazepin-7-yl]-1,2,4-triazole-3-carboxamide




1-[(2-cyanophenyl)methyl]-N-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-(o-tolylmethyl)-N-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-benzyl-N-(3R)-1,7,9-trimethyl-2-oxo-4,5-dihydro-3H-imidazo[1,5-a][1,3]diazepin-3-yl-1,2,4-triazole-3-carboxamide




1-(2,6-difluorophenyl)-N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]pyrazolo[3,4-d]pyrimidine-6-carboxamide




(S)-N-((S)-2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-5-phenyl-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide




rac-(5S)-5-phenyl-N-[rac-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide




(5R)-5-phenyl-N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide




(5R)-5-phenyl-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide




1-(2-pyridyl)-N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]pyrazolo[3,4-d]pyrimidine-6-carboxamide




1-(2-pyridyl)-N-[(6R)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]pyrazolo[3,4-d]pyrimidine-6-carboxamide




N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]spiro[5,6-dihydropyrrolo[1,2-b][1,2,4]triazole-7,4'-tetrahydropyran]-2-carboxamide




4-phenyl-N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5,6-dihydroimidazo[1,2-b][1,2,4]triazole-2-carboxamide




1-[(3-methyl-2-pyridyl)methyl]-N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]spiro[5,6-dihydropyrrolo[1,2-b][1,2,4]triazole-7,3'-tetrahydrofuran]-2-carboxamide




1-[(3-methyl-2-pyridyl)methyl]-N-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(3-methyl-2-pyridyl)methyl]-N-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




4-(2,6-difluorophenyl)-N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5,6-dihydroimidazo[1,2-b][1,2,4]triazole-2-carboxamide




1-(2-pyridylmethyl)-N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-(2-pyridylmethyl)-N-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(3-fluoro-2-pyridyl)methyl]-N-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(3-fluoro-2-pyridyl)methyl]-N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide







1-[(3-fluoro-2-pyridyl)methyl]-N-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(3-chloro-2-pyridyl)methyl]-N-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(3-chloro-2-pyridyl)methyl]-N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(3-chloro-2-pyridyl)methyl]-N-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide



1-[(2-fluorophenyl)methyl]-N-(7R)-2,9-dimethyl-8-oxo-6,7-dihydro-5H-imidazo[1,2-a][1,3]diazepin-7-yl-1,2,4-triazole-3-carboxamide




1-[(2,6-difluorophenyl)methyl]-N-(7R)-2,9-dimethyl-8-oxo-6,7-dihydro-5H-imidazo[1,2-a][1,3]diazepin-7-yl-1,2,4-triazole-3-carboxamide




1-[(2,5-difluorophenyl)methyl]-N-(7R)-2,9-dimethyl-8-oxo-6,7-dihydro-


5H-imidazo[1,2-a][1,3]diazepin-7-yl-1,2,4-triazole-3-carboxamide




1-benzyl-N-(6S)-4-methyl-2-(3-morpholinopropyl)-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(2-methyl-3-pyridyl)methyl]-N-(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(2-methyl-3-pyridyl)methyl]-N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




1-[(2-methyl-3-pyridyl)methyl]-N-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide




(5R)-5-(2-fluorophenyl)-N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide




(5S)-5-(2-fluorophenyl)-N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide




(5R)-5-(2-fluorophenyl)-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide




(5S)-5-(2-fluorophenyl)-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide




N-[rac-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1-[rac-(1S)-1-(4-fluorophenyl)ethyl]-1,2,4-triazole-3-carboxamide




(R)-1-(4-chlorobenzyl)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




5-benzyl-N-[rac-(6S)-4-methyl-5-oxo-2-[rac-(1R)-2,2-difluorocyclopropyl]-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-4H-1,2,4-triazole-3-carboxamide




5-benzyl-N-[rac-(6R)-4-methyl-5-oxo-2-[rac-(1R)-2,2-difluorocyclopropyl]-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-4H-1,2,4-triazole-3-carboxamide




1-benzyl-N-[rac-(6R)-4-methyl-5-oxo-2-[rac-(1R)-2,2-difluorocyclopropyl]-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[rac-(6R)-4-methyl-5-oxo-2-[rac-(1S)-2,2-difluorocyclopropyl]-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




N-[rac-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1-[rac-(1R)-1-(4-fluorophenyl)ethyl]-1,2,4-triazole-3-carboxamide




1-[(4-chlorophenyl)methyl]-N-[rac-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-[(4-chlorophenyl)methyl]-N-[rac-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[rac-(6S)-4-methyl-5-oxo-2-[rac-(1R)-2,2-difluorocyclopropyl]-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-[(4-fluorophenyl)methyl]-N-[rac-(6R)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-[(4-fluorophenyl)methyl]-N-[rac-(6S)-2-cyclopropyl-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




rac-(7R)-7-methyl-N-[rac-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-7-(2,2,2-trifluoroethyl)-5H-furo[3,4-d]pyrimidine-2-carboxamide




rac-(7R)-7-ethyl-7-methyl-N-[rac-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5H-furo[3,4-d]pyrimidine-2-carboxamide




rac-(7S)-7-methyl-N-[rac-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-7-(2,2,2-trifluoroethyl)-5H-furo[3,4-d]pyrimidine-2-carboxamide




rac-(7S)-7-ethyl-7-methyl-N-[rac-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5H-furo[3,4-d]pyrimidine-2-carboxamide




1-benzyl-N-[rac-(7R)-2,9-dimethyl-8-oxo-6,7-dihydro-5H-imidazo[1,2-a][1,3]diazepin-7-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[2-(1-ethylpyrazol-4-yl)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[2-(1-isobutylpyrazol-4-yl)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




5-bromo-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]isoquinoline-3-carboxamide




5-bromo-N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]isoquinoline-3-carboxamide







5-phenyl-N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]isoquinoline-3-carboxamide




5-phenyl-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]isoquinoline-3-carboxamide




1-benzyl-N-[2-(1-ethylpyrazol-3-yl)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[4-methyl-5-oxo-2-(pyrazol-1-ylmethyl)-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[4-methyl-2-[(2-methylimidazol-1-yl)methyl]-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-[2-(imidazol-1-ylmethyl)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




(S)-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-4-phenylpyrazolo[1,5-a]pyridine-2-carboxamide




1-benzyl-N-[2-[(3,3-difluoropyrrolidin-1-yl)methyl]-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[(6S)-4-methyl-2-(morpholinomethyl)-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[2-[(3-fluoroazetidin-1-yl)methyl]-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[2-[(3-methoxyazetidin-1-yl)methyl]-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[2-[(2-methoxyethylamino)methyl]-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(2-((3-methoxyazetidin-1-yl)methyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(2-((3-fluoroazetidin-1-yl)methyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(2-((3,3-difluoropyrrolidin-1-yl)methyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(2-(((2-methoxyethyl)amino)methyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-[(6S)-2-(hydroxymethyl)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[(6S)-4-methyl-5-oxo-2-[(2,2,2-trifluoroethylamino)methyl]-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide



1-benzyl-N-[(6R)-4-methyl-2-(3-morpholinopropyl)-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[(6S)-2-[3-(3,3-difluoropyrrolidin-1-yl)propyl]-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-


a][1,3]diazepin-6-yl]pyrazole-3-carboxamide




1-benzyl-N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]pyrazole-3-carboxamide




1-benzyl-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]imidazole-4-carboxamide




1-benzyl-N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]imidazole-4-carboxamide




1-benzyl-N-[(6S)-4-methyl-2-(2-morpholinoethyl)-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-[(2-fluorophenyl)methyl]-N-[(6S)-4-methyl-2-(2-morpholinoethyl)-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[(6S)-2-(azetidin-3-yl)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide;hydrochloride




1-benzyl-N-[(6S)-2-[2-(2-methoxyethoxy)ethyl]-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[(6S)-2-[2-(azetidin-1-yl)ethyl]-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[(6S)-2-[2-(3-methoxyazetidin-1-yl)ethyl]-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[(6S)-2-(2-ethoxyethyl)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




tert-butyl-3-[(6S)-6-[(1-benzyl-1,2,4-triazole-3-carbonyl)amino]-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-2-yl]azetidine-1-carboxylate




1-[(2-fluorophenyl)methyl]-N-[(6S)-2-[2-(2-methoxyethoxy)ethyl]-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[(6S)-4-methyl-2-[2-(2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)ethyl]-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide







1-[(2-fluorophenyl)methyl]-N-[(6S)-4-methyl-2-[2-(2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)ethyl]-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-[(2-fluorophenyl)methyl]-N-[(6S)-2-(2-ethoxyethyl)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[(6S)-2-(2-hydroxyethyl)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[(6S)-2-(2-methoxyethyl)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide



1-[(2-fluorophenyl)methyl]-N-[(6S)-2-(2-methoxyethyl)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[(6S)-2-[2-(3-fluoroazetidin-1-yl)ethyl]-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-[(2-fluorophenyl)methyl]-N-[(6S)-2-[2-(3-fluoroazetidin-1-yl)ethyl]-4-


methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-[(2-fluorophenyl)methyl]-N-[(6S)-2-[2-(3-methoxyazetidin-1-yl)ethyl]-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[(6S)-2-[2-(3,3-difluoroazetidin-1-yl)ethyl]-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-[(2-fluorophenyl)methyl]-N-[(6S)-2-[2-(3,3-difluoroazetidin-1-yl)ethyl]-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[(6S)-4-methyl-5-oxo-2-(tetrahydropyran-4-ylmethyl)-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-(2-(1,2-dimethyl-1H-imidazol-5-yl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(4-methyl-2-(1-methyl-1H-pyrazol-3-yl)-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-(4-methyl-2-(1-methyl-1H-pyrazol-4-yl)-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-[(6S)-4-methyl-2-(morpholinomethyl)-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




1-benzyl-N-[2-[(2-methoxyethylamino)methyl]-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(2-((3-methoxyazetidin-1-yl)methyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(2-((3-fluoroazetidin-1-yl)methyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




(S)-1-benzyl-N-(2-((3,3-difluoropyrrolidin-1-yl)methyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide



(S)-1-benzyl-N-(2-(((2-methoxyethyl)amino)methyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-[(6S)-2-(hydroxymethyl)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1H-1,2,4-triazole-3-carboxamide




1-benzyl-N-[(6S)-4-methyl-5-oxo-2-[(2,2,2-trifluoroethylamino)methyl]-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide


18. A compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein the compound is selected from the group consisting of:




(S)-1-benzyl-N-(4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide,




(S)-1-benzyl-N-(4-methyl-5-oxo-2-(trifluoromethyl)-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide,




(S)-N-((S)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-5-phenyl-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide,




(S)-1-benzyl-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide,




(S)-1-benzyl-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide,




(S)-1-(2,6-difluorobenzyl)-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide,




(S)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(2,6-difluorobenzyl)-1H-1,2,4-triazole-3-carboxamide,




(S)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(3,5-difluorobenzyl)-1H-1,2,4-triazole-3-carboxamide,




(S)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(2,5-difluorobenzyl)-1H-1,2,4-triazole-3-carboxamide,




(S)-1-(2,5-difluorobenzyl)-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide,




(S)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(2,3-dichlorobenzyl)-1H-1,2,4-triazole-3-carboxamide,




(S)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(2,4-dichlorobenzyl)-1H-1,2,4-triazole-3-carboxamide,




(S)-1-benzyl-N-(2-isopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide,




(S)-N-(2-ethyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(2-fluorobenzyl)-1H-1,2,4-triazole-3-carboxamide,



(R)-5-(2-fluorophenyl)-N-((S)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide,




(5R)-5-phenyl-N-[(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide, and



(5R)-5-(2-fluorophenyl)-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide.


19. The compound of claim 17 which is




(S)-1-benzyl-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide.

20. A compound selected from the group of claim 17, wherein the compound has a K_i in the RIP1 kinase inhibitory assay of less than or equal to 0.1 μM .


21. A compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein the compound is selected from the group consisting of:




(S)-1-benzyl-N-(1-methyl-2-oxo-2,3,4,5-tetrahydro-1H-imidazo[1,5-a][1,3]diazepin-3-yl)-1H-1,2,4-triazole-3-carboxamide,




(S)-1-benzyl-N-(4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide,




(S)-N-(2-acetyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-benzyl-1H-1,2,4-triazole-3-carboxamide,




(S)-1-(2,6-difluorobenzyl)-N-(2,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide,




1-[(2,6-difluorophenyl)methyl]-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-1,2,4-triazole-3-carboxamide,




(S)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(2,3-difluorobenzyl)-1H-1,2,4-triazole-3-carboxamide,




(S)-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(2,4-dichlorobenzyl)-1H-1,2,4-triazole-3-carboxamide,




(S)-1-benzyl-N-(4-methyl-5-oxo-2-(trifluoromethyl)-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide,




N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-5-phenyl-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide,




5-(2,5-difluorophenyl)-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide,




5-(2-fluorophenyl)-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide,




5-(2,6-difluorophenyl)-N-[(6S)-4-methyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl]-[1,2,4]triazolo[1,5-a]pyridine-2-carboxamide,




N-((S)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-5-phenyl-6,7-dihydro-5H-pyrrolo[1,2-b][1,2,4]triazole-2-carboxamide,




(S)-1-benzyl-N-(3,4-dimethyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide,




(S)-1-benzyl-N-(2-cyclobutyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide,




(S)-1-benzyl-N-(2-isopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide,



(S)-1-benzyl-N-(2-(cyclopropylmethyl)-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide,




1-[(2,3-dichlorophenyl)methyl]-N-(6S)-2,4-dimethyl-5-oxo-7,8-dihydro-6H-pyrazolo[1,5-a][1,3]diazepin-6-yl-1,2,4-triazole-3-carboxamide, and



(S)-1-benzyl-N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1H-1,2,4-triazole-3-carboxamide.

22. A compound, or a pharmaceutically acceptable salt thereof, wherein the compound is



N-(2-cyclopropyl-4-methyl-5-oxo-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a][1,3]diazepin-6-yl)-1-(3,3,3-trifluoropropyl)-1H-1,2,4-triazole-3-carboxamide.

23. A compound according to any one of claims 1 to 22 for use as a therapeutically active substance.
24. A pharmaceutical composition comprising a compound in accordance with any one of claims 1 to 22 and a therapeutically inert carrier.
25. A compound according to any one of claims 1 to 22 for use in the treatment or prophylaxis of a disease or disorder selected from the group consisting of irritable bowel disorders (IBD), irritable bowel syndrome (IBS), Crohn's disease, ulcerative colitis, myocardial infarction, stroke, traumatic brain injury, atherosclerosis, ischemia-reperfusion injury of kidneys, liver and lungs, cisplatin-induced kidney injury, sepsis, systemic inflammatory response syndrome (SIRS), pancreatitis, psoriasis, retinitis pigmentosa, retinal degeneration, chronic kidney diseases, acute respiratory distress syndrome (ARDS), chronic obstructive pulmonary disease (COPD).
26. The compound for use according to claim 25, wherein the disease or disorder is an irritable bowel disorder.
27. Use of a compound according to any one of claims 1 to 22 in the manufacture of a medicament for the treatment or prophylaxis of a disease or disorder selected from the group consisting of irritable bowel disorders (IBD), irritable bowel syndrome (IBS), Crohn's disease, ulcerative colitis, myocardial infarction, stroke, traumatic brain injury, atherosclerosis, ischemia-reperfusion injury of kidneys, liver and lungs, cisplatin-induced kidney injury, sepsis, systemic inflammatory response syndrome (SIRS), pancreatitis, psoriasis, retinitis pigmentosa, retinal degeneration, chronic kidney diseases, acute respiratory distress syndrome (ARDS), chronic obstructive pulmonary disease (COPD).
28. Use according to claim 27, wherein the disease or disorder is an irritable bowel disorder.