

Change from Baseline in AM and PM Reflective TNSS Over Time
ITT Population
Beclomethasone High Dose
Beclomethasone Low Dose
Beconase AQ High Dose
Beconase AQ Low Dose
Placebo
LS Mean
-1.5
-2.5
-3.5
-4.5
-5.5
-6.5
-7.5
-8.5
-9.5
Visit Time (Days)
2
3
4
5
6
7
8
9
10
11
12
13
14

FIG. 1



Change from Baseline in AM Reflective TNSS Over Time
ITT Population
Beclomethasone High Dose
Beclomethasone Low Dose
Beconase AQ High Dose
Beconase AQ Low Dose
Placebo
LS Mean
-0.9
-1.9
-2.9
-3.9
-4.9
2
3
4
5
6
7
8
9
10
11
12
13
14
Visit Time (Days)

FIG. 2



Change from Baseline in PM Reflective TNSS Over Time
ITT Population
Beclomethasone High Dose
Beclomethasone Low Dose
Beconase AQ High Dose
Beconase AQ Low Dose
Placebo
LS Mean
-1
-2
-3
-4
-5
Visit Time (Days)
2
3
4
5
6
7
8
9
10
11
12
13
14

FIG. 3



Change from Baseline in AM and PM Instantaneous TNSS Over Time
PP Population
Beclomethasone High Dose
Beclomethasone Low Dose
Beconase AQ High Dose
Beconase AQ Low Dose
Placebo
LS Mean
-2.4
-3.4
-4.4
-5.4
-6.4
-7.4
-8.4
-9.4
Visit Time (Days)
2
3
4
5
6
7
8
9
10
11
12
13
14

FIG. 4