(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
8 October 2015 (08.10.2015)

WIPO | PCT

(10) International Publication Number
WO 2015/153857 A1

(51) International Patent Classification:
A61P 37/02 (2006.01) *A61K 39/39* (2006.01)

(21) International Application Number:
PCT/US2015/024034

(22) International Filing Date:
2 April 2015 (02.04.2015)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
61/974,781 3 April 2014 (03.04.2014) US

(71) Applicant: **GEORGIA REGENTS RESEARCH INSTITUTE, INC.** [US/US]; 1120 15th Street, CJ-3301, Augusta, GA 30912 (US).

(72) Inventor: **KHLEIF, Samir**; 13408 Hathaway Drive, Silver Spring, MD 20906 (US).

(81) Designated States *(unless otherwise indicated, for every kind of national protection available)*: AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States *(unless otherwise indicated, for every kind of regional protection available)*: ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:


— *with international search report (Art. 21(3))*

— *with sequence listing part of description (Rule 5.2(a))*

WO 2015/153857 A1

(54) Title: METHODS FOR ENHANCING THE EFFICACY OF A TUMOR-DIRECTED IMMUNE RESPONSE

Figure 1A.
Therapeutic Study: Dose and schedule for anti-OX40 treatment alone or in a combination with vaccine



(57) Abstract: As described below, the present invention features methods for enhancing the efficacy of a tumor antigen in inducing an anti-cancer immune response in a subject by administering an OX40 agonist and an Indoleamine 2,3-dioxygenase (IDO) inhibitor with the tumor antigen.