



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : C08L 51/06, 77/02, C08F 255/00	A1	(11) International Publication Number: WO 00/36011 (43) International Publication Date: 22 June 2000 (22.06.00)
(21) International Application Number: PCT/IB99/01963 (22) International Filing Date: 8 December 1999 (08.12.99) (30) Priority Data: 09/213,583 17 December 1998 (17.12.98) US (71) Applicant: MONTELL TECHNOLOGY COMPANY B.V. [NL/NL]; Hoeksteen 66, NL-2132 MS Hoofddorp (NL). (72) Inventors: DE NICOLA, Anthony, J., Jr.; 16 Grayfox Ridge, Newark, DE 19711 (US). PHAN, Tam, T., M.; 102 Veronica Lane, Bear, DE 19701 (US).		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> This Sheet Has Been Replaced 
(54) Title: POLYOLEFIN GRAFT COPOLYMER/POLYAMIDE BLEND (57) Abstract A polymer blend contains: 1) about 1 % to about 98 % of a graft copolymer comprising a backbone of a propylene polymer material having graft polymerized thereto monomers selected from a) at least one vinyl aromatic compound and an unsaturated carboxylic acid and b) at least one vinyl aromatic compound and an anhydride of an unsaturated acid or its acid form, wherein the polymerized monomers are present in an amount of about 10 to about 95 parts per hundred parts of the propylene polymer material, and 2) about 99 % to about 2 % of at least one polyamide resin. The composition optionally also contains about 2 % to about 30 % of one or more rubber components, about 5 % to about 90 % of a broad molecular weight distribution propylene polymer material, or both.		