

or R⁸ and R⁹ are taken together with the atom to which they attached to form a 3-6 membered heterocyclyl optionally substituted by deuterium, halogen, oxo or C₁-C₆ alkyl optionally substituted by deuterium, oxo, or halogen;

each R¹⁰, R¹¹, R¹² and R¹³ are independently hydrogen or deuterium;

R¹⁴ is deuterium;

q is 0, 1, 2, 3, 4, 5, 6, 7, or 8;

each R¹⁵ is independently selected from hydrogen, deuterium, or halogen;

each R¹⁶ is independently selected from hydrogen, deuterium, or halogen; and

p is 3, ~~4, 5, 6, 7, 8, or 9~~.

[0016b] In another aspect of the present disclosure, there is provided a compound, or a salt thereof, selected from ~~Compound Nos. 1-780 in FIG. 1~~

~~(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(difluoromethyl)pyrimidin-4-yl) amino) butanoic acid;~~

~~(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;~~

~~(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;~~

~~(S)-4-((2-hydroxy-2-methylpropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;~~

~~(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;~~

~~(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;~~

~~(S)-2-((7-fluoroquinazolin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;~~

~~(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;~~

~~(S)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;~~

~~(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methylquinazolin-4-yl) amino) butanoic acid;~~

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrido[2,3-d]pyrimidin-4-ylamino) butanoic acid;

(S)-2-((7-fluoro-2-methylquinazolin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-(trifluoromethyl)quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((8-(trifluoromethyl)quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrido[3,2-d]pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrido[3,4-d]pyrimidin-4-ylamino) butanoic acid;

(S)-2-((5-fluoroquinazolin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-fluoroquinazolin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((8-fluoroquinazolin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6,7-difluoroquinazolin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methyl-6-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(difluoromethyl)pyrimidin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((S)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methyl-2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-((7-fluoro-2-methylquinazolin-4-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((3,3-difluorocyclobutyl)methyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-fluoro-2-methylquinazolin-4-yl) amino) butanoic acid;

(S)-2-(isoquinolin-1-ylamino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(difluoromethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinolin-4-ylamino) butanoic acid;

(S)-2-((7-chloroquinazolin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((8-chloroquinazolin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-(quinazolin-4-ylamino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-2-((7-fluoro-2-methylquinazolin-4-yl) amino)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methoxyquinazolin-4-yl) amino) butanoic acid;

(2S)-4-((2-(2,2-difluorocyclopropoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-fluoro-2-methylquinazolin-4-yl) amino) butanoic acid;

(S)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((8-methoxyquinazolin-4-yl) amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methylquinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-((8-chloroquinazolin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-(pyrido[3,2-d]pyrimidin-4-ylamino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-((7-fluoro-2-methylquinazolin-4-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrido[3,2-d]pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-((7-fluoro-2-methylquinazolin-4-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrido[3,2-d]pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrido[3,2-d]pyrimidin-4-ylamino) butanoic acid;

(S)-2-((7-fluoro-2-methylquinazolin-4-yl) amino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-((7-fluoro-2-methylquinazolin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methylquinazolin-4-yl) amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-hydroxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-fluoropyrimidin-2-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid; (S)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-fluoropyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl)amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-(((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(2S)-4-((oxetan-2-yl)methyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((3-hydroxy-2-(hydroxymethyl)propyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(((5-(trifluoromethyl) pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((3-fluorooxetan-3-yl) methyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-(((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-cyclopropylpyrimidin-2-yl) amino) butanoic acid;

4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-2-ylamino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methoxypyrimidin-4-yl) amino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methyl-2H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

2-((5-cyanopyrimidin-2-yl) amino)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((5-bromopyrimidin-2-yl) amino)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methyl-2H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino) butanoic acid;

4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-fluoropyrimidin-2-yl) amino) butanoic acid;

(S)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-((5-methylpyrimidin-2-yl)amino)butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-3-ylamino) butanoic acid;

4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

2-((5-cyanopyrimidin-2-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-2-ylamino) butanoic acid;

2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((5-bromopyrimidin-2-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methoxypyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methylpyrazin-2-yl) amino) butanoic acid;

2-((3-cyanopyrazin-2-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

2-((5-fluoropyrimidin-2-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl)amino) butanoic acid;

(R)-2-((6-(tert-butyl)pyrimidin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((5-cyclopropylpyrimidin-2-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(dimethylamino)pyrimidin-4-yl)amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinoxalin-2-ylamino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methoxypyrazin-2-yl) amino) butanoic acid;

4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino) butanoic acid;

4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(pyridin-4-yl) pyrazin-2-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) amino)-2-((6-phenylpyrazin-2-yl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazol-5-yl) amino) butanoic acid;

(S)-2-(benzo[d]oxazol-2-ylamino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-benzo[d]imidazol-2-yl) amino) butanoic acid;

(S)-2-(benzo[d]thiazol-2-ylamino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methyl-2H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

(S)-2-((9H-purin-6-yl)amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((4-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-indazol-3-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-indol-3-yl) amino) butanoic acid;

2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((5-bromopyrimidin-2-yl) amino)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((5-bromopyrimidin-2-yl) amino)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methyl-2H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

(S)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl) amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino)butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methyl-2H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

2-((5-cyanopyrimidin-2-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-2-ylamino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((5-bromopyrimidin-2-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-2-(((3-cyanopyrazin-2-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(((3-methyl-1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(((5-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(((4-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(((6-phenylpyrazin-2-yl) amino) butanoic acid;

4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(((5-phenylpyrimidin-4-yl) amino) butanoic acid;

4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(((6-phenylpyrimidin-4-yl) amino) butanoic acid;

2-(((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-(((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-(((5-cyanopyrimidin-2-yl) amino)-4-(((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-(((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

2-(((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-(((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-(((5-bromopyrimidin-2-yl) amino)-4-(((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-(((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-(((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-(((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

2-((5-cyanopyrimidin-2-yl) amino)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((5-bromopyrimidin-2-yl) amino)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methyl-2H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

(S)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-(((1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methyl-2H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

(S)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((S)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methylpyrimidin-2-yl)amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-3-ylamino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-cyanopyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-bromopyrimidin-2-yl) amino) butanoic acid;

(S)-2-((7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methoxypyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(dimethylamino)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-cyclopropylpyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(tert-butyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((3-cyanopyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinoxalin-2-ylamino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methyl-2H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((4-phenylpyridin-2-yl) amino) butanoic acid;

(S)-2-([4,4'-bipyridin]-2-ylamino)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(pyridin-4-yl) pyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-fluoropyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((4-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methylpyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-3-ylamino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-2-ylamino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methoxypyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methylpyrazin-2-yl) amino) butanoic acid;

2-((3-cyanopyrazin-2-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-2-((5-fluoropyrimidin-2-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(tert-butyl)pyrimidin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(dimethylamino)pyrimidin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinoxalin-2-ylamino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methoxypyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(pyridin-4-yl) pyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazol-5-yl) amino) butanoic acid;

(S)-2-(benzo[d]oxazol-2-ylamino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-benzo[d]imidazol-2-yl) amino) butanoic acid;

(S)-2-(benzo[d]thiazol-2-ylamino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

(S)-2-((9H-purin-6-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((4-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-indazol-3-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-indol-3-yl) amino) butanoic acid;

(R)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinoxalin-2-ylamino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methylpyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-3-ylamino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-2-ylamino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((2-methoxypyrimidin-4-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-methylpyrazin-2-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-2-((5-fluoropyrimidin-2-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(tert-butyl)pyrimidin-4-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(dimethylamino)pyrimidin-4-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinoxalin-2-ylamino) butanoic acid;

(S)-2-((5-methoxypyrazin-2-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(pyridin-4-yl) pyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((4-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((4-phenylpyridin-2-yl) amino) butanoic acid;

(S)-2-((9H-purin-6-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-(benzo[d]thiazol-2-ylamino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-benzo[d]imidazol-2-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-(benzo[d]oxazol-2-ylamino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazol-5-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-indazol-3-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-indol-3-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methylpyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-3-ylamino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-2-ylamino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methoxypyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(dimethylamino)pyrimidin-4-yl) amino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(tert-butyl)pyrimidin-4-yl) amino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-fluoropyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(pyridin-4-yl) pyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methoxypyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinoxalin-2-ylamino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((4-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyridin-2-yl) amino) butanoic acid;

(S)-2-((9H-purin-6-yl) amino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

(S)-2-(benzo[d]thiazol-2-ylamino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-benzo[d]imidazol-2-yl) amino) butanoic acid;

(S)-2-(benzo[d]oxazol-2-ylamino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazol-5-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-indazol-3-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-indol-3-yl) amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methylpyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-3-ylamino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-2-ylamino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((2-methoxypyrimidin-4-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-methylpyrazin-2-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-2-((5-fluoropyrimidin-2-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(tert-butyl)pyrimidin-4-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(dimethylamino)pyrimidin-4-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinoxalin-2-ylamino) butanoic acid;

(S)-2-((5-methoxypyrazin-2-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(pyridin-4-yl) pyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazol-5-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-(benzo[d]oxazol-2-ylamino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-benzo[d]imidazol-2-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-(benzo[d]thiazol-2-ylamino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((9H-purin-6-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyridin-2-yl) amino) butanoic acid;

(S)-2-((1-methyl-1H-indazol-3-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-indol-3-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-methylpyrimidin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-3-ylamino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-(pyridin-2-ylamino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((2-methoxypyrimidin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-methylpyrazin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-2-((5-fluoropyrimidin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(tert-butyl)pyrimidin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(dimethylamino)pyrimidin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinoxalin-2-ylamino) butanoic acid;

(S)-2-((5-methoxypyrazin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-phenylpyrimidin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((2-phenylpyrimidin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-phenylpyrimidin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(pyridin-4-yl) pyrazin-2-yl) amino) butanoic acid;

(S)-2-((5-phenylpyrazin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-phenylpyrazin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazol-5-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-(benzo[d]oxazol-2-ylamino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-benzo[d]imidazol-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-(benzo[d]thiazol-2-ylamino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((9H-purin-6-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-phenylpyridin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((4-phenylpyridin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-indol-3-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-indazol-3-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methylpyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-3-ylamino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-2-ylamino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methoxypyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methylpyrazin-2-yl) amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-fluoropyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(tert-butyl)pyrimidin-4-yl) amino)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(dimethylamino)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinoxalin-2-ylamino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methoxypyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(pyridin-4-yl) pyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazol-5-yl) amino) butanoic acid;

(S)-2-(benzo[d]oxazol-2-ylamino)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-benzo[d]imidazol-2-yl) amino) butanoic acid;

(S)-2-(benzo[d]thiazol-2-ylamino)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

(S)-2-((9H-purin-6-yl) amino)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((4-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-indazol-3-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-indol-3-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methylpyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-3-ylamino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-2-ylamino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methoxypyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methylpyrazin-2-yl) amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-fluoropyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(tert-butyl)pyrimidin-4-yl) amino)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(dimethylamino)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinoxalin-2-ylamino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methoxypyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(((6-(pyridin-4-yl) pyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazol-5-yl) amino) butanoic acid;

(S)-2-(benzo[d]oxazol-2-ylamino)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-benzo[d]imidazol-2-yl) amino) butanoic acid;

(S)-2-(benzo[d]thiazol-2-ylamino)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

(S)-2-((9H-purin-6-yl) amino)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((4-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-indazol-3-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-indol-3-yl) amino) butanoic acid;

(R)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-methoxyethyl) (5-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) pentyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinoxalin-2-ylamino) butanoic acid;

(2S)-2-(quinazolin-4-ylamino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) ((tetrahydrofuran-2-yl) methyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(R)-2-((6-(dimethylamino)pyrimidin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(tert-butyl)pyrimidin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(R)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2,2-difluoro-4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-methoxyethyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-((2-methyl-2H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-2-ylamino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-((2-methyl-2H-pyrazolo[4,3-d]pyrimidin-7-yl)amino)butanoic acid;.

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methyl-2H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

(S)-4-((2-fluoro-3-hydroxy-2-(hydroxymethyl)propyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((3-hydroxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(R)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-(2-oxopyrrolidin-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(benzo[d]thiazol-2-ylamino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methoxypyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(dimethylamino)pyrimidin-4-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(tert-butyl)pyrimidin-4-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-2-((6-phenylpyrimidin-4-yl) amino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-2-((5-phenylpyrimidin-4-yl) amino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-2-(pyrimidin-4-ylamino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methylpyrimidin-2-yl) amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-([4,4'-bipyridin]-2-ylamino)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((4-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-((2-(2,2-difluoroethoxy)ethyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-((5-phenylpyridin-2-yl)amino)butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-((6-methylpyrazin-2-yl)amino)butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-(quinoxalin-2-ylamino)butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-((6-methyl-2-(pyridin-4-yl)pyrimidin-4-yl)amino)butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-indazol-3-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(benzo[d]thiazol-2-ylamino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-3-ylamino) butanoic acid;

(S)-4-((2-methoxyethyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-(naphthalen-1-ylamino)butanoic acid;

(S)-4-((2-morpholinoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(2S)-4-((2,3-dihydroxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(naphthalen-1-ylamino) butanoic acid;

(2S)-4-((3-fluoro-2-hydroxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-(quinazolin-4-ylamino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (thiazol-2-ylmethyl)amino) butanoic acid;

(S)-4-((2-(3-oxomorpholino)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(benzyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(((R)-2-hydroxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(2S)-4-(((1,4-dioxan-2-yl) methyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-hydroxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(((S)-2-hydroxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(2S)-4-((morpholin-3-yl)methyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(2S)-4-((3,3-difluoro-2-hydroxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(((S)-2,3-dihydroxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-hydroxy-2-methylpropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrido[2,3-d]pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2-hydroxy-2-methylpropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrido[3,2-d]pyrimidin-4-ylamino) butanoic acid;

(S)-2-((7-fluoro-2-methylquinazolin-4-yl) amino)-4-((2-hydroxy-2-methylpropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-hydroxy-2-methylpropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrido[3,2-d]pyrimidin-4-ylamino) butanoic acid;

(S)-4-(methoxy(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-methoxy-2-methylpropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-((7-fluoro-2-methylquinazolin-4-yl) amino)-4-((2-methoxy-2-methylpropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((3-hydroxyoxetan-3-yl) methyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-methoxy-2-methylpropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrido[2,3-d]pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2-methoxy-2-methylpropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrido[3,2-d]pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2-methoxy-2-methylpropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methylquinazolin-4-yl) amino) butanoic acid;

(S)-4-(((1-cyanocyclopropyl)methyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methylquinazolin-4-yl) amino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-fluoro-2-methylquinazolin-4-yl) amino) butanoic acid;

(S)-2-(quinazolin-4-ylamino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((8-fluoroquinazolin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((7-fluoroquinazolin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((8-methylquinazolin-4-yl) amino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methylquinazolin-4-yl) amino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-fluoroquinazolin-4-yl) amino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((8-methylquinazolin-4-yl) amino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((8-fluoroquinazolin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methylquinazolin-4-yl) amino) butanoic acid;

(S)-2-((6-fluoroquinazolin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-fluoroquinazolin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(thieno[2,3-d]pyrimidin-4-ylamino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(thieno[2,3-d]pyrimidin-4-ylamino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methylthieno[2,3-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methylthieno[2,3-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(thieno[3,2-d]pyrimidin-4-ylamino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methylthieno[3,2-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(thieno[3,2-d]pyrimidin-4-ylamino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methylthieno[3,2-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methylthieno[2,3-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methylthieno[2,3-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((7,8-difluoroquinazolin-4-yl) amino)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((7,8-difluoroquinazolin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methylthieno[3,2-d]pyrimidin-4-yl) amino) butanoic acid; and

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methylthieno[3,2-d]pyrimidin-4-yl) amino) butanoic acid.

[0016c] In a further aspect of the present disclosure, there is provided A-a pharmaceutical composition comprising a compound ~~of any one of claims 1 to 33~~disclosed herein, or a salt thereof, and a pharmaceutically acceptable carrier or excipient.

[0016d] In another aspect of the present disclosure, there is provided A-a compound ~~of any one of claims 1 to 33~~disclosed herein, or a salt thereof, or a pharmaceutical composition ~~of claim 34~~disclosed herein, for use as a medicament.

[0016e] In a further aspect of the present disclosure, there is provided a use of a compound disclosed herein or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition disclosed herein, in the manufacture of a medicament for treating a fibrotic disease.

[0016f] In another aspect of the present disclosure, there is provided a kit comprising a compound disclosed herein, or a pharmaceutically acceptable salt thereof.

[0016g] In a further aspect of the present disclosure, there is provided a use of a compound disclosed herein or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition disclosed herein, in the manufacture of a medicament for inhibiting $\alpha_v\beta_6$ integrin in an individual.

~~**[0016h]** In another aspect of the present disclosure, there is provided a use of a compound disclosed herein or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition disclosed herein, in the manufacture of a medicament for inhibiting TGF β activation in a cell.~~

[0016hi] In ~~another~~ further aspect of the present disclosure, there is provided a compound disclosed herein or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition disclosed herein, for use in the treatment of a fibrotic disease.

~~**[0016j]** In another aspect of the present disclosure, there is provided a use of the compound disclosed herein or a salt thereof, in the manufacture of a medicament for inhibiting $\alpha_v\beta_6$ integrin, the use comprising contacting the $\alpha_v\beta_6$ integrin with an amount of the compound effective to inhibit the $\alpha_v\beta_6$ integrin.~~

[0016ik] In a further aspect of the present disclosure, there is provided a use of a compound disclosed herein, or a salt thereof, in the manufacture of a medicament for modulating the

activity of at least one integrin in a subject, the at least one integrin including at least one of $\alpha_v\beta_1$ integrin and $\alpha_v\beta_6$ integrin.


[0017] Further provided is a pharmaceutical composition comprising a compound of formula (A), or any variation thereof detailed herein, or a salt thereof (*e.g.*, a pharmaceutically acceptable salt thereof), and a pharmaceutically acceptable carrier or excipient.

[0018] In another example, provided is a method of treating a fibrotic disease in an individual (such as a human) in need thereof comprising administering to the individual a therapeutically effective amount of a compound of formula (A), or any variation thereof detailed herein, or a pharmaceutically acceptable salt thereof. In some examples, the fibrotic disease is pulmonary fibrosis (such as IPF), liver fibrosis, skin fibrosis, scleroderma, cardiac fibrosis, renal fibrosis, gastrointestinal fibrosis, primary sclerosing cholangitis, or biliary fibrosis (such as PBC).

[0019] In another example, provided is a method of delaying the onset and/or development of a fibrotic disease in an individual (such as a human) who is at risk for developing a fibrotic disease comprising administering to the individual a therapeutically effective amount of a compound of formula (A), or any variation thereof detailed herein, or a pharmaceutically acceptable salt thereof. In some examples, the fibrotic disease is pulmonary fibrosis (such as IPF), liver fibrosis, skin fibrosis, scleroderma, cardiac fibrosis, renal fibrosis, gastrointestinal fibrosis, primary sclerosing cholangitis, or PBC. In some examples, the individual at risk of developing a fibrotic disease has or is suspected of having NAFLD, NASH, CKD, scleroderma, Crohn's Disease, NSIP, PSC, PBC, or is an individual who has had or is suspected of having had a myocardial infarction.

CLAIMS

1. A compound of formula (A)



or a salt thereof, wherein:

R^1 is C_6 - C_{14} aryl or 5- to 10-membered heteroaryl wherein the C_6 - C_{14} aryl and 5- to 10-membered heteroaryl are optionally substituted by R^{1a} ;

R^2 is hydrogen; deuterium; C_1 - C_6 alkyl optionally substituted by R^{2a} ; -OH; -O- C_1 - C_6 alkyl optionally substituted by R^{2a} ; C_3 - C_6 cycloalkyl optionally substituted by R^{2b} ; -O- C_3 - C_6 cycloalkyl optionally substituted by R^{2b} ; 3- to 12-membered heterocyclyl optionally substituted by R^{2c} ; or -S(O) $_2$ R^{2d} ; with the proviso that any carbon atom bonded directly to a nitrogen atom is optionally substituted with an R^{2a} moiety other than halogen;

each R^{1a} is independently C_1 - C_6 alkyl, C_2 - C_6 alkenyl, C_2 - C_6 alkynyl, C_3 - C_8 cycloalkyl, C_4 - C_8 cycloalkenyl, 3- to 12-membered heterocyclyl, 5- to 10-membered heteroaryl, C_6 - C_{14} aryl, deuterium, halogen, -CN, -OR³, -SR³, -NR⁴R⁵, -NO₂, -C=NH(OR³), -C(O)R³, -OC(O)R³, -C(O)OR³, -C(O)NR⁴R⁵, -NR³C(O)R⁴, -NR³C(O)OR⁴, -NR³C(O)NR⁴R⁵, -S(O)R³, -S(O)₂R³, -NR³S(O)R⁴, -NR³S(O)₂R⁴, -S(O)NR⁴R⁵, -S(O)₂NR⁴R⁵, or -P(O)(OR⁴)(OR⁵), wherein each R^{1a} is, where possible, independently optionally substituted by deuterium, halogen, oxo, -OR⁶, -NR⁶R⁷, -C(O)R⁶, -CN, -S(O)R⁶, -S(O)₂R⁶, -P(O)(OR⁶)(OR⁷), C_3 - C_8 cycloalkyl, 3- to 12-membered heterocyclyl, 5- to 10-membered heteroaryl, C_6 - C_{14} aryl, or C_1 - C_6 alkyl optionally substituted by deuterium, oxo, -OH or halogen;

each R^{2a} , R^{2b} , R^{2c} , R^{2e} , and R^{2f} is independently oxo or R^{1a} ;

R^{2d} is C_1 - C_6 alkyl optionally substituted by R^{2e} or C_3 - C_5 cycloalkyl optionally substituted by R^{2f} ;

R^3 is independently hydrogen, deuterium, C_1 - C_6 alkyl, C_2 - C_6 alkenyl, C_2 - C_6 alkynyl, C_3 - C_6 cycloalkyl, C_6 - C_{14} aryl, 5- to 10-membered heteroaryl or 3- to 12-membered heterocyclyl, wherein the C_1 - C_6 alkyl, C_2 - C_6 alkenyl, C_2 - C_6 alkynyl, C_3 - C_6 cycloalkyl, C_6 - C_{14} aryl, 5- to 10-membered heteroaryl and 3- to 12-membered heterocyclyl of R^3 are independently optionally

substituted by halogen, deuterium, oxo, -CN, -OR⁸, -NR⁸R⁹, -P(O)(OR⁸)(OR⁹), or C₁-C₆ alkyl optionally substituted by deuterium, halogen, -OH or oxo;

R⁴ and R⁵ are each independently hydrogen, deuterium, C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₃-C₆ cycloalkyl, C₆-C₁₄ aryl, 5- to 6-membered heteroaryl or 3- to 6-membered heterocyclyl, wherein the C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₃-C₆ cycloalkyl, C₆-C₁₄ aryl, 5- to 6-membered heteroaryl and 3- to 6-membered heterocyclyl of R⁴ and R⁵ are independently optionally substituted by deuterium, halogen, oxo, -CN, -OR⁸, -NR⁸R⁹ or C₁-C₆ alkyl optionally substituted by deuterium, halogen, -OH or oxo;

or R⁴ and R⁵ are taken together with the atom to which they attached to form a 3- to 6-membered heterocyclyl optionally substituted by deuterium, halogen, oxo, -OR⁸, -NR⁸R⁹ or C₁-C₆ alkyl optionally substituted by deuterium, halogen, oxo or -OH;

R⁶ and R⁷ are each independently hydrogen, deuterium, C₁-C₆ alkyl optionally substituted by deuterium, halogen, or oxo, C₂-C₆ alkenyl optionally substituted by deuterium, halogen, or oxo, or C₂-C₆ alkynyl optionally substituted by deuterium, halogen, or oxo;

or R⁶ and R⁷ are taken together with the atom to which they attached to form a 3- to 6-membered heterocyclyl optionally substituted by deuterium, halogen, oxo or C₁-C₆ alkyl optionally substituted by deuterium, halogen, or oxo;

R⁸ and R⁹ are each independently hydrogen, deuterium, C₁-C₆ alkyl optionally substituted by deuterium, halogen, or oxo, C₂-C₆ alkenyl optionally substituted by deuterium, halogen or oxo, or C₂-C₆ alkynyl optionally substituted by deuterium, halogen, or oxo;

or R⁸ and R⁹ are taken together with the atom to which they attached to form a 3-6 membered heterocyclyl optionally substituted by deuterium, halogen, oxo or C₁-C₆ alkyl optionally substituted by deuterium, oxo, or halogen;

each R¹⁰, R¹¹, R¹² and R¹³ are independently hydrogen or deuterium;

R¹⁴ is deuterium;

q is 0, 1, 2, 3, 4, 5, 6, 7, or 8;

each R¹⁵ is independently selected from hydrogen, deuterium, or halogen;

each R¹⁶ is independently selected from hydrogen, deuterium, or halogen; and

p is 3, 4, 5, 6, 7, 8, or 9.

2. The compound of claim 1, wherein:


R^2 is C_1 - C_6 alkyl optionally substituted by R^{2a} ; C_3 - C_6 cycloalkyl optionally substituted by R^{2b} ; 3- to 12-membered heterocyclyl optionally substituted by R^{2c} ; or $-S(O)_2R^{2d}$;

R^3 is independently hydrogen, deuterium, C_1 - C_6 alkyl, C_2 - C_6 alkenyl, C_2 - C_6 alkynyl, C_3 - C_6 cycloalkyl, C_6 - C_{14} aryl, 5- to 6-membered heteroaryl or 3- to 6-membered heterocyclyl, wherein the C_1 - C_6 alkyl, C_2 - C_6 alkenyl, C_2 - C_6 alkynyl, C_3 - C_6 cycloalkyl, C_6 - C_{14} aryl, 5- to 6-membered heteroaryl and 3- to 6-membered heterocyclyl of R^3 are independently optionally substituted by halogen, deuterium, oxo, $-CN$, $-OR^8$, $-NR^8R^9$, $-P(O)(OR^8)(OR^9)$, or C_1 - C_6 alkyl optionally substituted by deuterium, halogen, $-OH$ or oxo;

each R^{15} is hydrogen; and


each R^{16} is hydrogen;

and is represented by Formula (I):



3. The compound of claim 1 or claim 2, or a salt thereof, wherein at least one of R^{1a} , R^{2a} , R^{2b} , R^{2c} , R^{2e} , R^{2f} , R^3 , R^4 , R^5 , R^6 , R^7 , R^8 , R^9 , R^{10} , R^{11} , R^{12} , or R^{13} , ~~or~~ R^{14} is deuterium.

4. The compound of claim 1 or claim 2, or a salt thereof, wherein R^{10} , R^{11} , R^{12} , and R^{13} , ~~and~~ R^{14} are hydrogen; p is 3; q is 0; and is represented by the compound of formula (II):



5. The compound of any one of claims 1-4, or a salt thereof, wherein R^1 is 5- to 10-membered heteroaryl optionally substituted by R^{1a} .

6. The compound of any one of claims 1-4, or a salt thereof, wherein R^1 is:

pyrimidinyl, quinazolinyl, pyrazolopyrimidinyl, pyrazinyl, quinolinyl, pyridopyrimidinyl, thienopyrimidinyl, pyridinyl, pyrrolopyrimidinyl, quinoxalinyl, indazolyl, benzothiazolyl, naphthalenyl, purinyl, or isoquinolinyl; and

optionally substituted by deuterium, hydroxy, C₁-C₆ alkyl, C₁-C₆ haloalkyl, C₁-C₆ perhaloalkyl, C₁-C₆ alkoxy, C₃-C₈ cycloalkyl, C₃-C₈ halocycloalkyl, C₃-C₈ cycloalkoxy, 5- to 10-membered heteroaryl, C₆-C₁₄ aryl, cyano, amino, alkylamino, or dialkylamino.

7. The compound of any one of claims 1-4, or a salt thereof, wherein R¹ is:

pyrimidin-2-yl, pyrimidin-4-yl, quinazolin-4-yl, 1H-pyrazolo[3,4-d]pyrimidine-4-yl, 1H-pyrazolo[4,3-d]pyrimidine-7-yl, pyrazin-2-yl, quinoline-4-yl, pyrido[2,3-d]pyrimidin-4-yl, pyrido[3,2-d]pyrimidin-4-yl, pyrido[3,4-d]pyrimidin-4-yl, thieno[2,3-d]pyrimidin-4-yl, thieno[3,2-d]pyrimidin-4-yl, thienopyrimidin-4-yl, pyridin-2-yl, pyridin-3-yl, 7H-pyrrolo[2,3-d]pyrimidin-4-yl, quinoxalin-2-yl, 1H-indazol-3-yl, benzo[d]thiazol-2-yl, naphthalen-1-yl, 9H-purin-6-yl, or isoquinolin-1-yl; and

optionally substituted by: one or more deuterium; methyl; cyclopropyl; fluoro; chloro; bromo; difluoromethyl; trifluoromethyl; methyl and fluoro; methyl and trifluoromethyl; methoxy; cyano; dimethylamino; phenyl; pyridin-3-yl; or pyridin-4-yl.

8. The compound of any one of claims 1-4, or a salt thereof, wherein R¹ is quinazolin-4-yl optionally substituted by R^{1a}.

9. The compound of any one of claims 1-4, or a salt thereof, wherein R¹ is quinazolin-4-yl optionally substituted by halogen, C₁-C₆ alkyl optionally substituted by halogen, or C₁-C₆ alkoxy.

10. The compound of any one of claims 1-4, or a salt thereof, wherein R¹ is quinazolin-4-yl optionally substituted by fluoro, chloro, methyl, trifluoromethyl or methoxy.

11. The compound of any one of claims 1 or 3-10, or a salt thereof, wherein R² is:
hydrogen;
deuterium;

hydroxy; or

C₁-C₆ alkyl or C₁-C₆ alkoxy optionally substituted with: deuterium, halogen, C₁-C₆ alkyl, C₁-C₆ haloalkyl, C₁-C₆ hydroxyalkyl, C₁-C₆ alkoxy, C₃-C₈ cycloalkyl, C₃-C₈ halocycloalkyl, C₃-C₈ cycloalkoxy, C₆-C₁₄ aryl, C₆-C₁₄ aryloxy, 5- to 10-membered heteroaryl, 5- to 10-membered heteroaryloxy, 3- to 12-membered heterocyclyl optionally substituted with oxo, -C(O)NR⁴R⁵, -NR³C(O)R⁴, or -S(O)₂R³.

12. The compound of any one of claims 1 or 3-10, or a salt thereof, wherein R² is:

methyl, methoxy, ethyl, ethoxy, propyl, cyclopropyl, or cyclobutyl;

each of which is optionally substituted with one or more of: hydroxy, methoxy, ethoxy, acetamide, fluoro, fluoroalkyl, phenoxy, dimethylamide, methylsulfonyl, cyclopropoxyl, pyridin-2-yloxy, optionally methylated or fluorinated pyridine-3-yloxy, N-morpholinyl, N-pyrrolidin-2-onyl, dimethylpyrazol-1-yl, dioxiran-2-yl, morpholin-2-yl, oxetan-3-yl, phenyl, tetrahydrofuran-2-yl, thiazol-2-yl; that is

each of which is substituted with 0, 1, 2, or 3 of deuterium, hydroxy, methyl, fluoro, cyano, or oxo.

13. The compound of any one of claims 1-10, or a salt thereof, wherein R² is C₁-C₆ alkyl optionally substituted by R^{2a}.

14. The compound of any one of claims 1-10, or a salt thereof, wherein R² is C₁-C₆ alkyl optionally substituted by -OR³.


15. The compound of any one of claims 1-10, or a salt thereof, wherein R² is C₁-C₆ alkyl optionally substituted by -OR³, and R³ is: hydrogen; C₁-C₆ alkyl optionally substituted by halogen; C₃-C₆ cycloalkyl optionally substituted by halogen; C₆-C₁₄ aryl optionally substituted by halogen; or 5- to 6-membered heteroaryl optionally substituted by halogen or C₁-C₆ alkyl.



16. The compound of any one of claims 1-10, or a salt thereof, wherein R² is C₁-C₆ alkyl optionally substituted by -OR³, and R³ is: hydrogen; methyl; ethyl; difluoromethyl; -CH₂CHF₂; -

CH₂CF₃; cyclopropyl substituted by fluoro; phenyl optionally substituted by fluoro; or pyridinyl optionally substituted by fluoro or methyl.


17. The compound of any one of claims 1 to 10, or a salt thereof, wherein R² is –CH₂CH₂OCH₃.


18. The compound of any one of claims 1 to 10, or a salt thereof, wherein R² is C₁-C₆ alkyl substituted by both halogen and OR³, wherein R³ is C₁-C₆ alkyl; or wherein R² is C₃-C₆ cycloalkyl optionally substituted by R^{2b}.





19. The compound of any one of claims 1-4, or a salt thereof, wherein R¹ is ,




 or , wherein m is 0, 1, 2, or 3 and each R^{1a} is, where applicable, independently deuterium, halogen, alkyl, haloalkyl, alkoxy, hydroxy, -CN, or heteroaryl, wherein the alkyl, haloalkyl, alkoxy, hydroxy, and heteroaryl of R^{1a} are independently optionally substituted by deuterium.



20. The compound of any one of claims 1-4, or a salt thereof, wherein R¹ is

, wherein m is 0, 1, 2, 3, 4, or 5 and each R^{1a} is, where applicable, independently deuterium, halogen, alkyl, haloalkyl, alkoxy, hydroxy, -CN, or heteroaryl, wherein the alkyl, haloalkyl, alkoxy, hydroxy, and heteroaryl of R^{1a} are independently optionally substituted by deuterium.


21. The compound of any one of claims 1-4, or a salt thereof, wherein R¹ is ,

, , , or  wherein m is 0, 1, 2, 3, 4, or 5;






or R¹ is , , or  wherein m is 0, 1, 2, 3, or 4;


or R¹ is  or , wherein m is 0, 1, 2, 3, 4, 5, or 6; and each R^{1a} is, where applicable, independently deuterium, halogen, alkyl, haloalkyl, alkoxy, hydroxy, -CN, or heteroaryl, wherein the alkyl, haloalkyl, alkoxy, hydroxy, and heteroaryl of R^{1a} are independently optionally substituted by deuterium.

22. The compound of any one of claims 1-4, or a salt thereof, wherein R¹ is


, wherein m is 0, 1, or 2 and each R^{1a} is, where applicable, independently deuterium, halogen, alkyl, haloalkyl, alkoxy, hydroxy, -CN, or heteroaryl, wherein the alkyl, haloalkyl, alkoxy, hydroxy, and heteroaryl of R^{1a} are independently optionally substituted by deuterium.


23. The compound of any one of claims 1-4, or a salt thereof, wherein R¹ is selected from the

group consisting of , , , , ,




25. The compound of any one of claims 1-10 or 19-23, or a salt thereof, wherein R² is





26. The compound of any one of claims 1-10 or 19-23, or a salt thereof, wherein R² is



27. The compound of any one of claims 1 to 11, or a salt thereof, wherein R² is C₃-C₅ alkyl substituted by both fluorine and -OCH₃.

28. The compound of any one of claims 1-10 or 19-23, or a salt thereof, wherein R² is C₁-C₆ alkyl optionally substituted by -OR³, and R³ is phenyl optionally substituted by fluorine;

or wherein R² is C₁-C₆ alkyl optionally substituted by -OR³, and R³ is pyridinyl optionally substituted by fluorine or methyl; or

wherein R² is C₁-C₆ alkyl substituted by R^{2a} wherein R^{2a} is halogen; or

wherein R² is C₁-C₆ alkyl substituted by R^{2a} wherein R^{2a} is deuterium; or

wherein R² is C₁-C₆ alkyl substituted by R^{2a} wherein R^{2a} is 3- to 12-membered heterocyclyl optionally substituted by oxo; or

wherein R² is C₁-C₆ alkyl substituted by R^{2a} wherein R^{2a} is 4- to 5-membered heterocyclyl optionally substituted by oxo; or

wherein R² is C₁-C₆ alkyl substituted by R^{2a} wherein R^{2a} is C₆-C₁₄ aryl optionally substituted by halogen or -OR⁶; or

wherein R² is C₁-C₆ alkyl substituted by R^{2a} wherein R^{2a} is phenyl optionally substituted by halogen or -OR⁶; or

wherein R² is C₁-C₆ alkyl substituted by R^{2a} wherein R^{2a} is 5- to 10-membered heteroaryl optionally substituted by C₁-C₆ alkyl; or

wherein R² is C₁-C₆ alkyl substituted by R^{2a} wherein R^{2a} is pyrazolyl optionally substituted by methyl; or

wherein R² is C₁-C₆ alkyl substituted by R^{2a} wherein R^{2a} is C₃-C₈ cycloalkyl optionally substituted by -CN, halogen, or -OR⁶; or

wherein R² is C₁-C₆ alkyl substituted by R^{2a} wherein R^{2a} is -S(O)₂R³.

29. The compound of any one of claims 1-4, or a salt thereof,

wherein R¹ is pyridyl optionally substituted by R^{1a}; or

wherein R¹ is indazolyl optionally substituted by R^{1a}; or

wherein R¹ is 1*H*-pyrrolopyridyl optionally substituted by R^{1a}; or

wherein R¹ is quinolinyl optionally substituted by R^{1a}; or

wherein R¹ is phenyl optionally substituted by R^{1a}; or

wherein R¹ is indanyl optionally substituted by R^{1a}.

30. A compound, or a salt thereof, selected from ~~Compound Nos. 1-780 in FIG. 1,~~the group consisting of

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(difluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-hydroxy-2-methylpropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-((7-fluoroquinazolin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methylquinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrido[2,3-d]pyrimidin-4-ylamino) butanoic acid;

(S)-2-((7-fluoro-2-methylquinazolin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-(trifluoromethyl)quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((8-(trifluoromethyl)quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrido[3,2-d]pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrido[3,4-d]pyrimidin-4-ylamino) butanoic acid;

(S)-2-((5-fluoroquinazolin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-fluoroquinazolin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((8-fluoroquinazolin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6,7-difluoroquinazolin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methyl-6-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(difluoromethyl)pyrimidin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((S)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methyl-2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-((7-fluoro-2-methylquinazolin-4-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((3,3-difluorocyclobutyl)methyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-fluoro-2-methylquinazolin-4-yl) amino) butanoic acid;

(S)-2-(isoquinolin-1-ylamino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(difluoromethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinolin-4-ylamino) butanoic acid;

(S)-2-((7-chloroquinazolin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((8-chloroquinazolin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-(quinazolin-4-ylamino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-2-((7-fluoro-2-methylquinazolin-4-yl) amino)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methoxyquinazolin-4-yl) amino) butanoic acid;

(2S)-4-((2-(2,2-difluorocyclopropoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-fluoro-2-methylquinazolin-4-yl) amino) butanoic acid;

(S)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((8-methoxyquinazolin-4-yl) amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methylquinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-((8-chloroquinazolin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-(pyrido[3,2-d]pyrimidin-4-ylamino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-((7-fluoro-2-methylquinazolin-4-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrido[3,2-d]pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-((7-fluoro-2-methylquinazolin-4-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrido[3,2-d]pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrido[3,2-d]pyrimidin-4-ylamino) butanoic acid;

(S)-2-((7-fluoro-2-methylquinazolin-4-yl) amino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-((7-fluoro-2-methylquinazolin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methylquinazolin-4-yl) amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-hydroxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-fluoropyrimidin-2-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid; (S)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-fluoropyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl)amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(2S)-4-((oxetan-2-ylmethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((3-hydroxy-2-(hydroxymethyl)propyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl) pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((3-fluorooxetan-3-yl) methyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-cyclopropylpyrimidin-2-yl) amino) butanoic acid;

4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-2-ylamino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methoxypyrimidin-4-yl) amino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methyl-2H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

2-((5-cyanopyrimidin-2-yl) amino)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((5-bromopyrimidin-2-yl) amino)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methyl-2H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino) butanoic acid;

4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-fluoropyrimidin-2-yl) amino) butanoic acid;

(S)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3,3-difluorocyclobutyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-((5-methylpyrimidin-2-yl)amino)butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-3-ylamino) butanoic acid;

4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

2-((5-cyanopyrimidin-2-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-2-ylamino) butanoic acid;

2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((5-bromopyrimidin-2-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methoxypyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methylpyrazin-2-yl) amino) butanoic acid;

2-((3-cyanopyrazin-2-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

2-((5-fluoropyrimidin-2-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl)amino) butanoic acid;

(R)-2-((6-(tert-butyl)pyrimidin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((5-cyclopropylpyrimidin-2-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(dimethylamino)pyrimidin-4-yl)amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinoxalin-2-ylamino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methoxypyrazin-2-yl) amino) butanoic acid;

4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino) butanoic acid;

4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(pyridin-4-yl) pyrazin-2-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) amino)-2-((6-phenylpyrazin-2-yl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazol-5-yl) amino) butanoic acid;

(S)-2-(benzo[d]oxazol-2-ylamino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-benzo[d]imidazol-2-yl) amino) butanoic acid;

(S)-2-(benzo[d]thiazol-2-ylamino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methyl-2H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

(S)-2-((9H-purin-6-yl)amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((4-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-indazol-3-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-indol-3-yl) amino) butanoic acid;

2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((5-bromopyrimidin-2-yl) amino)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((2-(methylsulfonyl)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((5-bromopyrimidin-2-yl) amino)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methyl-2H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

(S)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl) amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino)butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methyl-2H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

2-((5-cyanopyrimidin-2-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-2-ylamino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((5-bromopyrimidin-2-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((3-methyl-1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((4-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrazin-2-yl) amino) butanoic acid;

4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((5-cyanopyrimidin-2-yl) amino)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((5-bromopyrimidin-2-yl) amino)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

2-((5-cyanopyrimidin-2-yl) amino)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((5-bromopyrimidin-2-yl) amino)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methyl-2H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

(S)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methyl-2H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

(S)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-ethoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((S)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methylpyrimidin-2-yl)amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-3-ylamino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-cyanopyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-bromopyrimidin-2-yl) amino) butanoic acid;

(S)-2-((7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methoxypyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(dimethylamino)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-cyclopropylpyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(tert-butyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((3-cyanopyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinoxalin-2-ylamino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methyl-2H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((4-phenylpyridin-2-yl) amino) butanoic acid;

(S)-2-([4,4'-bipyridin]-2-ylamino)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(pyridin-4-yl) pyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-fluoropyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-(dimethylamino)-2-oxoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((4-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methylpyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-3-ylamino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-2-ylamino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methoxypyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methylpyrazin-2-yl) amino) butanoic acid;

2-((3-cyanopyrazin-2-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-2-((5-fluoropyrimidin-2-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(tert-butyl)pyrimidin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(dimethylamino)pyrimidin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinoxalin-2-ylamino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methoxypyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(pyridin-4-yl) pyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazol-5-yl) amino) butanoic acid;

(S)-2-(benzo[d]oxazol-2-ylamino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-benzo[d]imidazol-2-yl) amino) butanoic acid;

(S)-2-(benzo[d]thiazol-2-ylamino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

(S)-2-((9H-purin-6-yl) amino)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((4-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-indazol-3-yl) amino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-indol-3-yl) amino) butanoic acid;

(R)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinoxalin-2-ylamino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methylpyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-3-ylamino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-2-ylamino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((2-methoxypyrimidin-4-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-methylpyrazin-2-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-2-((5-fluoropyrimidin-2-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(tert-butyl)pyrimidin-4-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(dimethylamino)pyrimidin-4-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinoxalin-2-ylamino) butanoic acid;

(S)-2-((5-methoxypyrazin-2-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(pyridin-4-yl) pyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((4-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((4-phenylpyridin-2-yl) amino) butanoic acid;

(S)-2-((9H-purin-6-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-(benzo[d]thiazol-2-ylamino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-benzo[d]imidazol-2-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-(benzo[d]oxazol-2-ylamino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazol-5-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-indazol-3-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-indol-3-yl) amino)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methylpyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-3-ylamino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-2-ylamino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methoxypyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(dimethylamino)pyrimidin-4-yl) amino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(tert-butyl)pyrimidin-4-yl) amino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-fluoropyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(pyridin-4-yl) pyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methoxypyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinoxalin-2-ylamino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((4-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyridin-2-yl) amino) butanoic acid;

(S)-2-((9H-purin-6-yl) amino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

(S)-2-(benzo[d]thiazol-2-ylamino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-benzo[d]imidazol-2-yl) amino) butanoic acid;

(S)-2-(benzo[d]oxazol-2-ylamino)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazol-5-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-indazol-3-yl) amino) butanoic acid;

(S)-4-((2-((5-fluoropyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-indol-3-yl) amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methylpyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-3-ylamino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-2-ylamino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((2-methoxypyrimidin-4-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-methylpyrazin-2-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-2-((5-fluoropyrimidin-2-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(tert-butyl)pyrimidin-4-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(dimethylamino)pyrimidin-4-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinoxalin-2-ylamino) butanoic acid;

(S)-2-((5-methoxypyrazin-2-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(pyridin-4-yl) pyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazol-5-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-(benzo[d]oxazol-2-ylamino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-benzo[d]imidazol-2-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-(benzo[d]thiazol-2-ylamino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((9H-purin-6-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-((2-((2-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyridin-2-yl) amino) butanoic acid;

(S)-2-((1-methyl-1H-indazol-3-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-indol-3-yl) amino)-4-((2-((6-methylpyridin-3-yl) oxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-methylpyrimidin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-3-ylamino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-(pyridin-2-ylamino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((2-methoxypyrimidin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-methylpyrazin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-2-((5-fluoropyrimidin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(tert-butyl)pyrimidin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(dimethylamino)pyrimidin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinoxalin-2-ylamino) butanoic acid;

(S)-2-((5-methoxypyrazin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-phenylpyrimidin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((2-phenylpyrimidin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-phenylpyrimidin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(pyridin-4-yl) pyrazin-2-yl) amino) butanoic acid;

(S)-2-((5-phenylpyrazin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((6-phenylpyrazin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazol-5-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-(benzo[d]oxazol-2-ylamino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-benzo[d]imidazol-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-(benzo[d]thiazol-2-ylamino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((9H-purin-6-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-phenylpyridin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((4-phenylpyridin-2-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-indol-3-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1-methyl-1H-indazol-3-yl) amino)-4-((2-(pyridin-2-yloxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methylpyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-3-ylamino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-2-ylamino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methoxypyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methylpyrazin-2-yl) amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-fluoropyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(tert-butyl)pyrimidin-4-yl) amino)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(dimethylamino)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinoxalin-2-ylamino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methoxypyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(pyridin-4-yl) pyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazol-5-yl) amino) butanoic acid;

(S)-2-(benzo[d]oxazol-2-ylamino)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-benzo[d]imidazol-2-yl) amino) butanoic acid;

(S)-2-(benzo[d]thiazol-2-ylamino)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

(S)-2-((9H-purin-6-yl) amino)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((4-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-indazol-3-yl) amino) butanoic acid;

(S)-4-((2-(3,5-difluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-indol-3-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methylpyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-3-ylamino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-2-ylamino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methoxypyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methylpyrazin-2-yl) amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-fluoropyrimidin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(tert-butyl)pyrimidin-4-yl) amino)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(dimethylamino)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinoxalin-2-ylamino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methoxypyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methyl-2-(pyridin-4-yl) pyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-(pyridin-4-yl) pyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazol-5-yl) amino) butanoic acid;

(S)-2-(benzo[d]oxazol-2-ylamino)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-benzo[d]imidazol-2-yl) amino) butanoic acid;

(S)-2-(benzo[d]thiazol-2-ylamino)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;

(S)-2-((9H-purin-6-yl) amino)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((4-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-indazol-3-yl) amino) butanoic acid;

(S)-4-((2-(3,5-dimethyl-1H-pyrazol-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-indol-3-yl) amino) butanoic acid;

(R)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-methoxyethyl) (5-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) pentyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinoxalin-2-ylamino) butanoic acid;

(2S)-2-(quinazolin-4-ylamino)-4-(((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) ((tetrahydrofuran-2-yl) methyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((3-fluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((3,3-difluoropropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(R)-2-(((6-(dimethylamino)pyrimidin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-(((6-(tert-butyl)pyrimidin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(R)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino) butanoic acid;
(S)-4-((2,2-difluoro-4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-methoxyethyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;
(S)-2-((2-methyl-2H-pyrazolo[4,3-d]pyrimidin-7-yl) amino)-4-((2-phenoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;
(S)-4-((2,2-difluoroethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-2-ylamino) butanoic acid;
(S)-4-((2-(dimethylamino)-2-oxoethyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-((2-methyl-2H-pyrazolo[4,3-d]pyrimidin-7-yl)amino)butanoic acid;.
(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methyl-2H-pyrazolo[4,3-d]pyrimidin-7-yl) amino) butanoic acid;
(S)-4-((2-fluoro-3-hydroxy-2-(hydroxymethyl)propyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;
(S)-4-((3-hydroxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;
(S)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;
(R)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrazin-2-yl) amino) butanoic acid;
(S)-4-((2-(2-oxopyrrolidin-1-yl) ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;
(S)-2-((3-cyanopyrazin-2-yl) amino)-4-(cyclopropyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;
(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-(4-fluorophenoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;
(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(benzo[d]thiazol-2-ylamino) butanoic acid;
(S)-2-((1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;
(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino) butanoic acid;

(S)-2-(((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrimidin-4-ylamino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methoxypyrimidin-4-yl) amino) butanoic acid;

(S)-2-(((6-(dimethylamino)pyrimidin-4-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-(((6-(tert-butyl)pyrimidin-4-yl) amino)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-phenylpyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-phenylpyrazin-2-yl) amino) butanoic acid;

(S)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino)-2-((5-(trifluoromethyl)pyrimidin-2-yl) amino) butanoic acid;

(S)-2-((5-cyanopyrimidin-2-yl) amino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-2-((1H-pyrazolo[3,4-d]pyrimidin-4-yl) amino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-2-((5-bromopyrimidin-2-yl) amino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino)-2-((2-(trifluoromethyl)pyrimidin-4-yl) amino) butanoic acid;

(S)-2-((5-cyclopropylpyrimidin-2-yl) amino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-2-((2-(pyridin-3-yl) quinazolin-4-yl) amino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-2-((6-phenylpyrimidin-4-yl) amino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-2-((5-phenylpyrimidin-4-yl) amino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-2-(pyrimidin-4-ylamino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-2-((6-(1H-pyrazol-1-yl) pyrimidin-4-yl) amino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (2-(2,2,2-trifluoroethoxy)ethyl)amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methylpyrimidin-2-yl) amino) butanoic acid;

(S)-2-((3-cyanopyrazin-2-yl) amino)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-([4,4'-bipyridin]-2-ylamino)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-(2,2-difluoroethoxy)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((4-phenylpyridin-2-yl) amino) butanoic acid;

(S)-4-((2-(2,2-difluoroethoxy)ethyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-((5-phenylpyridin-2-yl)amino)butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-((6-methylpyrazin-2-yl)amino)butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-(quinoxalin-2-ylamino)butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-((6-methyl-2-(pyridin-4-yl)pyrimidin-4-yl)amino)butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((1-methyl-1H-indazol-3-yl) amino) butanoic acid;

(S)-4-((2-acetamidoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(benzo[d]thiazol-2-ylamino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyridin-3-ylamino) butanoic acid;

(S)-4-((2-methoxyethyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-(naphthalen-1-ylamino)butanoic acid;

(S)-4-((2-morpholinoethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(2S)-4-((2,3-dihydroxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

4-((2-methoxyethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(naphthalen-1-ylamino) butanoic acid;

(2S)-4-((3-fluoro-2-hydroxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-(quinazolin-4-ylamino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl) (thiazol-2-ylmethyl)amino) butanoic acid;

(S)-4-((2-(3-oxomorpholino)ethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(benzyl(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(((R)-2-hydroxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(2S)-4-(((1,4-dioxan-2-yl) methyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-hydroxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(((S)-2-hydroxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(2S)-4-((morpholin-3-ylmethyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(2S)-4-((3,3-difluoro-2-hydroxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(((S)-2,3-dihydroxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-hydroxy-2-methylpropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrido[2,3-d]pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2-hydroxy-2-methylpropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrido[3,2-d]pyrimidin-4-ylamino) butanoic acid;

(S)-2-((7-fluoro-2-methylquinazolin-4-yl) amino)-4-((2-hydroxy-2-methylpropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-((2-hydroxy-2-methylpropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(((S)-2-fluoro-3-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrido[3,2-d]pyrimidin-4-ylamino) butanoic acid;

(S)-4-(methoxy(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-methoxy-2-methylpropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-2-((7-fluoro-2-methylquinazolin-4-yl) amino)-4-((2-methoxy-2-methylpropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((3-hydroxyoxetan-3-yl) methyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-((2-methoxy-2-methylpropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrido[2,3-d]pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2-methoxy-2-methylpropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(pyrido[3,2-d]pyrimidin-4-ylamino) butanoic acid;

(S)-4-((2-methoxy-2-methylpropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methylquinazolin-4-yl) amino) butanoic acid;

(S)-4-(((1-cyanocyclopropyl)methyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(quinazolin-4-ylamino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((2-methylquinazolin-4-yl) amino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-fluoro-2-methylquinazolin-4-yl) amino) butanoic acid;

(S)-2-(quinazolin-4-ylamino)-4-((4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((8-fluoroquinazolin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-2-((7-fluoroquinazolin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((8-methylquinazolin-4-yl) amino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methylquinazolin-4-yl) amino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-fluoroquinazolin-4-yl) amino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((8-methylquinazolin-4-yl) amino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((8-fluoroquinazolin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methylquinazolin-4-yl) amino) butanoic acid;

(S)-2-((6-fluoroquinazolin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-fluoroquinazolin-4-yl) amino) butanoic acid;


(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(thieno[2,3-d]pyrimidin-4-ylamino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(thieno[2,3-d]pyrimidin-4-ylamino) butanoic acid;

(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methylthieno[2,3-d]pyrimidin-4-yl) amino) butanoic acid;

(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methylthieno[2,3-d]pyrimidin-4-yl) amino) butanoic acid;
(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(thieno[3,2-d]pyrimidin-4-ylamino) butanoic acid;
(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methylthieno[3,2-d]pyrimidin-4-yl) amino) butanoic acid;
(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-(thieno[3,2-d]pyrimidin-4-ylamino) butanoic acid;
(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((6-methylthieno[3,2-d]pyrimidin-4-yl) amino) butanoic acid;
(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methylthieno[2,3-d]pyrimidin-4-yl) amino) butanoic acid;
(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((5-methylthieno[2,3-d]pyrimidin-4-yl) amino) butanoic acid;
(S)-2-((7,8-difluoroquinazolin-4-yl) amino)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;
(S)-2-((7,8-difluoroquinazolin-4-yl) amino)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino) butanoic acid;
(S)-4-(((S)-3-fluoro-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methylthieno[3,2-d]pyrimidin-4-yl) amino) butanoic acid; and
(S)-4-(((R)-2-methoxypropyl) (4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl) butyl)amino)-2-((7-methylthieno[3,2-d]pyrimidin-4-yl) amino) butanoic acid.

31. The compound of claim 1, or a pharmaceutically acceptable salt thereof, wherein the compound is of the formula (II-B):



where m is 0, 1, 2, 3, 4, or 5.

32. The compound of claim 1, wherein the compound is selected from:

- (S)-2-((7-fluoroquinazolin-4-yl)amino)-4-((2-methoxyethyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)butanoic acid;
- (S)-2-((7-fluoro-2-methylquinazolin-4-yl)amino)-4-((2-methoxyethyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)butanoic acid;
- (S)-4-((2-methoxyethyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-((8-(trifluoromethyl)quinazolin-4-yl)amino)butanoic acid;
- (S)-2-((6-fluoroquinazolin-4-yl)amino)-4-((2-methoxyethyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)butanoic acid;
- (S)-2-((6,7-difluoroquinazolin-4-yl)amino)-4-((2-methoxyethyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)butanoic acid;
- (S)-2-((7-fluoro-2-methylquinazolin-4-yl)amino)-4-((2-(4-fluorophenoxy)ethyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)butanoic acid;
- (2S)-4-((2-(2,2-difluorocyclopropoxy)ethyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-((7-fluoro-2-methylquinazolin-4-yl)amino)butanoic acid;
- (S)-4-(((S)-3-fluoro-2-methoxypropyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-((2-methylquinazolin-4-yl)amino)butanoic acid;
- (S)-2-((8-fluoroquinazolin-4-yl)amino)-4-(((R)-2-methoxypropyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)butanoic acid;
- (S)-2-((7-fluoroquinazolin-4-yl)amino)-4-(((R)-2-methoxypropyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)butanoic acid;
- (S)-4-(((R)-2-methoxypropyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-((8-methylquinazolin-4-yl)amino)butanoic acid;
- (S)-2-((7,8-difluoroquinazolin-4-yl)amino)-4-(((R)-2-methoxypropyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)butanoic acid;
- (S)-4-((2-methoxyethyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-(quinazolin-4-ylamino)butanoic acid;
- (S)-4-((2-phenoxyethyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-(quinazolin-4-ylamino)butanoic acid;
- (S)-4-((2-(3,5-difluorophenoxy)ethyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-(quinazolin-4-ylamino)butanoic acid;

(S)-4-((2-(pyridin-2-yloxy)ethyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-(quinazolin-4-ylamino)butanoic acid;
 (S)-4-((2-(2,2-difluoroethoxy)ethyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-(quinazolin-4-ylamino)butanoic acid;
 (S)-4-((2-((6-methylpyridin-3-yl)oxy)ethyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-(quinazolin-4-ylamino)butanoic acid;
 (S)-4-(((R)-2-methoxypropyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-(quinazolin-4-ylamino)butanoic acid;
 (S)-4-((2-hydroxyethyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-(quinazolin-4-ylamino)butanoic acid;
 (S)-4-(((R)-2-hydroxypropyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-(quinazolin-4-ylamino)butanoic acid; and
 (S)-4-(((S)-2,3-dihydroxypropyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-(quinazolin-4-ylamino)butanoic acid,
 or a pharmaceutically acceptable salt thereof.

33. The compound of claim 1, wherein the compound is (S)-4-((2-methoxyethyl)(4-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)butyl)amino)-2-(quinazolin-4-ylamino)butanoic acid, or a pharmaceutically acceptable salt thereof.

34. A pharmaceutical composition comprising a compound of any one of claims 1 to 33, or a salt thereof, and a pharmaceutically acceptable carrier or excipient.

35. A compound of any one of claims 1 to 33, or a salt thereof, or a pharmaceutical composition of claim 34, for use as a medicament.

36. Use of a compound of any one of claims 1 to 33 or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition of claim 34, in the manufacture of a medicament for treating a fibrotic disease.

37. The use of claim 36, wherein the fibrotic disease is pulmonary fibrosis, liver fibrosis, skin fibrosis, cardiac fibrosis, kidney fibrosis, gastrointestinal fibrosis, primary sclerosing cholangitis, or biliary fibrosis.
38. The use of claim 36, wherein the fibrotic disease is liver fibrosis, cardiac fibrosis, primary sclerosing cholangitis, or biliary fibrosis.
39. A kit comprising a compound of any one of claims 1 to 33, or a pharmaceutically acceptable salt thereof.
40. The kit of claim 39, further comprising instructions for the treatment of a fibrotic disease.
41. Use of a compound of any one of claims 1 to 33 or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition of claim 34, in the manufacture of a medicament for inhibiting $\alpha_v\beta_6$ integrin in an individual.
- ~~42. Use of a compound of any one of claims 1 to 33 or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition of claim 34, in the manufacture of a medicament for inhibiting TGF β activation in a cell.~~
- ~~43~~42. A compound of any one of claims 1 to 33 or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition of claim 34, for use in the treatment of a fibrotic disease.
- ~~44. Use of the compound of any of claims 1-33 or a salt thereof, in the manufacture of a medicament for inhibiting $\alpha_v\beta_6$ integrin, the use comprising contacting the $\alpha_v\beta_6$ integrin with an amount of the compound effective to inhibit the $\alpha_v\beta_6$ integrin.~~
- ~~45~~43. Use of a compound of any one of claims 1 to 33, or a salt thereof, in the manufacture of a medicament for modulating the activity of at least one integrin in a subject, the at least one integrin including at least one of $\alpha_v\beta_1$ integrin and $\alpha_v\beta_6$ integrin.

4644. The use of claim **4543**, wherein the modulating comprises inhibiting the activity of one or both of $\alpha_v\beta_1$ integrin and $\alpha_v\beta_6$ integrin in the subject.

4745. The use of claim **4543** or claim **4644**, wherein the subject has or is at risk of a fibrotic disease selected from the group consisting of: idiopathic pulmonary fibrosis (IPF), interstitial lung disease, radiation-induced pulmonary fibrosis, nonalcoholic fatty liver disease (NAFLD), nonalcoholic steatohepatitis (NASH), alcoholic liver disease induced fibrosis, Alport syndrome, primary sclerosing cholangitis (PSC), primary biliary cholangitis, biliary atresia, systemic sclerosis associated interstitial lung disease, scleroderma, diabetic nephropathy, diabetic kidney disease, focal segmental glomerulosclerosis, chronic kidney disease, and Crohn's Disease; and wherein the modulating comprises inhibiting the activity of one or both of $\alpha_v\beta_1$ integrin and $\alpha_v\beta_6$ integrin in the subject.

4846. The use of claim **4543** or claim **4644**, wherein the subject is in need of treatment for NASH.

4947. The use of claim **4543** or claim **4644**, the subject being in need of treatment for IPF.

5048. The use of claim **4543** or claim **4644**, the subject being in need of treatment for PSC.