(preferably a human subject) in need thereof a pharmaceutically active amount of a pharmaceutical combination according to any one of embodiments 1) to 7).

16) A further embodiment of the invention relates to a pharmaceutical composition containing, as active principle, (R)-5-[3-chloro-4-(2,3-dihydroxy-propoxy)-benz[Z]ylidene]-2-([Z]-propylimino)-3-o-tolyl-thiazolidin-4-one and at least one therapeutically inert excipient, for use as a medicament, wherein the pharmaceutical composition is to be administered in combination with a second pharmaceutical composition containing, as active principle, methyl fumarate, dimethyl fumarate, (N,N-diethylcarbamoyl)methyl methyl (2E)but-2-ene-1,4-dioate, or 2-(2,5-dioxopyrrolidin-1-yl)ethyl methyl (2E)but-2-ene-1,4-dioate, or a pharmaceutically acceptable salt thereof and at least one therapeutically inert excipient.

17) A further embodiment of the invention relates to a pharmaceutical composition containing, as active principle, (R)-5-[3-chloro-4-(2,3-dihydroxy-propoxy)-benz[Z]ylidene]-2-([Z]-propylimino)-3-o-tolyl-thiazolidin-4-one and at least one therapeutically inert excipient, for use as a medicament wherein the pharmaceutical composition is to be administered in combination with a second pharmaceutical composition containing, as active principle, dimethyl fumarate and at least one therapeutically inert excipient.

18) A further embodiment of the invention relates to a pharmaceutical composition according to embodiment 16) or 17) for use as a medicament.

19) A further embodiment of the invention relates to the use of a pharmaceutical composition according to embodiment 16) or 17) in the manufacture of a medicament for the prevention and/or treatment of a disease or disorder listed in any one of embodiments 9) to 15).

20) A further embodiment of the invention relates to a pharmaceutical composition containing, as active principle, methyl fumarate, dimethyl fumarate, (N,N-diethylcarbamoyl)methyl methyl (2E)but-2-ene-1,4-dioate, or 2-(2,5-dioxopyrrolidin-1-yl)ethyl methyl (2E)but-2-ene-1,4-dioate, or a pharmaceutically acceptable salt thereof, and at least one therapeutically inert excipient, for use as a medicament, wherein the pharmaceutical composition is to be administered in combination with a second pharmaceutical composition containing, as active principle, (R)-5-[3-chloro-4-(2,3-dihydroxy-propoxy)-benz[Z]ylidene]-2-([Z]-propylimino)-3-o-tolyl-thiazolidin-4-one and at least one therapeutically inert excipient.

21) A further embodiment of the invention relates to a pharmaceutical composition containing, as active principle, dimethyl fumarate and at least one therapeutically inert excipient, for use as a medicament, wherein the pharmaceutical composition is to be administered in combination with a second pharmaceutical composition containing, as active principle, (R)-5-[3-chloro-4-(2,3-dihydroxy-propoxy)-benz[Z]ylidene]-2-([Z]-propylimino)-3-o-tolyl-thiazolidin-4-one and at least one therapeutically inert excipient.

22) A further embodiment of the invention relates to a pharmaceutical composition according to embodiment 20) or 21) for use as a medicament.

23) A further embodiment of the invention relates to the use of a pharmaceutical composition according to embodiment 20) or 21) in the manufacture of a medicament for the prevention and/or treatment of a disease or disorder listed in any one of embodiments 9) to 15).

24) A further embodiment of the invention relates to a kit of parts comprising a first pharmaceutical composition containing, as active principle, (R)-5-[3-chloro-4-(2,3-dihydroxy-propoxy)-benz[Z]ylidene]-2-([Z]-propylimino)-3-o-tolyl-thiazolidin-4-one and at least one therapeutically inert excipient; and a second pharmaceutical composition containing, as active principle, methyl fumarate, dimethyl fumarate, (N,N-diethylcarbamoyl)methyl methyl (2E)but-2-ene-1,4-dioate, or 2-(2,5-dioxopyrrolidin-1-yl)ethyl methyl (2E)but-2-ene-1,4-dioate, or a pharmaceutically acceptable salt thereof, and at least one therapeutically inert excipient.

25) A further embodiment of the invention relates to a kit of parts according to embodiment 24), wherein the second pharmaceutical composition contains, as active principle, dimethyl fumarate and at least one therapeutically inert excipient.

26) A further embodiment of the invention relates to a kit of parts according to embodiment 24) or 25) further comprising instructions for the simultaneous, sequential or separate administration of the pharmaceutical compositions.

27) A further embodiment of the invention relates to a kit of parts according to any one of embodiments 24) to 26) for use as a medicament.

28) A further embodiment of the invention relates to a kit of parts according to any one of embodiments 24) to 26) for use in the prevention and/or treatment of a disease or disorder listed in any one of embodiments 9) to 15).

29) A further embodiment of the invention relates to the use of (R)-5-[3-chloro-4-(2,3-dihydroxy-propoxy)-benz[Z]ylidene]-2-([Z]-propylimino)-3-o-tolyl-thiazolidin-4-one and a second active ingredient which is selected from the group consisting of methyl fumarate, dimethyl fumarate, (N,N-diethylcarbamoyl)methyl methyl (2E)but-2-ene-1,4-dioate, and 2-(2,5-dioxopyrrolidin-1-yl)ethyl methyl (2E)but-2-ene-1,4-dioate, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for use in the treatment of a disease or disorder, wherein the disease or disorder is multiple sclerosis.

30) A further embodiment of the invention relates to the use according to embodiment 29), wherein the second active ingredient is dimethyl fumarate.

31) A further embodiment of the invention relates to the use of (R)-5-[3-chloro-4-(2,3-dihydroxy-propoxy)-benz[Z]ylidene]-2-([Z]-propylimino)-3-o-tolyl-thiazolidin-4-one in the manufacture of a medicament for use, in combination with a second medicament comprising methyl fumarate, dimethyl fumarate, (N,N-diethylcarbamoyl)methyl methyl (2E)but-2-ene-1,4-dioate, or 2-(2,5-dioxopyrrolidin-1-yl)ethyl methyl (2E)but-2-ene-1,4-dioate, or a pharmaceutically acceptable salt thereof, in the treatment of a disease or disorder listed in any one of embodiments 9) to 15).

32) A further embodiment of the invention relates to the use according to embodiment 31), wherein the second medicament comprises dimethyl fumarate.

33) A further embodiment of the invention relates to the use of methyl fumarate, dimethyl fumarate, (N,N-diethylcarbamoyl)methyl methyl (2E)but-2-ene-1,4-dioate, or 2-(2,5-dioxopyrrolidin-1-yl)ethyl methyl (2E)but-2-ene-1,4-dioate, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for use, in combination with a second medicament comprising (R)-5-[3-chloro-4-(2,3-dihydroxy-propoxy)-benz[Z]ylidene]-2-([Z]-propylimino)-3-o-tolyl-thiazolidin-4-one, in the treatment of a disease or disorder listed in any one of embodiments 9) to 15).

34) A further embodiment of the invention relates to the use of dimethyl fumarate in the manufacture of a medicament for use, in combination with a second medicament

comprising (R)-5-[3-chloro-4-(2,3-dihydroxy-propoxy)-benz[Z]ylidene]-2-([Z]-propylimino)-3-o-tolyl-thiazolidin-4-one, in treatment of a disease or disorder listed in any one of embodiments 9) to 15).

Based on the dependencies of the different embodiments 1) to 34) as disclosed hereinabove, the following embodiments are thus possible and intended and herewith specifically disclosed in individualised form: 1, 2+1, 3+1, 4+1, 5+1, 6+1, 6+2+1, 6+3+1, 6+4+1, 6+5+1, 7+1, 7+2+1, 7+3+1, 7+4+1, 7+5+1, 8+1, 8+2+1, 8+3+1, 8+4+1, 8+5+1, 8+6+1, 8+6+2+1, 8+6+3+1, 8+6+4+1, 8+6+5+1, 8+7+1, 8+7+2+1, 8+7+3+1, 8+7+4+1, 8+7+5+1, 9+1, 9+2+1, 9+3+1, 9+4+1, 9+5+1, 9+6+1, 9+6+2+1, 9+6+3+1, 9+6+4+1, 9+6+5+1, 9+7+1, 9+7+2+1, 9+7+3+1, 9+7+4+1, 9+7+5+1, 10+1, 10+2+1, 10+3+1, 10+4+1, 10+5+1, 10+6+1, 10+6+2+1, 10+6+3+1, 10+6+4+1, 10+6+5+1, 10+7+1, 10+7+2+1, 10+7+3+1, 10+7+4+1, 10+7+5+1, 11+1, 11+2+1, 11+3+1, 11+4+1, 11+5+1, 11+6+1, 11+6+2+1, 11+6+3+1, 11+6+4+1, 11+6+5+1, 11+7+1, 11+7+2+1, 11+7+3+1, 11+7+4+1, 11+7+5+1, 12+1, 12+2+1, 12+3+1, 12+4+1, 12+5+1, 12+6+1, 12+6+2+1, 12+6+3+1, 12+6+4+1, 12+6+5+1, 12+7+1, 12+7+2+1, 12+7+3+1, 12+7+4+1, 12+7+5+1, 13+1, 13+2+1, 13+3+1, 13+4+1, 13+5+1, 13+6+1, 13+6+2+1, 13+6+3+1, 13+6+4+1, 13+6+5+1, 13+7+1, 13+7+2+1, 13+7+3+1, 13+7+4+1, 13+7+5+1, 14+1, 14+2+1, 14+3+1, 14+4+1, 14+5+1, 14+6+1, 14+6+2+1, 14+6+3+1, 14+6+4+1, 14+6+5+1, 14+7+1, 14+7+2+1, 14+7+3+1, 14+7+4+1, 14+7+5+1, 15+1, 15+2+1, 15+3+1, 15+4+1, 15+5+1, 15+6+1, 15+6+2+1, 15+6+3+1, 15+6+4+1, 15+6+5+1, 15+7+1, 15+7+2+1, 15+7+3+1, 15+7+4+1, 15+7+5+1, 16, 17, 18+16, 18+17, 19+16, 19+17, 20, 21, 22+20, 22+21, 23+20, 23+21, 24, 25+24, 26+24, 26+25+24, 27+24, 27+25+24, 27+26+24, 27+26+25+24, 28+24, 28+25+24, 28+26+24, 28+26+25+24, 29, 30+29, 31, 32+31, 33, and 34.

In the list above the numbers refer to the embodiments according to their numbering provided hereinabove whereas "+" indicates the dependency from another embodiment. The different individualised embodiments are separated by commas. In other words, "6+4+1" for example refers to embodiment 6) depending on embodiment 4), depending on embodiment 1), i.e. embodiment "6+4+1" corresponds to the pharmaceutical combination of embodiment 1) further limited by the features of the embodiments 4) and 6).

Definitions provided herein are intended to apply uniformly to the subject matter as defined in any one of embodiments 1) to 34), and, mutatis mutandis, throughout the description and the claims unless an otherwise expressly set out definition provides a broader or narrower definition. It is well understood that a definition or preferred definition of a term or expression defines and may replace the respective term or expression independently of

9. A pharmaceutical composition containing, as active principle, (R)-5-[3-chloro-4-(2,3-dihydroxy-propoxy)-benz[Z]ylidene]-2-([Z]-propylimino)-3-o-tolyl-thiazolidin-4-one and at

least one therapeutically inert excipient, for use as a medicament, wherein the pharmaceutical composition is to be administered in combination with a second pharmaceutical composition containing, as active principle, methyl fumarate, dimethyl fumarate, (N,N-diethylcarbamoyl)methyl methyl (2E)but-2-ene-1,4-dioate, or 2-(2,5-dioxopyrrolidin-1-yl)ethyl methyl (2E)but-2-ene-1,4-dioate, or a pharmaceutically acceptable salt thereof and at least one therapeutically inert excipient.

10. A pharmaceutical composition containing, as active principle, (R)-5-[3-chloro-4-(2,3-dihydroxy-propoxy)-benz[Z]ylidene]-2-([Z]-propylimino)-3-o-tolyl-thiazolidin-4-one and at least one therapeutically inert excipient, for use as a medicament, wherein the pharmaceutical composition is to be administered in combination with a second pharmaceutical composition containing, as active principle, dimethyl fumarate and at least one therapeutically inert excipient.

11. A pharmaceutical composition containing, as active principle, methyl fumarate, dimethyl fumarate, (N,N-diethylcarbamoyl)methyl methyl (2E)but-2-ene-1,4-dioate, or 2-(2,5-dioxopyrrolidin-1-yl)ethyl methyl (2E)but-2-ene-1,4-dioate, or a pharmaceutically acceptable salt thereof, and at least one therapeutically inert excipient, for use as a medicament, wherein the pharmaceutical composition is to be administered in combination with a second pharmaceutical composition containing, as active principle, (R)-5-[3-chloro-4-(2,3-dihydroxy-propoxy)-benz[Z]ylidene]-2-([Z]-propylimino)-3-o-tolyl-thiazolidin-4-one and at least one therapeutically inert excipient.

12. A pharmaceutical composition containing, as active principle, dimethyl fumarate and at least one therapeutically inert excipient, for use as a medicament, wherein the pharmaceutical composition is to be administered in combination with a second pharmaceutical composition containing, as active principle, (R)-5-[3-chloro-4-(2,3-dihydroxy-propoxy)-benz[Z]ylidene]-2-([Z]-propylimino)-3-o-tolyl-thiazolidin-4-one and at least one therapeutically inert excipient.

13. Use of (R)-5-[3-chloro-4-(2,3-dihydroxy-propoxy)-benz[Z]ylidene]-2-([Z]-propylimino)-3-o-tolyl-thiazolidin-4-one and a second active ingredient which is selected from the group consisting of methyl fumarate, dimethyl fumarate, (N,N-diethylcarbamoyl)methyl methyl (2E)but-2-ene-1,4-dioate, and 2-(2,5-dioxopyrrolidin-1-yl)ethyl methyl (2E)but-2-ene-1,4-dioate, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for use in the treatment of a disease or disorder wherein the disease or disorder is multiple sclerosis.

14. The use according to claim 13, wherein the disease or disorder is relapsing multiple sclerosis.

15. The use according to claim 13, wherein the disease or disorder is relapsing-remitting multiple sclerosis.

16. The use according to any one of claims 13 to 15, wherein the second active ingredient is dimethyl fumarate.

17. Use of (R)-5-[3-chloro-4-(2,3-dihydroxy-propoxy)-benz[Z]ylidene]-2-([Z]-propylimino)-3-o-tolyl-thiazolidin-4-one in the manufacture of a medicament for use, in combination with a

second medicament comprising methyl fumarate, dimethyl fumarate, (N,N-diethylcarbamoyl)methyl methyl (2E)but-2-ene-1,4-dioate, or 2-(2,5-dioxopyrrolidin-1-yl)ethyl methyl (2E)but-2-ene-1,4-dioate, or a pharmaceutically acceptable salt thereof, in the treatment of a disease or disorder listed in any one of claims 13 to 15.

18. The use according to claim 17, wherein the second medicament comprises dimethyl fumarate.

19. Use of methyl fumarate, dimethyl fumarate, (N,N-diethylcarbamoyl)methyl methyl (2E)but-2-ene-1,4-dioate, or 2-(2,5-dioxopyrrolidin-1-yl)ethyl methyl (2E)but-2-ene-1,4-dioate, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for use, in combination with a second medicament comprising (R)-5-[3-chloro-4-(2,3-dihydroxy-propoxy)-benz[Z]ylidene]-2-([Z]-propylimino)-3-o-tolyl-thiazolidin-4-one, in the treatment of a disease or disorder listed in any one of claims 13 to 15.

20. Use of dimethyl fumarate in the manufacture of a medicament for use, in combination with a second medicament comprising (R)-5-[3-chloro-4-(2,3-dihydroxy-propoxy)-benz[Z]ylidene]-2-([Z]-propylimino)-3-o-tolyl-thiazolidin-4-one, in the treatment of a disease or disorder listed in any one of claims 13 to 15.