

SEQUENCE LISTING

<110> SANOFI

<120> New compounds as peptidic trigonal GLP1/Glucagon/GIP Receptor Agonists

<130> DE2016/076WOPCT

<160> 29

<170> PatentIn version 3.5

<210> 1

<211> 30

<212> PRT

<213> Homo sapiens

<220>

<221> MOD_RES

<222> (30)..(30)

<223> AMIDATION

<400> 1

His	Ala	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
1				5					10					15	

Gln	Ala	Ala	Lys	Glu	Phe	Ile	Ala	Trp	Leu	Val	Lys	Gly	Arg
			20					25					30

<210> 2

<211> 31

<212> PRT

<213> Artificial Sequence

<220>

<223> liraglutide

<220>

<221> MOD_RES

<222> (20)..(20)

<223> Lys is derivatized at N6 with
(S)-4-Carboxy-4-hexadecanoylamino-butryl-

<400> 2

His	Ala	Glu	Gly	Thr	Phe	Thr	Ser	Asp	Val	Ser	Ser	Tyr	Leu	Glu	Gly
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

1 5 10 15

Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Arg Gly Arg Gly
20 25 30

<210> 3
<211> 29
<212> PRT
<213> Homo sapiens

<400> 3

His Ser Gln Gly Thr Phe Thr Ser Asp Tyr Ser Lys Tyr Leu Asp Ser
1 5 10 15

Arg Arg Ala Gln Asp Phe Val Gln Trp Leu Met Asn Thr
20 25

<210> 4
<211> 39
<212> PRT
<213> Heloderma suspectum

<220>
<221> MOD_RES
<222> (39)..(39)
<223> AMIDATION

<400> 4

His Gly Glu Gly Thr Phe Thr Ser Asp Leu Ser Lys Gln Met Glu Glu
1 5 10 15

Glu Ala Val Arg Leu Phe Ile Glu Trp Leu Lys Asn Gly Gly Pro Ser
20 25 30

Ser Gly Ala Pro Pro Pro Ser
35

<210> 5
<211> 42
<212> PRT

<213> Homo sapiens

<400> 5

Tyr Ala Glu Gly Thr Phe Ile Ser Asp Tyr Ser Ile Ala Met Asp Lys
1 5 10 15

Ile His Gln Gln Asp Phe Val Asn Trp Leu Leu Ala Gln Lys Gly Lys
20 25 30

Lys Asn Asp Trp Lys His Asn Ile Thr Gln
35 40

<210> 6

<211> 39

<212> PRT

<213> Artificial Sequence

<220>

<223> Exendin-4 derivative

<220>

<221> misc_feature

<222> (2)..(2)

<223> Xaa = Aib

<220>

<221> MOD_RES

<222> (14)..(14)

<223> Lys is derivatized at N6 with
(S)-4-Carboxy-4-((S)-4-carboxy-4-hexadecanoylamino-butyrylamino)-
butyryl-

<220>

<221> misc_feature

<222> (34)..(34)

<223> Xaa = Aib

<220>

<221> MOD_RES

<222> (39)..(39)

<223> AMIDATION

<400> 6

His Xaa His Gly Thr Phe Thr Ser Asp Leu Ser Lys Leu Lys Glu Glu

1	5	10	15
Gln Arg Gln Lys Glu Phe Ile Glu Trp Leu Lys Ala Gly Gly His Pro			
	20	25	30

Ser Xaa Lys Pro Pro Pro Lys
35

<210> 7
 <211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Exendin-4 derivative

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> Xaa = Aib

<220>
 <221> MOD_RES
 <222> (14)..(14)
 <223> Lys is derivatized at N6 with
 (S)-4-Carboxy-4-((S)-4-carboxy-4-hexadecanoylamino-butyrylamino)-
 butyryl-

<220>
 <221> misc_feature
 <222> (29)..(29)
 <223> Xaa = dAla

<220>
 <221> misc_feature
 <222> (34)..(34)
 <223> Xaa = Aib

<220>
 <221> MOD_RES
 <222> (39)..(39)
 <223> AMIDATION

<400> 7

His Xaa His Gly Thr Phe Thr Ser Asp Leu Ser Lys Leu Lys Glu Glu

1	5	10	15
Gln Arg Gln Lys Glu Phe Ile Glu Trp Leu Lys Ala Xaa Gly His Pro			
	20	25	30

Ser Xaa Lys Pro Pro Pro Lys
35

<210> 8
 <211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Exendin-4 derivative

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> Xaa = Aib

<220>
 <221> MOD_RES
 <222> (14)..(14)
 <223> Lys is derivatized at N6 with
 (S)-4-Carboxy-4-((S)-4-carboxy-4-hexadecanoylamino-butyrylamino)-
 butyryl-

<220>
 <221> misc_feature
 <222> (34)..(34)
 <223> Xaa = Aib

<220>
 <221> MOD_RES
 <222> (39)..(39)
 <223> AMIDATION

<400> 8

His Xaa His Gly Thr Phe Thr Ser Asp Leu Ser Lys Leu Lys Glu Glu
1 5 10 15

Gln Arg Gln Lys Glu Phe Ile Glu Trp Leu Lys Ala Gly Gly Pro Pro
20 25 30

Ser Xaa Lys Pro Pro Pro Lys
35

<210> 9
<211> 39
<212> PRT
<213> Artificial Sequence

<220>
<223> Exendin-4 derivative

<220>
<221> misc_feature
<222> (2)..(2)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (14)..(14)
<223> Lys is derivatized at N6 with
(S)-4-Carboxy-4-((S)-4-carboxy-4-hexadecanoylamino-butyrylamino)-
butyryl-

<220>
<221> misc_feature
<222> (29)..(29)
<223> Xaa = dAla

<220>
<221> misc_feature
<222> (34)..(34)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (39)..(39)
<223> AMIDATION

<400> 9

His Xaa His Gly Thr Phe Thr Ser Asp Leu Ser Lys Leu Lys Glu Glu
1 5 10 15

Gln Arg Gln Lys Glu Phe Ile Glu Trp Leu Lys Ala Xaa Gly Pro Pro
20 25 30

Ser Xaa Lys Pro Pro Pro Lys
35

<210> 10
<211> 39
<212> PRT
<213> Artificial Sequence

<220>
<223> Exendin-4 derivative

<220>
<221> misc_feature
<222> (2)..(2)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (14)..(14)
<223> Lys is derivatized at N6 with
(S)-4-Carboxy-4-((S)-4-carboxy-4-hexadecanoylamino-butyrylamino)-
butyryl-

<220>
<221> misc_feature
<222> (20)..(20)
<223> Xaa = Aib

<220>
<221> misc_feature
<222> (34)..(34)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (39)..(39)
<223> AMIDATION

<400> 10

His Xaa His Gly Thr Phe Thr Ser Asp Leu Ser Lys Leu Lys Glu Glu
1 5 10 15

Gln Arg Gln Xaa Glu Phe Ile Glu Trp Leu Lys Ala Gly Gly Pro Pro
20 25 30

Ser Xaa Lys Pro Pro Pro Lys
35

<210> 11
<211> 39
<212> PRT
<213> Artificial Sequence

<220>
<223> Exendin-4 derivative

<220>
<221> misc_feature
<222> (2)..(2)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (14)..(14)
<223> Lys is derivatized at N6 with
(S)-4-Carboxy-4-((S)-4-carboxy-4-hexadecanoylamino-butyrylamino)-
butyryl-

<220>
<221> misc_feature
<222> (20)..(20)
<223> Xaa = Aib

<220>
<221> misc_feature
<222> (29)..(29)
<223> Xaa = dAla

<220>
<221> misc_feature
<222> (34)..(34)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (39)..(39)
<223> AMIDATION

<400> 11

His Xaa His Gly Thr Phe Thr Ser Asp Leu Ser Lys Leu Lys Glu Glu

1	5	10	15
Gln Arg Gln Xaa Glu Phe Ile Glu Trp Leu Lys Ala Xaa Gly Pro Pro			
	20	25	30

Ser Xaa Lys Pro Pro Pro Lys
35

<210> 12
 <211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Exendin-4 derivative

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> Xaa = Aib

<220>
 <221> MOD_RES
 <222> (14)..(14)
 <223> Lys is derivatized at N6 with
 (S)-4-Carboxy-4-((S)-4-carboxy-4-hexadecanoylamino-butyrylamino)-
 butyryl-

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> Xaa = Aib

<220>
 <221> misc_feature
 <222> (34)..(34)
 <223> Xaa = Aib

<220>
 <221> MOD_RES
 <222> (39)..(39)
 <223> AMIDATION

<400> 12

His Xaa His Gly Thr Phe Thr Ser Asp Leu Ser Lys Leu Lys Glu Glu

1	5	10	15
Gln Arg Gln Xaa Glu Phe Ile Glu Trp Leu Lys Ala Gly Gly His Pro			
	20	25	30

Ser Xaa Lys Pro Pro Pro Lys
35

```

<210> 13
<211> 39
<212> PRT
<213> Artificial Sequence

```

```

<220>
<223> Exendin-4 derivative

```

```

<220>
<221> misc_feature
<222> (2)..(2)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (14)..(14)
<223> Lys is derivatized at N6 with
      (S)-4-Carboxy-4-((S)-4-carboxy-4-hexadecanoylamino-butyrylamino)-
      butyryl-

```

```

<220>
<221> misc_feature
<222> (20)..(20)
<223> Xaa = Aib

```

```

<220>
<221> misc_feature
<222> (29)..(29)
<223> Xaa = dAla

```

```

<220>
<221> misc_feature
<222> (34)..(34)
<223> Xaa = Aib

```

```

<220>
<221> MOD_RES
<222> (39)..(39)

```

<223> AMIDATION

<400> 13

His Xaa His Gly Thr Phe Thr Ser Asp Leu Ser Lys Leu Lys Glu Glu
1 5 10 15

Gln Arg Gln Xaa Glu Phe Ile Glu Trp Leu Lys Ala Xaa Gly His Pro
20 25 30

Ser Xaa Lys Pro Pro Pro Lys
35

<210> 14

<211> 39

<212> PRT

<213> Artificial Sequence

<220>

<223> Exendin-4 derivative

<220>

<221> misc_feature

<222> (2)..(2)

<223> Xaa = Aib

<220>

<221> MOD_RES

<222> (14)..(14)

<223> Lys is derivatized at N6 with
[[(4S)-4-carboxy-4-[[(4S)-4-carboxy-4-[[2-[2-[2-(hexadecanoylamin
o)ethoxy]ethoxy]acetyl]amino]butyrylamino]-butyryl-

<220>

<221> misc_feature

<222> (34)..(34)

<223> Xaa = Aib

<220>

<221> MOD_RES

<222> (39)..(39)

<223> AMIDATION

<400> 14

His Xaa His Gly Thr Phe Thr Ser Asp Leu Ser Lys Leu Lys Glu Glu

1	5	10	15
Gln Arg Gln Lys Glu Phe Ile Glu Trp Leu Lys Ala Gly Gly His Pro			
	20	25	30

Ser Xaa Lys Pro Pro Pro Lys
35

<210> 15
 <211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Exendin-4 derivative

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> Xaa = Aib

<220>
 <221> MOD_RES
 <222> (14)..(14)
 <223> Lys is derivatized at N6 with
 [[(4S)-4-carboxy-4-[[[(4S)-4-carboxy-4-[[2-[2-[2-(hexadecanoylamino)ethoxy]ethoxy]acetyl]amino]butyrylamino]-butyryl-

<220>
 <221> misc_feature
 <222> (29)..(29)
 <223> Xaa = dAla

<220>
 <221> misc_feature
 <222> (34)..(34)
 <223> Xaa = Aib

<220>
 <221> MOD_RES
 <222> (39)..(39)
 <223> AMIDATION

<400> 15

His Xaa His Gly Thr Phe Thr Ser Asp Leu Ser Lys Leu Lys Glu Glu

1	5	10	15
Gln Arg Gln Lys Glu Phe Ile Glu Trp Leu Lys Ala Xaa Gly His Pro			
	20	25	30

Ser Xaa Lys Pro Pro Pro Lys
35

```

<210> 16
<211> 39
<212> PRT
<213> Artificial Sequence

```

```

<220>
<223> Exendin-4 derivative

```

```

<220>
<221> misc_feature
<222> (2)..(2)
<223> Xaa = Aib

```

```

<220>
<221> MOD_RES
<222> (14)..(14)
<223> Lys is derivatized at N6 with
      (S)-4-Carboxy-4-hexadecanoylamino-butryl-

```

```

<220>
<221> misc_feature
<222> (20)..(20)
<223> Xaa = Aib

```

```

<220>
<221> misc_feature
<222> (29)..(29)
<223> Xaa = dAla

```

```

<220>
<221> misc_feature
<222> (34)..(34)
<223> Xaa = Aib

```

```

<220>
<221> MOD_RES
<222> (39)..(39)
<223> AMIDATION

```

<400> 16

His Xaa His Gly Thr Phe Thr Ser Asp Leu Ser Lys Leu Lys Glu Glu
1 5 10 15

Gln Arg Gln Xaa Glu Phe Ile Glu Trp Leu Lys Ala Xaa Gly Pro Pro
20 25 30

Ser Xaa Lys Pro Pro Pro Lys
35

<210> 17

<211> 39

<212> PRT

<213> Artificial Sequence

<220>

<223> Exendin-4 derivative

<220>

<221> misc_feature

<222> (2)..(2)

<223> Xaa = Aib

<220>

<221> MOD_RES

<222> (14)..(14)

<223> Lys is derivatized at N6 with
(S)-4-Carboxy-4-octadecanoylamino-butyryl-

<220>

<221> misc_feature

<222> (20)..(20)

<223> Xaa = Aib

<220>

<221> misc_feature

<222> (29)..(29)

<223> Xaa = dAla

<220>

<221> misc_feature

<222> (34)..(34)

<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (39)..(39)
<223> AMIDATION

<400> 17

His Xaa His Gly Thr Phe Thr Ser Asp Leu Ser Lys Leu Lys Glu Glu
1 5 10 15

Gln Arg Gln Xaa Glu Phe Ile Glu Trp Leu Lys Ala Xaa Gly Pro Pro
20 25 30

Ser Xaa Lys Pro Pro Pro Lys
35

<210> 18
<211> 39
<212> PRT
<213> Artificial Sequence

<220>
<223> Exendin-4 derivative

<220>
<221> misc_feature
<222> (2)..(2)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (14)..(14)
<223> Lys is derivatized at N6 with
(S)-4-Carboxy-4-hexadecanoylamino-butryl-

<220>
<221> misc_feature
<222> (20)..(20)
<223> Xaa = Aib

<220>
<221> misc_feature
<222> (34)..(34)
<223> Xaa = Aib

<220>

<221> MOD_RES
<222> (39)..(39)
<223> AMIDATION

<400> 18

His Xaa His Gly Thr Phe Thr Ser Asp Leu Ser Lys Leu Lys Glu Glu
1 5 10 15

Gln Arg Gln Xaa Glu Phe Ile Glu Trp Leu Lys Ala Gly Gly Pro Pro
20 25 30

Ser Xaa Lys Pro Pro Pro Lys
35

<210> 19
<211> 39
<212> PRT
<213> Artificial Sequence

<220>
<223> Exendin-4 derivative

<220>
<221> misc_feature
<222> (2)..(2)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (14)..(14)
<223> Lys is derivatized at N6 with
(S)-4-Carboxy-4-octadecanoylamino-butryl-

<220>
<221> misc_feature
<222> (20)..(20)
<223> Xaa = Aib

<220>
<221> misc_feature
<222> (34)..(34)
<223> Xaa = Aib

<220>
<221> MOD_RES

<222> (39)..(39)

<223> AMIDATION

<400> 19

His Xaa His Gly Thr Phe Thr Ser Asp Leu Ser Lys Leu Lys Glu Glu
1 5 10 15

Gln Arg Gln Xaa Glu Phe Ile Glu Trp Leu Lys Ala Gly Gly Pro Pro
20 25 30

Ser Xaa Lys Pro Pro Pro Lys
35

<210> 20

<211> 39

<212> PRT

<213> Artificial Sequence

<220>

<223> Exendin-4 derivative

<220>

<221> misc_feature

<222> (2)..(2)

<223> Xaa = Aib

<220>

<221> MOD_RES

<222> (14)..(14)

<223> Lys is derivatized at N6 with
(S)-4-Carboxy-4-hexadecanoylamino-butyryl-

<220>

<221> misc_feature

<222> (34)..(34)

<223> Xaa = Aib

<220>

<221> MOD_RES

<222> (39)..(39)

<223> AMIDATION

<400> 20

His Xaa His Gly Thr Phe Thr Ser Asp Leu Ser Lys Leu Lys Glu Glu

1	5	10	15
Gln Arg Gln Lys Glu Phe Ile Glu Trp Leu Lys Ala Gly Gly Pro Pro			
	20	25	30

Ser Xaa Lys Pro Pro Pro Lys
35

<210> 21
 <211> 39
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Exendin-4 derivative

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> Xaa = Aib

<220>
 <221> MOD_RES
 <222> (14)..(14)
 <223> Lys is derivatized at N6 with
 (S)-4-Carboxy-4-octadecanoylamino-butryl-

<220>
 <221> misc_feature
 <222> (34)..(34)
 <223> Xaa = Aib

<220>
 <221> MOD_RES
 <222> (39)..(39)
 <223> AMIDATION

<400> 21

His Xaa His Gly Thr Phe Thr Ser Asp Leu Ser Lys Leu Lys Glu Glu
1 5 10 15

Gln Arg Gln Lys Glu Phe Ile Glu Trp Leu Lys Ala Gly Gly Pro Pro
20 25 30

Ser Xaa Lys Pro Pro Pro Lys
35

<210> 22
<211> 39
<212> PRT
<213> Artificial Sequence

<220>
<223> Exendin-4 derivative

<220>
<221> misc_feature
<222> (2)..(2)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (14)..(14)
<223> Lys is derivatized at N6 with (4S)-Carboxy-
[2-(2-{2-[(4R)-5-carboxy-4-hexadecanoylamino-pentanoylamino]-ethoxy}-ethoxy)-acetylamino]-butyryl

<220>
<221> misc_feature
<222> (34)..(34)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (39)..(39)
<223> AMIDATION

<400> 22

His Xaa His Gly Thr Phe Thr Ser Asp Leu Ser Lys Leu Lys Glu Glu
1 5 10 15

Gln Arg Gln Lys Glu Phe Ile Glu Trp Leu Lys Ala Gly Gly His Pro
20 25 30

Ser Xaa Lys Pro Pro Pro Lys
35

<210> 23
<211> 39
<212> PRT
<213> Artificial Sequence

<220>
<223> Exendin-4 derivative

<220>
<221> misc_feature
<222> (2)..(2)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (14)..(14)
<223> Lys is derivatized at N6 with (4S)-Carboxy-
[2-(2-{2-[(4R)-5-carboxy-4-hexadecanoylamino-pentanoylamino]-ethoxy}-ethoxy)-acetylamino]-butyryl

<220>
<221> misc_feature
<222> (29)..(29)
<223> Xaa = dAla

<220>
<221> misc_feature
<222> (34)..(34)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (39)..(39)
<223> AMIDATION

<400> 23

His Xaa His Gly Thr Phe Thr Ser Asp Leu Ser Lys Leu Lys Glu Glu
1 5 10 15

Gln Arg Gln Lys Glu Phe Ile Glu Trp Leu Lys Ala Xaa Gly His Pro
20 25 30

Ser Xaa Lys Pro Pro Pro Lys
35

<210> 24
<211> 39
<212> PRT
<213> Artificial Sequence

<220>
<223> Exendin-4 derivative

<220>
<221> misc_feature
<222> (2)..(2)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (14)..(14)
<223> Lys is derivatized at N6 with
[[(4S)-4-carboxy-4-[[(4S)-4-carboxy-4-[[2-[2-[2-(hexadecanoylamino)
o]ethoxy]ethoxy]acetyl]amino]butyrylamino]-butyryl-

<220>
<221> misc_feature
<222> (20)..(20)
<223> Xaa = Aib

<220>
<221> misc_feature
<222> (29)..(29)
<223> Xaa = dAla

<220>
<221> misc_feature
<222> (34)..(34)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (39)..(39)
<223> AMIDATION

<400> 24

His Xaa His Gly Thr Phe Thr Ser Asp Leu Ser Lys Leu Lys Glu Glu
1 5 10 15

Gln Arg Gln Xaa Glu Phe Ile Glu Trp Leu Lys Ala Xaa Gly Pro Pro
20 25 30

Ser Xaa Lys Pro Pro Pro Lys
35

<210> 25
<211> 39
<212> PRT
<213> Artificial Sequence

<220>
<223> Exendin-4 derivative

<220>
<221> misc_feature
<222> (2)..(2)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (14)..(14)
<223> Lys is derivatized at N6 with (4S)-Carboxy-
[2-(2-{2-[(4R)-5-carboxy-4-hexadecanoylamino-pentanoylamino]-etho
xy}-ethoxy)-acetylamino]-butyryl

<220>
<221> misc_feature
<222> (20)..(20)
<223> Xaa = Aib

<220>
<221> misc_feature
<222> (29)..(29)
<223> Xaa = dAla

<220>
<221> misc_feature
<222> (34)..(34)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (39)..(39)
<223> AMIDATION

<400> 25

His Xaa His Gly Thr Phe Thr Ser Asp Leu Ser Lys Leu Lys Glu Glu
1 5 10 15

Gln Arg Gln Xaa Glu Phe Ile Glu Trp Leu Lys Ala Xaa Gly Pro Pro
20 25 30

Ser Xaa Lys Pro Pro Pro Lys
35

<210> 26
<211> 39
<212> PRT
<213> Artificial Sequence

<220>
<223> Exendin-4 derivative

<220>
<221> misc_feature
<222> (2)..(2)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (14)..(14)
<223> Lys is derivatized at N6 with
[[(4S)-4-carboxy-4-[[(4S)-4-carboxy-4-[[2-[2-[2-(hexadecanoylamino)ethoxy]ethoxy]acetyl]amino]butyrylamino]-butyryl-

<220>
<221> misc_feature
<222> (20)..(20)
<223> Xaa = Aib

<220>
<221> misc_feature
<222> (34)..(34)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (39)..(39)
<223> AMIDATION

<400> 26

His Xaa His Gly Thr Phe Thr Ser Asp Leu Ser Lys Leu Lys Glu Glu
1 5 10 15

Gln Arg Gln Xaa Glu Phe Ile Glu Trp Leu Lys Ala Gly Gly Pro Pro
20 25 30

Ser Xaa Lys Pro Pro Pro Lys
35

<210> 27
<211> 39
<212> PRT
<213> Artificial Sequence

<220>
<223> Exendin-4 derivative

<220>
<221> misc_feature
<222> (2)..(2)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (14)..(14)
<223> Lys is derivatized at N6 with (4S)-Carboxy-
[2-(2-{2-[(4R)-5-carboxy-4-hexadecanoylamino-pentanoylamino]-etho
xy}-ethoxy)-acetylamino]-butyryl

<220>
<221> misc_feature
<222> (20)..(20)
<223> Xaa = Aib

<220>
<221> misc_feature
<222> (34)..(34)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (39)..(39)
<223> AMIDATION

<400> 27

His Xaa His Gly Thr Phe Thr Ser Asp Leu Ser Lys Leu Lys Glu Glu
1 5 10 15

Gln Arg Gln Xaa Glu Phe Ile Glu Trp Leu Lys Ala Gly Gly Pro Pro
20 25 30

Ser Xaa Lys Pro Pro Pro Lys
35

<210> 28
<211> 39
<212> PRT
<213> Artificial Sequence

<220>
<223> Exendin-4 derivative

<220>
<221> misc_feature
<222> (2)..(2)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (14)..(14)
<223> Lys is derivatized at N6 with
(S)-4-Carboxy-4-octadecanoylamino-butyryl-

<220>
<221> MOD_RES
<222> (39)..(39)
<223> AMIDATION

<400> 28

His Xaa Gln Gly Thr Phe Thr Ser Asp Leu Ser Lys Gln Lys Asp Glu
1 5 10 15

Gln Arg Ala Lys Glu Phe Ile Glu Trp Leu Lys Ala Gly Gly Pro Ser
20 25 30

Ser Gly Ala Pro Pro Pro Ser
35

<210> 29

<211> 39
<212> PRT
<213> Artificial Sequence

<220>
<223> Exendin-4 derivative

<220>
<221> misc_feature
<222> (2)..(2)
<223> Xaa = Aib

<220>
<221> MOD_RES
<222> (14)..(14)
<223> Lys is derivatized at N6 with
(S)-4-Carboxy-4-octadecanoylamino-butyryl-

<220>
<221> MOD_RES
<222> (39)..(39)
<223> AMIDATION

<400> 29

Tyr Xaa Gln Gly Thr Phe Thr Ser Asp Leu Ser Lys Gln Lys Asp Glu
1 5 10 15

Gln Arg Ala Lys Glu Phe Ile Glu Trp Leu Lys Ser Gly Gly Pro Ser
20 25 30

Ser Gly Ala Pro Pro Pro Ser
35